


NASA CONTRACTOR  
REPORT



N73-11006  
NASA CR-2111

NASA CR-2111

## CASE FILE COPY

MAIN ROTOR FREE WAKE GEOMETRY  
EFFECTS ON BLADE AIR LOADS  
AND RESPONSE FOR HELICOPTERS  
IN STEADY MANEUVERS

Volume II — Program Listings

*by S. Gene Sadler*

*Prepared by*

ROCHESTER APPLIED SCIENCE ASSOCIATES, INC.

Rochester, N.Y. 14618

*for Langley Research Center*

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • WASHINGTON, D. C. • SEPTEMBER 1972

1. Report No. NASA CR-2111	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle <b>MAIN ROTOR FREE WAKE GEOMETRY EFFECTS ON BLADE AIR LOADS AND RESPONSE FOR HELICOPTERS IN STEADY MANEUVERS. VOLUME II - PROGRAM LISTINGS</b>		5. Report Date September 1972	
		6. Performing Organization Code	
7. Author(s) S. Gene Sadler		8. Performing Organization Report No. RASA Rep. No. 71-13	
9. Performing Organization Name and Address  Rochester Applied Science Associates, Inc. 140 Allens Creek Road Rochester, N.Y. 14618		10. Work Unit No.	
		11. Contract or Grant No. NAS 1-8448	
		13. Type of Report and Period Covered Contractor Report	
12. Sponsoring Agency Name and Address  National Aeronautics and Space Administration Washington, D.C. 20546		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract  A mathematical model and computer program was implemented to study the main rotor free wake geometry effects on helicopter rotor blade air loads and response in steady maneuvers. Volume I (NASA CR-2110) contains the theoretical formulation and analysis of results. Volume II contains the computer program listing.			
17. Key Words (Suggested by Author(s)) Rotor wake Blade loads Maneuvers Math models		18. Distribution Statement  Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 163	22. Price* \$3.00

\* For sale by the National Technical Information Service, Springfield, Virginia 22151

## CONTENTS

	<u>Page</u>
WAKE GEOMETRY PROGRAM	
Mainline (PROGRAM GEOW) . . . . .	3
Routines	
GEOM . . . . .	4
WK1 . . . . .	14
MATINV . . . . .	19
MPRECT . . . . .	21
MANEUV . . . . .	22
TURN . . . . .	24
ROLL . . . . .	26
SUMPUP . . . . .	28
GMPRD . . . . .	29
SMPY . . . . .	30
STYCLB . . . . .	31
BETAS . . . . .	32
MODRM . . . . .	35
GMS . . . . .	36
MODCOR . . . . .	37
MODCOX . . . . .	38
WK2 . . . . .	39
INTERP . . . . .	45
T44 . . . . .	47
SUBI . . . . .	48
SUBII . . . . .	55
CONVG . . . . .	58
ALLBD2 . . . . .	61
APXLD . . . . .	64
WK3 . . . . .	66
T3A . . . . .	69
ADVXYZ . . . . .	72
T3AB . . . . .	73
TEST5 . . . . .	87
T3ASP . . . . .	88
SELFIN . . . . .	92
POINTA . . . . .	93
STEPX . . . . .	95
Machine Compatibility . . . . .	100
Recommended CDC 6600 Overlay Structure . . . . .	100

CONTENTS

	<u>Page</u>
BLADE LOADS PROGRAM	
Mainline (PROGRAM MAIN) . . . . .	101
Routines	
INPUT . . . . .	111
OUTPUT . . . . .	113
CONV . . . . .	115
WBAR . . . . .	116
START . . . . .	117
HARMN . . . . .	119
BLD3 . . . . .	121
GAMAS . . . . .	123
BLD3B . . . . .	128
BLD3C . . . . .	131
SERIES . . . . .	133
INTRAT . . . . .	135
NACA15 . . . . .	136
BLD4 . . . . .	138
CONVL . . . . .	142
ALINT . . . . .	145
GCOORD . . . . .	146
RSPNS . . . . .	153
SHEAR . . . . .	157
RSPZZ . . . . .	159
Machine Compatibility . . . . .	161
Recommended CDC 6600 Overlay Structure . . . . .	161

MAIN ROTOR FREE WAKE GEOMETRY EFFECTS ON  
BLADE AIR LOADS AND RESPONSE FOR  
HELICOPTERS IN STEADY MANEUVERS  
VOLUME II - PROGRAM LISTINGS\*

By S. Gene Sadler  
Rochester Applied Science Associates, Inc.

SUMMARY

Computer program listings are presented for two separate programs, the wake geometry and the blade loads and response programs. These programs compute blade loads and response for single rotor helicopters in steady maneuver flight conditions. The listings in this volume correspond to the calculations discussed in VOLUME I.

INTRODUCTION

Vortex-blade interactions are an important source of high frequency, high amplitude aerodynamic loading of helicopter rotors. Increasingly more complete models of both the aerodynamics and elastomechanics of the helicopter rotor system are being developed. The programs listed here include the effects of free wake distortions, blade flexibilities, nonlinear aerodynamics, and uses an iterative solution technique to obtain compatible blade loads and response.

Four steps are necessary in obtaining blade loads and response results including the effects of free wake distortions by using the programs listed in this report:

1. Preliminary calculations (or measured data) are used to define rotor system performance parameters and flight conditions. Definitions of model parameters and program control variables are necessary for program operation.

2. A wake geometry calculation is made to obtain wake-induced velocity influence coefficients and initial estimates of bound circulations for use in the blade loads calculation. Wake geometry data is also printed during this calculation. (If uniform inflow approximations are desired, this step may be omitted, and the blade

---

\*VOLUME I - THEORETICAL FORMULATION AND ANALYSIS OF RESULTS is contained in NASA CR-2110.

loads and response calculations performed without the effects of a freely distorting wake.)

3. Blade natural frequencies and normal modes are computed for use in calculating blade response. The normal modes may be coupled or uncoupled, but must be orthogonal and must have a generalized mass of unity. At least one normal mode is required for program operation. (Steps 2 and 3 are independent, and their order unimportant.)

4. Given the wake program input for use in blade loads calculations and the natural frequency and normal mode shape input for use in blade response calculations, the blade loads and response calculations are then performed by the blade loads and response program. Output of this program includes the wake-induced velocities, angles of attack, aerodynamic loads, and blade lineal and angular motions, moments and shears as computed from the appropriate normal mode quantities and generalized coordinate magnitudes.

Program input and output is in English units.

```
OVERLAY(WKOVL,0,0)
PROGRAM GEOW (INPUT,OUTPUT,BDSIG,BDGAM,WKGEO,TAPE5=INPUT,TAPE6=OUT
INPUT,TAPE4=BDSIG,TAPE8=BDGAM,TAPE10=WKGEO)
C PROGRAM WAKE GEOMETRY
C
C DIMENSION TM(9),TV(3)
C
C COMMON /MUVXYZ/ TM,TV,DEL,VDT,RC,CAPPHI,AQ,AZ,YR,ZR,RP,IVAR
C COMMON /STPSZ/ NRATIO,NAA,LRGWKS,LIMLSS,LSWW
C
C CALL GEOM
C CALL WK1
C
C STOP
C END
```

SUBROUTINE GEOM

C  
INTEGER OUT,WKPT,CNTR  
INTEGER T45,WW  
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,  
LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,T0,MB,LX,KXX  
C  
DIMENSION A(05,44)  
DIMENSION ALFA1(01)  
DIMENSION ALFA2(01)  
DIMENSION ALFAS(01)  
DIMENSION ALFAT(01)  
DIMENSION AO(01)  
DIMENSION ALPHAO(01)  
DIMENSION ALPHAR(01)  
DIMENSION AR(01)  
DIMENSION ATMP(11)  
DIMENSION B(005,40)  
DIMENSION BETA(03,1)  
DIMENSION BTMP(11)  
DIMENSION C(09)  
DIMENSION CCLA(01)  
DIMENSION CHORD(01)  
DIMENSION DELTA(01)  
DIMENSION DI(90)  
DIMENSION DIR(1)  
DIMENSION DNTH(011,040)  
DIMENSION DSQ(040)  
DIMENSION DTMP(040)  
DIMENSION GAMMA(05,040)  
DIMENSION GAMMAG(360)  
DIMENSION GAMMK(1,040)  
DIMENSION INDXG(40)  
DIMENSION IO(01)  
DIMENSION KXX(01)  
DIMENSION LNTH(05,44)  
DIMENSION LOADN(044)  
DIMENSION LSQ(044)  
DIMENSION LTMP(044)  
DIMENSION LX(01)  
DIMENSION MB(01)  
DIMENSION MUCDS(1)  
DIMENSION MUSDS(1)  
DIMENSION NPSI(1)  
DIMENSION NPTS(60)  
DIMENSION PSI(1)  
DIMENSION PSIR(01)  
DIMENSION R(11)  
DIMENSION RBAR(040)  
DIMENSION RCAP(01,11)

```
DIMENSION RMOD(11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION SGMA1(044,044)
DIMENSION SGMA2(05,44)
DIMENSION SIGBL(360)
DIMENSION SIGMZ(10)
DIMENSION T(3,3)
DIMENSION TCOR(03,03)
DIMENSION THTAX(01)
DIMENSION THTAY(01)
DIMENSION TM(9),TV(3)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VLL(40)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION VXX(01,01)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZAP(40)
DIMENSION ZROT(01)
DIMENSION ZSTOR(800)
```

C

```
COMMON /AL1BDA/ ARK
COMMON /APXLDB/ LOADN
COMMON /BETA1/BETA,MBETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /BETA3/OM,OMSQ,AO,AR,V,RHO,MU
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /CONVGA/ EPSG,NWKQ
COMMON /CONVGB/ SGMA1,IDXG
COMMON /CONVGC/ GAMMAG
COMMON /DART1/ SGRATO
COMMON /ELNTHS/ ELI(16)
COMMON /ITRG/ ITRGX
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),
1 VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
COMMON /MODWK3/ AFM(4,11),BFM(4,10)
COMMON /MUVXY7/ TM,TV,DEL,VDT,RC,CAPPHI,AQ,AZ,YR,ZR,RP,IVAR
COMMON /OUTDI/ NNTV,NEXPWK,NSIGRW,NMODR,NMODC
COMMON /OUTDII/ NWKCLM
COMMON /OUTIN/ IN,OUT
```

```
COMMON /STEPXA/ WKPT,WW,IOUT,NOTTP1,KAT,NBC
COMMON /SUBIB/ KX,LSQ,DSQ,DTMP,LTMP,ATMP,BTMR
COMMON /SUBIC/ R,C,DTWOPI
COMMON /SUBID/ I,IP1,IM1
COMMON /SUBIE/ NAS
COMMON /STPSZ/ NRATIO,NAA,LRGWKS,LIMLSS,LSWW
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /VLIMIT/ VLIM(11),VMLIM(16)
COMMON /VLNTHS/ NALIM,VLL
COMMON /WAKE1/ V00MR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOPI
COMMON /WKCONT/ NWKPD
COMMON /WKQ/ NUMXYZ
COMMON /WK1A/ PSIR,DPSIK,PSIK,DELTA,RREF,MUCDS,MUSDS,THTAX,THTAY
COMMON /WK1B/ XROT,YROT,ZROT,TCOR,ALFAT,ALFA1,ALFA2
COMMON /WK1C/ PSI,CCLA,DIR
COMMON /WK2A/ MSET,GAMMK,INDX,JAC,INDXL,SGMAZ,SIGMZ,SGMBL
COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
COMMON /WK2C/ SIGBL
COMMON /WK2GAM/ GAMFAC
COMMON /WK4A/ VXX
COMMON /ZCNTRL/ NZS
COMMON /ZSS/ ZSTOR
```

C

```
DATA BLANK/1H /
DATA NWKX,NWKY,NWKZ/3HWKX,3HWKY,3HWKZ/
```

C

```
30 FORMAT(4H0AFM//)
31 FORMAT(4H0BFM//)
32 FORMAT(33H0VLIM(NTV),VMLIM(NTVM*NIB),GAMFAC//)
33 FORMAT(12HONALIM ELIM/2X,I3,G16.7)
34 FORMAT(12HCVLL(NIBRVM)//)
35 FORMAT (23HCNUMBER OF SMALL STEPS ,I5,24H      START SMALL STEPS AT ,
1 I5)
907 FORMAT(16X,3F8.8)
906 FORMAT (29X,[5]
16 FORMAT (20A4)
901 FORMAT (19X,2X,7X,E11.8)
9875 FORMAT (1X,8G16.7)
8882 FORMAT (1H1,47X,37HFREE ROTOR WAKE GEOMETRY CALCULATIONS///  

11H ,26X,20A4/
21H ,26X,20A4/
31H ,26X,20A4//  

41H ,58X,16HBLADE PROPERTIES//  

51H ,9X,F8.3,30H ADVANCE RATIO, DIMENSIONLESS,  

630X,F8.5,27H MAXIMUM CONVERGENCE ERROR/  

71H ,9X,F8.3,31H AIR MASS DENSITY, LB-SEC2/FT4,  

8 29X,F8.3,30H REFERENCE ROTOR LENGTH, FEET/
```

21H ,9X,F8.3,25H BLADE ROOT RADIUS, FEET,  
 1 35X,F8.3,35H ROTATIONAL RATE OF ROTOR, RAD/SEC/  
 61H ,9X,F8.3,26H FORWARD VELOCITY, FT/SEC,  
 5 34X,F8.3,30H SLOPE OF LIFT CURVE, 1/RAD2/  
 91H ,77X,F8.3,42H VORTEX CORE RADIUS FACTOR, DIMENSIONLESS//)  
**8883 FORMAT(1H //**  
 11H ,38HAMPLITUDE OF LATERAL CYCLIC PITCH, RAD, 12X,1(F9.4,5X)/  
 21H ,42HLATERAL SHAFT TILT ANGLE, POS TO PORT, RAD, 8X,1(F9.4,5X)/  
 31H ,43HAMPLITUDE OF LONGITUDINAL CYCLIC PITCH, RAD, 7X,1(F9.4,5X)/  
 41H ,39HLONG FIRST HARMONIC FLAPPING ANGLE, RAD, 11X,1(F9.4,5X)/  
 71H ,23HBLADE CONING ANGLE, RAD, 27X,1(F9.4,5X)/  
 61H ,42HLONG SHAFT TILT ANGLE, POS AFT FR VRT, RAD, 8X,1(F9.4,5X))  
**8889 FORMAT (**  
 11H ,34HBLADE INBOARD AIRFOIL RADIUS, FEET, 16X,1(F9.4,5X)/  
 21H ,41HOFFSET OF HINGE FM CNTR OF ROTATION, FEET, 9X,1(F9.4,5X)/  
 91H ,43HDIRECTION OF ROTOR, POS IS COUNTERCLOCKWISE, 7X,1(F9.4,5X)/  
 41H ,26HROTOR REFERENCE ANGLE, RAD, 24X,1(F9.4,5X)/  
 51H ,22HBLADE TWIST ANGLE, RAD, 28X,1(F9.4,5X)/  
 71H ,20HCHORD, DIMENSIONLESS, 30X,1(F9.4,5X)/  
 81H ,29HSHAFT TILT, POSITIVE AFT, RAD, 21X,1(F9.4,5X))  
**8887 FORMAT (**  
 11H ,42HEXTRAPOLATED ANGLE OF ATTACK AT SHAFT, RAD, 8X,1(F9.4,5X)/  
 21H ,29HX-AXIS ROTOR COORDINATE, FEET, 21X,1(F9.4,5X)/  
 41H ,29HY-AXIS ROTOR COORDINATE, FEET, 21X,1(F9.4,5X)/  
 51H ,42HLATERAL FIRST HARMONIC FLAPPING ANGLE, RAD, 8X,1(F9.4,5X)/  
 61H ,29HZ-AXIS ROTOR COORDINATE, FEET, 21X,1(F9.4,5X)////)

C

**8884 FORMAT(**  
 11H ,34COORDINATE TRANSFORMATION MATRICES,69X,  
 225HPROGRAM CONTROL CONSTANTS//  
 31H ,12X,9HROTOR ONE/  
 41H ,99X,I3,17H AZIMUTHAL STEPS/  
 51H ,F7.3,2(6X,F7.3)/  
 61H ,F7.3,2(6X,F7.3),66X,I3,18H BLADES PER ROTOR/  
 71H ,F7.3,2(6X,F7.3)/  
 81H ,99X,I3,24H INPUT CONTROL CONSTANT/  
 91H ,12X, 9HROTOR TWO/  
 11H ,99X,I3,22H REV OF WAKE RETAINED/  
 21H ,F7.3,2(6X,F7.3)/  
 31H ,F7.3,2(6X,F7.3),66X,I3,8H ROTORS/  
 41H ,F7.3,2(6X,F7.3)/  
 51H ,99X,I3,24H TRAILED VORTICES/BLADE//)  
**8885 FORMAT(1H ,5HRCAPS//**  
 11H ,10HROTOR ONE ,1X,9(1X,F7.4,1H ),1X,F7.4)  
**8886 FORMAT(1H ,10HROTOR TWO ,1X,9(1X,F7.4,1H ),1X,F7.4//)**

C

C

IN=5  
 OUT=6  
 IOUT=7

```
INTP1=4  
NOTTP1=8  
INTP2=4  
NOTTP2=4
```

```
C  
C  
C  
DO 2 I=1,90  
2 DI(I)=BLANK
```

```
C  
DEL=0.  
VDT=0.
```

```
C  
C  
READ INPUT.  
C
```

```
READ (5,16) NPTS  
READ (IN,906) NBC,NWKRQ,WW,NUWKPT,NTVM,NA,NRM,NA,NIB,NTV,NREV,NROT  
READ (IN,906) NAA,LSWW  
READ (IN,906) WKPT,ITRGX  
READ (IN,906) NALIM  
READ (IN,906) NUMXYZ  
READ (IN,901) SGRATO  
READ (IN,901) VOOMR,ABK,OM,V,RHO  
NTV1=NTV-1  
NIRRVM=NTVM*NIB*NROT  
READ (IN,901) (ALFA1(I),ALFA2(I),CHORD(I),ALFAS(I),DELTA(I),  
1THTAY(I),THTAX(I),PSIR(I),RZERO(I),DIR(I),I=1,NROT)  
READ (IN,901)((RCAP(I,J),J=1,NTV),I=1,NROT),RREF,CLA,EPSC  
READ (IN,901) (XROT(I),YROT(I),ZROT(I),I=1,NROT)  
NTVMP2=NTV*NROT  
READ (IN,901) ((AFM(I,J), J=1,NTVMP2), I=1,NTVM)  
READ (IN,901) ((BFM(I,J),J=1,NTV1),I=1,NTVM)  
READ (IN,901) (VLIM(I),I=1,NTV),(VMLIM(I),I=1,NIBRVM)  
READ (5,901) GAMFAC  
READ (IN,901) ELIM
```

```
C  
ZNA=NA  
SINALS=SIN(ALFAS(1))  
COSALS=COS(ALFAS(1))  
CALL MANEUV(V,OM,ZNA,RREF,SINALS,COSALS)
```

```
C  
IF (NUMXYZ.GT.0) READ (IN,901) (ZSTOR(I),I=1,NUMXYZ)  
C  
ITRGX = UPPER LIMIT ON NUMBER OF ITERATIONS FOR GAMMAS  
C  
ABR = VORTEX CORE RADIUS CONSTANT  
C  
SUBSCRIPT(M) = INCREMENTED NUMBER OF ROTORS
```

```
C  
DEFINE CONSTANTS.  
C
```

```
INDEXL=0
PI=3.141593
KAT=0
TWOPI=2.*PI
DTWOP1=1./TWOPI
SGRATO=DTWOP1/SGRATO
DPSI=TWOP1/NA
DPSIK=TWOPI/NIB
OMSQ=OM*OM
MU=V/(OM*RREF)
MUDP=MU*DPSI
```

```
C
C      READ ANGLES IN RADIANS OR CONVERT DEGREES TO RADIANS BEFORE
C      NEXT STEP
```

```
C
C
C      CY=COS(THTAY(1))
C      SY=SIN(THTAY(1))
C      CX=COS(THTAX(1))
C      SX=SIN(THTAX(1))
```

```
C
C
C      COMPUTE COORDINATE TRANSFORMATION MATRIX FOR USE IN LOCATION
C      OF MTH ROTOR.
```

```
C
C
C      TCOR(1,1)=CY
C      TCOR(2,1)=SY*SX
C      TCOR(3,1)=-SY*CX
C      TCOR(1,2)=0.
C      TCOR(2,2)=CX
C      TCOR(3,2)=SX
C      TCOR(1,3)=SY
C      TCOR(2,3)=-SX*CY
C      TCOR(3,3)=CY*CX
```

```
C
C      COMPUTE TIP PATH ANGLE FROM APPROXIMATE EQUATIONS OF MOTION OF
C      RIGID, SPRING-HINGED BLADE.
```

```
C
C
MBETR=3
DO 15 M=1,NROT
R0=RZERO(M)
CHORD(M)=CHORD(M)/RREF
PSI(M)=0.
ALPHA1=ALFA1(M)
ALPHA2=ALFA2(M)
AS=ALFAS(M)
F=CHORD(M)
D=DELTA(M)
NBETC=M
```

```

NCALB=0
IF (NCALB.EQ.1) CALL BETAS
IF (NCALB.FQ.0)
1READ (5,901) BETA(1,M),BETA(2,M),BETA(3,M),AO(M),AR(M)
ALFAT(M)=ALFAS(M)-BETA(3,M)
MUSDS(M)=MUDP*SIN(ALFAS(M))
MUCDS(M)=MUDP*COS(ALFAS(M))
15 CCLA(M)=.5*CHORD(M)*CLA
SINB3=SIN(BETA(3,1))
COSB3=COS(BETA(3,1))

C
C          PRINT OUT INPUT AND CONTROL CONSTANTS
C
WRITE (OUT,8882)NPTS,MU,EPSC,PHO,RREF,RO,OM,V,CLA,ABK
C
        WRITE(OUT,8883)(ALFA1(I),I=1,NROT),(THTAY(I),I=1,NROT),
1           (ALFA2(I),I=1,NROT),( BETA(3,I),I=1,NROT),
2           ( BETA(1,I),I=1,NROT),( THTAX(I),I=1,NROT)
        WRITE(OUT,8889)(RZERO(I),I=1,NROT),(DELTA(I),I=1,NROT),
1           ( DIR(I),I=1,NROT),( PSIR(I),I=1,NROT)      ,
2           ( AR(I),I=1,NROT),
1           ( CHORD(I),I=1,NROT),( ALFAS(I),I=1,NROT)
        WRITE(OUT,8887)( AO(I),I=1,NROT),( XROT(I),I=1,NROT),
1           ( YROT(I),I=1,NROT)      ,
2           ( BETA(2,I),I=1,NROT),( ZROT(I),I=1,NROT)
        WRITE(OUT,8890) TM,TV,DEL,VDT,RC,CAPPHI,AQ,AZ,YR,ZR,RP,IVAR
1,NBC,NWKRQ,WW,NUWKPT,NTVM,NANRM,NUMXYZ,SGRATO,VDOOMR
8890 FORMAT(/1X, 19HMANEUVER PARAMFTERS,// 6X,4HTM =,
19(F10.7)/       6X,4HTV =,3F10.7,/ 5X,5HDEL =,F10.7/ 5X,5HVDT =,F1
20.7/ 6X,4HRC =,F10.7/ 2X,8HCAPPHI =,F10.7/ 6X,4HA0 =,F10.7/ 6X,4HA
32 =,F10.7/ 6X,4HYR =,F10.7/ 6X,4HZR =,F10.7/ 6X,4HRP =,F10.7/ 4X,
46HIVAR =,I5// 
5 5X,15HPROGRAM CONTROL/
6 5X,5HNBC =,I5/ 3X,7HNWKRQ =,I5/ 6X,4HWW =,I5/2X,8HNUWKPT =I5/4X,6
7HNTVM =,I5/ 3X,7HNNANRM =,I5/ 2X,8HNUMXYZ =,I5/ 2X,8HSGRATO =,F10.7
8/ 3X,7HVDOOMR =,F10.7/)
        WRITE (OUT,8884) NA,TCOR(1,1),TCOR(1,2),TCOR(1,3),TCOR(2,1),
1 TCOR(2,2),TCOR(2,3),NIB,TCOR(3,1),TCOR(3,2),TCOR(3,3),WKPT,
2 NREV,T(1,1),T(1,2),T(1,3),T(2,1),T(2,2),T(2,3),NROT,T(3,1),
3 T(3,2),T(3,3),NTV
        WRITE (OUT,8885) (RCAP(1,IX),IX=1,NTV)
        IF (NROT.FQ.2)
1WRITE (OUT,8886) (RCAP(2,IX),IX=1,NTV)
        WRITE(6,30)
        WRITE (OUT,9875)((AFM(I,J),J=1,NTVMP2),I=1,NTVM)
        WRITE(6,31)
        WRITE (OUT,9875)((BFM(I,J),J=1,NTV1),I=1,NTVM)
        WRITE(6,32)
        WRITE (OUT,9875) (VLIM(I),I=1,NTV),(VMLIM(I),I=1,NIBRVM),GAMFAC
        WRITE(OUT,33)NALIM,ELIM

```

```
      WRITE (OUT,35) NAA,LSWW
      IF (NUMXYZ.GT.0) WRITE (OUT,9875) (ZSTOR(I),I=1,NUMXYZ)
```

```
C
C
```

```
      DIMENSIONALIZATION FACTORS
      LOAD RHO*OM*OM*R**3
```

```
C
C
```

```
R11=RREF*RREF*RREF
DFLDD=RHO*OMSQ *R11.
```

```
C
C
```

```
      CONSTANTS USED TO CONTROL PROGRAM.
```

```
C
```

```
NJ=NIB*NROT*NTV
NAR=NA*NREV
NGJ=NIB*NTV1
NGJR=NGJ*NROT
NIBV=NIB*NTV
NIBRV=NIBV*NROT
NIBM=NIB*NTVM
NBRV1=NIBRV+1
NAS=?
NLP1=NROT
NLP2=NIB
NLP3=NTV
NWKPD=0
NPER=1
NR=NTV1*NROT
NANR=NA*NR
NIBNA=NA/NIB
NWSTRE=2
NWR=NA*NREV
LRGWKS=1
NRATIO=NAA/NA
```

```
C
C
```

```
      CONSTANTS USED TO CONTROL ARRAY SIZES
```

```
C
```

```
NNTV=44
NEXPWK=5
NSIGRW=44
NWKRW=11
NWKCLM=44
NMODR=54
NMODC=16
NNROT=1
NNTVM=11
NTVMX=4
```

```
C
C
```

```
      COMPUTE LENGTHS FOR USE IN MODIFIED WAKE
```

```
DO 3 I=1,NTVM
```

```

DO 3 J=1,NIBRVM
XM(I,J)=0.
YM(I,J)=0.
3 ZM(I,J)=0.
N1=NIB*NTVM
KK=0
DO 10 M=1,NROT
CALL MDDRM (NTV,NTVM,RCAP,RMOD,AFM,NNROT,NNTVM,NTVMX,M,NWKRW)
DO 5 JJ=1,NTVM
KK=KK+1
ELL(KK)=RMOD(JJ)*DPSI/RREF
5 VLL(KK)=ELIM*ELL(KK)
N3=(M-1)*N1
N2=N1+N3
N3=NTVM+1+N3
DO 10 JJ=N3,N2
KK=KK+1
ELL(KK)=ELL(KK-NTVM)
10 VLL(KK)=ELIM*ELL(KK)
WRITE(6,34)
WRITE(OUT,9875) (VLL(I),I=1,NIBRVM)

C
C           INIT FOR WAKE CALCULATIONS
C
IF (NWKRQ.EQ.0) GO TO 20
NWKCL=1
NWKLST=0
DO 13 I=1,NUWKPT
NWKLST=NWKLST+1
IF (NWKLST.LE.NWKRW) GO TO 13
NWKLST=1
NWKCL=NWKCL+1
13 READ (IN,907) WKX(NWKLST,NWKCL),WKY(NWKLST,NWKCL),WKZ(NWKLST,
1NWKCL)
IF (NWKCL.EQ.1) NWKRW=NWKLST
IF (NWKLST.EQ.NWKRW.OR.NWKCL.EQ.1) GO TO 200
NXX=NWKLST+1
DO 22 I=NXX,NWKRW
WKX(I,NWKCL)=0.
WKY(I,NWKCL)=0.
22 WKZ(I,NWKCL)=0.
CALL MPRECT (NWKX,WKX,NWKRW,NWKCL,NEXPWK,NWKCLM)
CALL MPRECT (NWKY,WKY,NWKRW,NWKCL,NEXPWK,NWKCLM)
CALL MPRECT (NWKZ,WKZ,NWKRW,NWKCL,NEXPWK,NWKCLM)
200 DO 18 I=1,NWKRW
DO 18 J=1,NWKCL
VXX(I,J)=0.
18 VI(I,J)=0.

C
C           PERFORM A STEP

```

C

```
20 NAS1=0
    NW=1
    II=1
    WKPT=3
    RETURN
    END
```

```

SUBROUTINE WK1
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
ILTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHAO(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION C(09)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION R(11)
DIMENSION RBAR(040)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION T(03,03)
DIMENSION TCOR(03,03)
DIMENSION THTAX(01)
DIMENSION THTAY(01)
DIMENSION TR(09)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)

```

```
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZAP(40)
DIMENSION ZROT(01)
DIMENSION ZSTOR(800)
```

C  
C

```
COMMON /BETA3/OM,OMSQ,AO,AR,V,RHO,MU
COMMON /WKQ/ NUMXYZ
COMMON /ZCNTRL/ NZS
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSTG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOQMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP1
```

C

```
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /BETA1/BETA,MRFTR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /WK1A/ PSIR,DPSIK,PSIK,DELTA,RREF,MUCDS,MUSDS,THTAX,THTAY
COMMON /WK1B/ XROT,YROT,ZROT,TCOR,ALFAT,ALFA1,ALFA2
COMMON /WK1C/ PSI,CCLA,DIR
COMMON /SUBIC/ R,C,DTWOP1
COMMON /APXLD/ RBAR
COMMON /ZSS/ ZSTOR
```

C

```
9876 FORMAT (1H0,I14/(8(1X,G14.7)))
```

C

```
COMPUTATIONS FOR REFERENCE ROTOR
```

C

C

```
COMPUTE BLADE POINTS FOR II=1, WAKE POINTS FOR II=2, FOR EACH
BLADE.
```

C

```
OUT=6
NZS=0
21 II=II+1
J=0
DO 28 K=1,NIR
PSIK=(K-1)*DPSIK
WORK1=PSI(1)+PSIK
SINPK=SIN(WORK1)
COSPK=COS(WORK1)
BK=BETA(1,1)+BETA(2,1)*SINPK+BETA(3,1)*COSPK
COSBK=COS(BK)
SINBK=SIN(BK)
```

```

DO 28 I=1,NTV
J=J+1
NZS=NZS+1
RSCRP=(RCAP(1,I)-DELTA(1))/RREF
RSMAL=DELTA(1)/RREF+RSCRP*COSBK
RSMLL(1,J)=RSMAL
X(1,I,J)=RSMAL*COSPK
Y(1,I,J)=RSMAL*SINPK
Z(1,I,J)=RSCRP*SINBK
25 IF (NUMXYZ.GT.0) Z(1,I,J)=ZSTOR(NZS)
IF (I.EQ.1) GO TO 28
27 X(2,J)=X(2,J)+MUCDS(1)
Z(2,J)=Z(2,J)+MUSDS(1)
IF (NUMXYZ.GT.0) Z(2,J)=ZSTOR(NZS)
28 CONTINUE
C
C          COMPUTATION FOR ADDITIONAL ROTORS
C          ANGLES MUST BE IN RADIANS, EITHER READ RADIAN OR CONVERTED
C          FROM DEGREES. T(I,J) IS COORDINATE TRANSFORMATION MATRIX
C          FOR MTH ROTOR.
C
29 IF (NROT.LE.1) GO TO 50
30 DO 39 M=2,NROT
CY=COS(THTAY(M))
CX=COS(THTAX(M))
SY=SIN(THTAY(M))
SX=SIN(THTAX(M))
T(1,1)=CY
T(2,1)=0.
T(3,1)=SY
T(1,2)=SY*SX
T(2,2)=CX
T(3,2)=-SX*CY
T(1,3)=-SY*CX
T(2,3)=SX
T(3,3)=CY*CX
DO 39 K=1,NIB
PSIK=PSIR(M)+(K-1)*DPSIK
COSPK=COS(PSI(M)+PSIK)
SINPK=SIN(PSI(M)+PSIK)
BK=BETA(1,M)+BETA(2,M)*SINPK+BETA(3,M)*COSPK
COSBK=COS(BK)
SINBK=SIN(BK)
DO 39 I=1,NTV
J=J+1
NZS=NZS+1
RSCRP=(RCAP(M,I)-DELTA(M))/RREF
RSMAL=DELTA(M)/RREF+RSCRP*COSBK
RSMLL(2,J)=RSMAL
C(1)=RSMAL*COSPK

```

```

C C
C   C(2)=RSMAL*SINPK
C   C(3)=RSCRP*SINBK
C
C   COMPUTE POSITION OF MTH ROTOR IN COORDINATE SYSTEM OF ROTOR 1
C
C   TR(1)=XROT(M)
C   TR(2)=YROT(M)
C   TR(3)=ZROT(M)
C   DO 32 L=1,3
C   DO 32 JJ=1,3
32  TR(L)=TR(L)+T(L,JJ)*C(JJ)
    X(II,J)=0.
    Y(II,J)=0.
    Z(II,J)=0.

C   COMPUTE BLADE POINTS FOR II=1, WAKE POINTS FOR II=2, FOR
C   EACH BLADE.
C
C   DO 34 L=1,3
C   X(II,J)=X(II,J)+TCOR(1,L)*TR(L)
C   Y(II,J)=Y(II,J)+TCOR(2,L)*TR(L)
C   Z(II,J)=Z(II,J)+TCOR(3,L)*TR(L)
C   IF (NUMXYZ.GT.0) Z(II,J)=ZSTOR(NZS)
34  CONTINUE
    IF (II.LE.1) GO TO 39
38  X(2,J)=X(2,J)+MUCDS(M)
    Z(2,J)=Z(2,J)+MUSDS(M)
    IF (NUMXYZ.GT.0) Z(2,J)=ZSTOR(NZS)
39  CONTINUE
C
C   DEFINE CIRCULATIONS BY CALCULATION OR READ FROM CARDS, TAPE.
C
50  J=0
51  JJ=0
    IF (NUMXYZ.GT.0) WRITE (6,9876) (Z(II,JH),JH=1,NIBRV)
    DO 60 M=1,NROT
      MUALT=MU*ALFAT(M)
    DO 60 K=1,NIB
      PSIK=(K-1)*DPSIK+PSIR(M)+PSI(M)
      SINPK=SIN(PSIK)
      COSPK=COS(PSIK)
      BK=BETA(1,M)+BETA(2,M)*SINPK+BETA(3,M)*COSPK
      COSBK=COS(BK)
      ALFB=AO(M)+ALFA1(M)*SINPK+ALFA2(M)*COSPK
      MUSPK=MU*SINPK
    DO 60 I=1,NTV1
      JJ=JJ+1
      RSMAL=(DELTA(M)+(RCAP(M,I)-DELTA(M))*COSBK)/RREF
      RBAR(JJ)=RSMAL+.5*(RCAP(M,I+1)-RCAP(M,I))*COSBK/RREF
      ALFB=ALFB-AR(M)*RBAR(JJ)

```

```
GAMMA(IJ,JJ)=CCLA(M)*(ALFBR*(RBAR(JJ)+MUSPK*DIR(M))+MUALT)
60 CONTINUE
C
C          ENTER TYPICAL AZIMUTHAL STEP COMPUTATION
C
70 IF (II.GT.1) GO TO 72
CALL OVERLAY (5LWK0VL,3,0,6HRECALL)
CALL OVERLAY (5LWK0VL,4,0,6HRECALL)
CALL OVERLAY (5LWK0VL,5,0,6HRECALL)
CALL OVERLAY (5LWK0VL,6,0,6HRECALL)
CALL OVERLAY (5LWK0VL,7,0,6HRECALL)
CALL OVERLAY (5LWK0VL,08,0,6HRECALL)
GO TO 21
72 II=0
NW=NW+1
DO 73 M=1,NROT
73 PSI(M)=PSI(M)+DPSI*DIR(M)
GO TO 21
END
```

```

SUBROUTINE MATINV
DIMENSION A(040,040)
DIMENSION B(040,1)
DIMENSION INDEX(40,3)
COMMON /BETA2/A,B,N,M,DETERM
EQUIVALENCE
C           INITIALIZATION
10 DETERM=1.
15 DO 20 J=1,N
20 INDEX(J,3)=0.
30 DO 550 I=1,N
C           SEARCH FOR PIVOT ELEMENT
40 AMAX=0.
45 DO 105 J=1,N
   IF(INDEX(J,3)-1)60,105,60
60 DO 100 K=1,N
   IF (INDEX(K,3)-1) 80,100,715
80 IF (AMAX-ABS(A(J,K))) 85,100,100
85 IROW=J
90 ICOLUMN=K
   AMAX=ABS(A(J,K))
100 CONTINUE
105 CONTINUE
   INDEX(ICOLUMN,3)=INDEX(ICOLUMN,3)+1
260 INDEX(I,1)=IROW
270 INDEX(I,2)=ICOLUMN
130 IF (IROW-ICOLUMN) 140,310,140
140 DETERM=-DETERM
150 DO 200 L=1,N
160 SWAP=A(IROW,L)
170 A(IROW,L)=A(ICOLUMN,L)
200 A(ICOLUMN,L)=SWAP
   IF (M) 310,310,210
210 DO 250 L=1,M
220 SWAP=B(IROW,L)
230 B(IROW,L)=B(ICOLUMN,L)
250 B(ICOLUMN,L)=SWAP
C           DIVIDE PIVOT ROW BY PIVOT ELEMENT
310 PIVOT=A(ICOLUMN,ICOLUMN)
   DETERM=DETERM*PIVOT
330 A(ICOLUMN,ICOLUMN)=1.
340 DO 350 L=1,N
350 A(ICOLUMN,L)=A(ICOLUMN,L)/PIVOT
355 IF (M) 380,380,360
360 DO 370 L=1,M
370 B(ICOLUMN,L)=B(ICOLUMN,L)/PIVOT
C           REDUCE NON-PIVOT ROWS
380 DO 550 L1=1,N
390 IF (L1-ICOLUMN) 400,550,400
400 T=A(L1,ICOLUMN)

```

```
420 A(L1,ICOLUM)=0.  
430 DO 450 L=1,N  
450 A(L1,L)=A(L1,L)-A(ICOLUM,L)*T  
455 IF (M) 550,550,460  
460 DO 500 L=1,M  
500 B(L1,L)=B(L1,L)-B(ICOLUM,L)*T  
550 CONTINUE  
715 ID=2  
740 RETURN  
END
```

```

SUBROUTINE MPRECT(NI,R,L,M,LD,MD)
REAL R(LD,MD)
DIMENSION N(8,36)
L1=L-1
IF(M.LT.18) K=3
IF(K.GT.L1)GO TO 12
DO 10 I=K,L1
DO 10 J=1,M
10 N(I,J)=1000.*R(I,J)
WRITE(10)((N(I,J),I=K,L1),J=1,M)
12 CONTINUE
J1=0
J2=0
JSEC=0
1 J1=J2+1
J2=J1+15
IF(J2.LE.M)GO TO 2
J2=M
2 JSEC=JSEC+1
WRITE(6,3)NI,JSEC
3 FORMAT(1H0,A4,1X,6HMATRIX,8X,7HSECTION,I3)
WRITE(6,4)(I,I=J1,J2)
4 FORMAT(2X,3HROW,I6,15I7/I)
DO 5 I=1,L
5 WRITE(6,6)I,(R(I,K),K=J1,J2)
6 FORMAT(I4,4X,16F7.3)
IF(J2.LT.M)GO TO 1
RETURN
END

```

```

SUBROUTINE MANEUV(V,OM,ZNA,RREF,SINALS,COSALS)
C
DIMENSION SDEL(9),RDEL(3),SPHI(9),RPHI(3),CAA(9),RALPHA(3),
1 SW(9),RW(3)
C
COMMON /MUVXYZ/ SDEL,RDEL,DEL,VDT,RC,CAPPHI,AS,AR,YR,ZR,RP,IVAR
C
EQUIVALENCE (SDEL(1),SPHI(1),CAA(1),SW(1)),
1 (RDEL(1),RPHI(1),RALPHA(1),RW(1)),
2 (DEL,DELT,AA,WDT)
C
DATA G,PI/32.2,3.141593/
C
WRITE(6,1000)
1000 FORMAT(2X,19HMAVEUVER INPUT DATA)
TWPINA=2.*PI/ZNA
OMRREF=OM*RREF
READ(5,6) IVAR
GO TO (10,20,30,40,40),IVAR
C
C      STEADY TURNS
C
10 READ (5,100) DELDOT,RC,F,AS
WRITE(6,1001) DELDOT,RC,F,AS
1001 FORMAT(2X,15HTURN    DELDOT =,G14.4,6H  RC =,G14.4,5H  F =,G14.4,6H
1 AS =,G14.4)
IF(RC.NE.0.)DELDOT=V/RC
IF(DELDOT.NE.0.)RC=V/DELDOT
IF(F.EQ.0.)GO TO 11
DELDOT=G*SQRT(F**2-1.)/V
RC=V**2/(G*SQRT(F**2-1.))
11 DEL=DELDOT*2.*PI/(ZNA*OM)
CAPPHI=ATAN(V**2/(RC*G))
RC=RC/RREF
CALL TURN (RDEL,SDEL,DEL,RC,CAPPHI,AS)
GO TO 5
C
C      STEADY ROLLS
C
20 READ (5,100) AR,DEL,YR,ZR
WRITE(6,1002) AR,DEL,YR,ZR
1002 FORMAT(2X,11HROLL    AR =,G14.4,7H  DEL =,G14.4,6H  YR =,G14.4,6H
1 ZR =,G14.4)
DELT=DEL*2.*PI/(ZNA*OM)
VDT=V*(2.*PI/(ZNA*OM))
YR=YR/RREF
ZR=ZR/RREF
VDT=VDT/RREF
CALL ROLL (RPHI,SPHI,AR,DELT,YR,ZR,VDT)
GO TO 5

```

C  
C            SYMMETRICAL PULL-UPS  
C  
30 READ (5,100) AA,RP  
  WRITE(6,1003) AA,RP  
1003 FORMAT(2X,25H~~S~~YMMETRICAL PULL-UP AA =,G14.4,6H RP =,G14.4)  
  AA=AA\*2.\*PI/(ZNA\*OM)  
  RP=RP/RREF  
  CALL SUMPIUP(RALPHA,CAA,AA,RP)  
  GO TO 5  
C  
C            STEADY CLIMB OR STEADY FORWARD FLIGHT  
C  
40 READ (5,100) W  
  WRITE(6,1004) W  
1004 FORMAT(2X,10HCLIMB W =,G14.4)  
  VDT=(V\*COSALS-W\*SINALS)\*TWPINA/OMRREF  
  WDT=(V\*SINALS+W\*COSALS)\*TWPINA/OMRREF  
  CALL STYCLR(RW,SW,VDT,WDT)  
5 RETURN  
6 FORMAT (33X,I1)  
100 FORMAT(28X,G11.7)  
END

```

SUBROUTINE TURN (RDEL,SDEL,DEL,RC,CAPPHI,AS)
C
DIMENSION AAS(9),TDEL(9),DDEL(9),AASINV(9),TZINV(9),SDEL(9),
1 RDEL(3),TZERO(9),ASA(9)
C
COSAS=COS(AS)
SINAS=SIN(AS)
COSDEL=COS(DEL)
SINDEL=SIN(DEL)
CSCPHI=COS(CAPPHI)
SNCPHI=SIN(CAPPHI)
AAS(1)=COSAS
AAS(2)=0.
AAS(3)=SINAS
AAS(4)=0.
AAS(5)=1.
AAS(6)=0.
AAS(7)=-SINAS
AAS(8)=0.
AAS(9)=COSAS
TDEL(1)=COSDEL
TDEL(2)=SINDEL
TDEL(3)=0.
TDEL(4)=-SINDEL
TDEL(5)=COSDEL
TDEL(6)=0.
TDEL(7)=0.
TDEL(8)=0.
TDEL(9)=1.
DDEL(1)=SINDEL
DDEL(2)=1.-COSDEL
DDEL(3)=0.
AASINV(1)=COSAS
AASINV(2)=0.
AASINV(3)=-SINAS
AASINV(4)=0.
AASINV(5)=1.
AASINV(6)=0.
AASINV(7)=SINAS
AASINV(8)=0.
AASINV(9)=COSAS
TZERO(1)=1.
TZERO(2)=0.
TZERO(3)=0.
TZERO(4)=0.
TZERO(5)=CSCPHI
TZERO(6)=SNCPHI
TZERO(7)=0.
TZERO(8)=-SNCPHI
TZERO(9)=CSCPHI

```

```
TZOINV(1)=1.  
TZOINV(2)=0.  
TZOINV(3)=0.  
TZOINV(4)=0.  
TZOINV(5)=CSCPHI  
TZOINV(6)=-SNCPHI  
TZOINV(7)=0.  
TZOINV(8)=SNCPHI  
TZOINV(9)=CSCPHI  
CALL GMPRD (AAS,TZERO,ASA,3,3,3,9,9,9)  
CALL GMPRD (ASA,DDFL,RDEL,3,3,1,9,9,3)  
CALL SMPY (RDEL,RC,3,1,3)  
CALL GMPRD (ASA,TDEL,AAS,3,3,3,9,9,9)  
CALL GMPRD (AAS,TZOINV,TDEL,3,3,3,9,9,9)  
CALL GMPRD (TDEL,AASINV,SDEL,3,3,3,9,9,9)  
RETURN  
END
```

```

SUBROUTINE ROLL (RPHI,SPHI,AR,DELT,YR,ZR,VDT)
C
DIMENSION BMAT(9),BINV(9),PHI1(9),PHI2(9),SPHI(9),RVECT(3),
1 RPHI(3),ASV(9)
C
SINPHI=SIN(DELT)
COSPHI=COS(DELT)
ONEPHI=1.-COSPHI
SINAR=SIN(AR)
COSAR=COS(AR)
BMAT(1)=COSAR
BMAT(2)=0.
BMAT(3)=-SINAR
BMAT(4)=0.
BMAT(5)=1.
BMAT(6)=0.
BMAT(7)=SINAR
BMAT(8)=0.
BMAT(9)=COSAR
BINV(1)=COSAR
BINV(2)=0.
BINV(3)=SINAR
BINV(4)=0.
BINV(5)=1.
BINV(6)=0.
BINV(7)=-SINAR
BINV(8)=0.
BINV(9)=COSAR
PHI1(1)=1.
PHI1(2)=0.
PHI1(3)=0.
PHI1(4)=0.
PHI1(5)=COSPHI
PHI1(6)=SINPHI
PHI1(7)=0.
PHI1(8)=-SINPHI
PHI1(9)=COSPHI
PHI2(1)=1.
PHI2(2)=0.
PHI2(3)=0.
PHI2(4)=0.
PHI2(5)=ONEPHI
PHI2(6)=-SINPHI
PHI2(7)=0.
PHI2(8)=SINPHI
PHI2(9)=ONEPHI
RVECT(1)=VDT
RVECT(2)=YR
RVECT(3)=ZR
CALL GMPRD (BMAT,PHI2,ASV,3,3,3,9,9,9)

```

```
CALL GMPRD (ASV,RVECT,RPHI,3,3,1,9,3,3)
CALL GMPRD (BMAT,PHI1,ASV,3,3,3,9,9,9)
CALL GMPRD (ASV,BINV,SPHI,3,3,3,9,9,9)
RETURN
END
```

SUBROUTINE SUMPUP (RALPHA,CAA,AA,RP)

C  
C      DIMENSION CAA(9),RALPHA(3)  
C  
SINAA=SIN(AA)  
COSAA=COS(AA)  
RALPHA(1)=SINAA\*RP  
RALPHA(2)=0.  
RALPHA(3)=(1.-COSAA)\*RP  
CAA(1)=COSAA  
CAA(2)=0.  
CAA(3)=SINAA  
CAA(4)=0.  
CAA(5)=1.  
CAA(6)=0.  
CAA(7)=-SINAA  
CAA(8)=0.  
CAA(9)=COSAA  
RRETURN  
END

```
SUBROUTINE GNPRD (A,B,R,N,M,L,M1,M2,M3)
C
C      DIMENSION A(M1),B(M2),R(M3)
C
C      IR=0
C      IK=-M
C      DO 10 K=1,L
C      IK=IK+M
C      DO 10 J=1,N
C      IR=IR+1
C      JI=J-N
C      IB=IK
C      R(IR)=0.
C      DO 10 I=1,M
C      JI=JI+N
C      IB=IB+1
C10   R(IR)=R(IR)+A(JI)*B(IB)
C      RETURN
C      END
```

SUBROUTINE SMPY (A,C,N,M,MX)  
C  
DIMENSION A(MX)  
C  
NM=N\*M  
DO 1 I=1,NM  
1 A(I)=A(I)\*C  
RETURN  
END

SUBROUTINE STYCLB(RW,SW,VDT,WDT)

C

DIMENSION RW(3),SW(9)

C

RW(1)=VDT

RW(2)=0.

RW(3)=-WDT

SW(1)=1.

SW(2)=0.

SW(3)=0.

SW(4)=0.

SW(5)=1.

SW(6)=0.

SW(7)=0.

SW(8)=0.

SW(9)=1.

RETURN

END

```

SUBROUTINE BETAS
C   THE INPUTS TO THIS SUBROUTINE ARE COMMON TO OTHER SUBROUTINES
C   REAL MU,MU2,MU4,MBDXR,MB,M00,L,M01,M02,MBB,K1M10,K2M10,M11,M12,
C   1M13,M20,M20C,M20D,M115,I0,K
C   DIMENSION AO(01)
C   DIMENSION AR(01)
C   DIMENSION BETA(3,1)
C   DIMENSION D3(09)
C   DIMENSION D33(040,040)
C   DIMENSION XBETA(040)
C   COMMON /BETA1/BETA,MBETR,NBETC,PI,D,R,C,AS,ALPHA1,ALPHA2,RO
C   MBETR = NUMBER OF BETA ROWS
C   NBETC = NUMBER OF BETA COLUMNS
C   COMMON /BETA2/D33,XBETA,N,M,DETERM
C   COMMON /BETA3/OM,OMSQ,AO,AR,V,RHO,MU
C   EQUIVALENCE (D33(1,1),D3(1))
C   BLADE RIGID BODY CALCULATIONS FOR BLADE WAKE AND ESTIMATED LOADS
C   THE RIGID BODY BLADE FLAPPING MOTIONS ARE GIVEN BY BETA(OMEGA*T),
C   WHERE BETA(OMEGA*T)=BETA(1)+BETA(2)*SIN(OMEGA*T)+BETA3*COS(
C   OMEGA*T) OR SINCE PSI=OMEGA*T...
C   BETA(PSI)=BETA(1)+BETA(2)*SIN(PSI)+BETA(3)*SIN(PSI)
C   PSI=OMEGA*T=0 AT THE X-AXIS
C   THE BETA(1), BETA(2), BETA(3) ARE DEFINED BY THE EQUATION WHERE
C   THE MATRIX OF COEFFICIENTS POST-MULTIPLIED BY THE BETA COLUMN
C   VECTOR = THE COLUMN VECTOR (M00,M01,M02)
C   ALPHA = BLADE SECTION ANGLE OF ATTACK, RADIANS
C   = AO+AR*R+ALPHA1*SIN(OMT)+ALPHA2*COS(OMT)
C   ALPHAO = GEOMETRIC ANGLE OF ATTACK AT BLADE ROOT, RADIANS
C   ALPHAR = TOTAL DECREASE IN ANGLE OF ATTACK TOTAL BLADE TWIST
C   ANGLE, RADIANS
C   ALPHA1 = AMPLITUDE OF LATERAL CYCLIC PITCH, RADIANS
C   ALPHA2 = AMPLITUDE OF LONGITUDINAL CYCLIC PITCH, RADIANS
C   AS = SHAFT TILT, POSITIVE AFT, RADIANS
C   C = CHORD, FEET
C   D = OFFSET OF HINGE FROM CENTER OF ROTATION, FEET
C   I0 = MASS MOMENT OF INERTIA OF BLADE ABOUT THE BLADE HINGE, FT-LB
C   -SEC2/RAD
C   K = SPRING STIFFNESS, FT-LB/RAD
C   L = LIFT OR TRUST OF ROTOR
C   MB = BLADE MASS, LB-SEC2/FT
C   OMEGA = OM = ROTATIONAL RATE OF ROTOR, RAD/SEC
C   R = ROTOR RADIUS, FEET
C   RHO = AIR MASS DENSITY, LB-SEC2/FT4
C   RO = BLADE ROOT RADIUS, FEET
C   V= FORWARD VELOCITY, FT/SEC
C   XB = DISTANCE FROM HINGE TO BLADE MASS CENTER, FEET
C   READ (5,1) K,I0,MB,XB,ALPHAO,ALPHAR,L,R
1 FORMAT (29X,E10.8)
RX=R-RO

```

```

AO(NBETC)=ALPHAO+ALPHAR*RO/RX
AR(NBETC)=ALPHAR/RX
VOM=V*OM
VV=V*V
RORO=RO*RO
RORORO=RORO*RO
R04=RORORO*RO
RR=R*R
RRR=RR*R
RRRR=RRR*R
A1AS=ALPHA1+AS
MU2=MU*MU
MU4=MU2*MU2
PIROCL=PI*RHO*C
R1=PIROCL*(R-RO)
R2=PIROCL*(RR-RORO)/2.
R3=PIROCL*(RRR-RORORO)/3.
R4=PIROCL*(RRRR-R04)/4.
R5=PIROCL*(RRRR*R-R04*RO)/5.
R2DR1=R2-D*R1
R3DR2=R3-D*R2
R4DR3=R4-D*R3
MBDXB=MB*D*XB
C2=C*.5
CT=L/(PI*RHO*OMSQ*RRRR)
WI= SQRT(CT*CT+MU4)
IF (WI.LT.MU2) STOP
WI=OM*R*(.5*SQRT(WI-MU2))
RX=VV*.5
A1=AO(NBETC)
A2=AR(NBETC)
M00=R2DR1*RX*A1 + R3DR2*(VOM*A1AS-OM*WI-A2*RX )+R4DR3*OMSQ*A1-R5
1*OMSQ*A2
M01=R2DR1*(.75*VV*ALPHA1-V*WI+VV*AS)+R3DR2*VOM*A1*2.+R4DR3*(OMSQ*
1ALPHA1-2.*OM*A2*V)
M02=(R2DR1*VV*.25+R4DR3*OMSQ)*ALPHA2
MBB=MBDXB-R3DR2*C2
K1M10=K+OMSQ*(IO+MBB)
K2M10=K1M10-OMSQ*IO
M11=R2DR1*VOM*C2
M12=-R3DR2*VOM
M13=-R2DR1*RX
M20=-R4DR3*OM
RX=M13*.5
RX1=M20*OM
M20C=RX1+RX
M20D=RX1-RX
M115=M11*.5
D33(1,1)=K1M10
D33(2,1)=-M11

```

```
D33(3,1)=-M12
D33(1,2)=-M115
D33(2,2)=K2M10
D33(3,2)=-M20C
D33(1,3)=0.
D33(2,3)=M20D
D33(3,3)=K2M10
XBETA(1)=M00
XBETA(2)=M01
XBETA(3)=M02
N=3
M=1
CALL MATINV
DO 2 I=1,MBETR
2 BETA(I,NBETC)=XBETA(I)
RETURN
END
```

```
SUBROUTINE MODRM (NTV,NTVM,RCAP,RMOD,AFM,NNROT,NNTVM,NTVMX,M,NWKR)
C
C      DIMENSION RCAP(NNROT,NWKR ),RMOD(NWKR ),AFM(NTVMX,NNTVM)
C
C      DO 10 LM=1,NTVM
C          RMOD(LM)=0.
C          DO 10 L=1,NTV
C              N=L+NTV*(M-1)
C 10      RMOD(LM)=AFM(LM,N)*RCAP(M,L)+RMOD(LM)
C      RETURN
C      END
```

```

SUBROUTINE GMS (I,NROT,NIB,NTVM,BFM,GAMMA,GAMMAM,NTVM1,NANR,NGJR,
1 NMODR,NMODC)
DIMENSION BFM(4,10)
DIMENSION GAMMA(5,40)
DIMENSION GAMMAM(NMODR,NMODC)
IM2=I-1
IM1=I
DO 10 M=1,NROT
MM1=M-1
NIBMM1=NIB*MM1
DO 10 K=1,NIB
KM1=K-1
KNIBM=KM1+NIBMM1
NTVMK=NTVM*KNIBM
NTVK=NTVM1*KNIBM
DO 10 LM=1,NTVM
JM=LM+NTVMK
GAMMAM(IM1,JM)=0.
DO 10 L=1,NTVM1
J=L+NTVK
GAMMAM(IM1,JM)=-BFM(LM,L)*GAMMA(IM2,J)
1 +GAMMAM(IM1,JM)
10 CONTINUE
RETURN
END

```

```

SUBROUTINE MODCOR (NROT,NIB,NTV,NTVM,X,Y,Z,XM,YM,ZM,AFM,NANV,NBNT,
1NWM,I,NVM2)
  DIMENSION AFM(4,11)
  DIMENSION X(NANV,NBNT)
  DIMENSION XM(NWM,NVM2)
  DIMENSION YM(NANV,NBNT)
  DIMENSION YM(NWM,NVM2)
  DIMENSION Z(NANV,NBNT)
  DIMENSION ZM(NWM,NVM2)

C
C      MODIFIED WAKE ELEMENT END POINT POSITIONS OR VELOCITIES
C
  DO 10 M=1,NROT
  DO 10 K=1,NIB
  DO 10 LM=1,NTVM
    JM=LM+NTVM*(K-1+NIB*(M-1))
    XM(I,JM)=0.
    YM(I,JM)=0.
    ZM(I,JM)=0.
    DO 10 L=1,NTV
      J=L+NTV*(K-1+NIB*(M-1))
      N=L+NTV*(M-1)
      XM(I,JM)=AFM(LM,N)*X(I,J)+XM(I,JM)
      YM(I,JM)=AFM(LM,N)*Y(I,J)+YM(I,JM)
      ZM(I,JM)=AFM(LM,N)*Z(I,J)+ZM(I,JM)
10  CONTINUE
  RETURN
  END

```

```

SUBROUTINE MODCOX (NROT,NIB,NTV,NTVM,X,XM,AFM,NANV,NBNT,NWM,I,
1 NVM2,NAS)
DIMENSION AFM(4,11)
DIMENSION X(NANV,NBNT)
DIMENSION XM(NANV,NVM2)

C
C      MODIFIED WAKE ELEMENT END POINT POSITIONS OR VELOCITIES
C

DO 20 M=1,NROT
DO 20 K=1,NIB
DO 20 LM=1,NTVM
JM=LM+NTVM*(K-1+NIB*(M-1))
IF (NAS.EQ.I.AND.LM.LT.NTVM) GO TO 15
IF (LM.LT.NTVM) GO TO 20
XM(I,JM)=0.
GO TO 16
15 READ (5,100) XM(I,JM)
100 FORMAT (29X,E14.7)
GO TO 20
16 DO 10 L=1,NTV
J=L+NTV*(K-1+NIB*(M-1))
N=L+NTV*(M-1)
XM(I,JM)=AFM(LM,N)*X(I-1,J)+XM(I,JM)
10 CONTINUE
20 CONTINUE
1002 FORMAT (7H0MODCOX,9(1X,G11.4))
RETURN
END

```

OVERLAY (WKOVL,3,0)  
PROGRAM WK2  
INTEGER OUT,WKPT,CNTR  
INTEGER T45,WW  
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,  
LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX

C

DIMENSION A(05,44)  
DIMENSION ALFA1(01)  
DIMENSION ALFA2(01)  
DIMENSION ALFAS(01)  
DIMENSION ALFAT(01)  
DIMENSION ALPHAO(01)  
DIMENSION ALPHAR(01)  
DIMENSION AO(01)  
DIMENSION AR(01)  
DIMENSION ATMP(11)  
DIMENSION B(005,40)  
DIMENSION BETA(03,1)  
DIMENSION BTMP(11)  
DIMENSION C(09)  
DIMENSION CCLA(01)  
DIMENSION CHORD(01)  
DIMENSION DELTA(01)  
DIMENSION DIR(1)  
DIMENSION DNTH(011,040)  
DIMENSION DSQ(040)  
DIMENSION DTMP(040)  
DIMENSION DUMX(108)  
DIMENSION DUMY(108)  
DIMENSION DUMZ(108)  
DIMENSION GAMMA(05,040)  
DIMENSION GAMMK(1,040)  
DIMENSION INDXG(40)  
DIMENSION IO(01)  
DIMENSION KXX(01)  
DIMENSION LNTH(05,44)  
DIMENSION LSQ(044)  
DIMENSION LTMP(044)  
DIMENSION LX(01)  
DIMENSION MB(01)  
DIMENSION MUCDS(1)  
DIMENSION MUSDS(1)  
DIMENSION NPSI(1)  
DIMENSION PSI(1)  
DIMENSION PSTR(01)  
DIMENSION R(11)  
DIMENSION RCAP(01,11)  
DIMENSION RSMLL(01,44)  
DIMENSION RZERO(1)

```
DIMENSION SGMA1(044,044)
DIMENSION SIGBL(360)
DIMENSION SIGMZ(10)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XMM(54)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YMM(54)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZMM(54)
DIMENSION ZROT(01)
```

C

```
COMMON /STPS7/ NRATIO,NAA,LRGWKS,LIMLSS,LSWW
COMMON /STPDUM/ DUMX,DUMY,DUMZ
COMMON /BETA1/BETA,MBETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /BETA3/OM,OMSQ,AO,AR,V,RHO,MU
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NTBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOOMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
INIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP1
```

C

```
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /WK1C/ PSI,CCLA,DIR
COMMON /WK2A/ MSET,GAMMK,INDX,JAC,INDXL,SGMAZ,SIGMZ,SGMBL
COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
COMMON /SUBIB/ KX,LSQ,DSQ,DTMP,LTMP,ATMP,BTMP
COMMON /SUBIC/ R,C,DTWOP1
COMMON /SUBID/ I,IP1,IM1
COMMON /CONVGR/ SGMA1,INDXG
COMMON /WK2C/ SIGBL
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),
1VYM(54,16),VZM(54,16),XM(54,16),YMI(54,16),ZMI(54,16)
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM
COMMON /SUBIE/ NAS
COMMON /OUTDI/ NNTV,NEXPWK,NSIGRW,NMODR,NMODC
COMMON /WK2GAM/ GAMFAC
COMMON /DART1/ SGRATO
COMMON /MODWK3/ AFM(4,11),BFM(4,10)
COMMON /STEPXA/ WKPT,WW,IOUT,NOTTP1,KAT,NBC
```

C

```

C
C      DATA INX1,INX2,INX3,INX4,INX5,INX6,INX7/
14H      X,4H    Y,4H    Z,4H    VX,4H   VY,4H   VZ,4HSIGA/
C
C      9876 FORMAT (1H0,I14,(8(1X,G14.7)))
C
C      NEW COORDINATES FOR P1J AND LOAD COMPONENTS OF GAMMA(1,J) ARE
C      NOW COMPUTED, WAKE AND SELF-INDUCED VELOCITY COMPONENTS
C      OF GAMMA(1,J) ARE TO BE COMPUTED
C
C      DEFINITION OF VZJ(RBARJ,PSII)
C
C      VZS AND SIGMAS ARE DEFINED AS FOLLOWS. THE EFFECT OF THE WAKE
C      FROM ONE BLADE IS COMPUTED, ONE ROW OF SHED VORTICES AND
C      THE TRAILING VORTICES JUST AHEAD OF THEM TAKEN PER TIME.
C      THE DISTANCES FROM THE POINT WHERE THE INDUCED VELOCITY IS
C      COMPUTED AND THE VORTEX ELEMENT IS LOCATED, AND THE
C      ORIENTATION OF THE VORTICES ARE SUCH THAT ESSENTIALLY
C      THE SAME FORMULA CAN BE USED TO COMPUTE THE EFFECT OF
C      BOTH SHED AND TRAILING VORTEX ELEMENTS. XA, XB, XC, ARE
C      THE X COORDINATES OF THE POINT AT WHICH THE INDUCED
C      VELOCITY IS COMPUTED, AND THE END POINTS OF THE VORTEX
C      ELEMENT UNDER CONSIDERATION.
C
C
C      J=0
C      M=1
C      IF (NPER.EQ.4.AND.NRATIO.GT.1)
1 CALL MODCOR(NROT,NIB,NTV,NTVM,X,Y,Z,XM,YM,ZM,
2 AFM,NEXPWK,NNTV,NMODR,NANRM-NRATIO,NMODC)
C      IF (NW.GT.2) GO TO 83
DO 81 JX=1,NIBRV
81 A(1,JX)=CHORD(M)
DO 82 JX=1,NGJR
82 B(2,JX)=CHORD(M)
83 DO 140 M=1,NROT
NPSI(M)=(PSI(M)/DPSI)+.5
C
C      T44 TESTS TO SEE IF VAR IS IN RANGE
C
CALL T44(NPSI(M),NA)
NSET = NR * (NPSI(M)) +(M-1) * NTV1
DO 140 K=1,NIB
T45 = (K-1)*NA/NIB
MSET = NSET + NR*T45
CALL T44(MSET,NANR)
JKL=(K-1)*NTV+(M-1)*NTV*NIB
DO 140 L=1,NTV1
MSET=MSET+1

```

```

J=J+1
INDXG(J)=MSET
JKL=JKL+1
JP1=JKL+1
LP1=L+1
C
C      INITIALIZE SIGBL FOR BLADE LOADS
C
DO 84 IND=1,NANR
84 SIGBL(IND) = 0.0
JAC = 0
C
C      A IS THE POINT AT WHICH INDUCED VELOCITIES ARE TO BE COMPUTED.
C
XA=.5*(X(1,JKL)+X(1,JP1))
YA=.5*(Y(1,JKL)+Y(1,JP1))
ZA=.5*(Z(1,JKL)+Z(1,JP1))
VZ(1,J)=0.
JSIG=0
MODWK=0
N1=NIBRV
N2=NTV
KX=M*K*L
91 DO 138 JA=1,N1,N2
JSIGT=1+(JA-1)*NTV1/NTV
JAC = JAC +1
C
C      COMPUTE R FOR CURRENT BLADE
C
IF (MODWK.EQ.0) GO TO 86
JB=JB+1
IF (JB.GT.NTVM) JB=1
JAC=(JA-1)/NTVM+1
XB=XM(NANRM,JA)
YB=YM(NANRM,JA)
ZB=ZM(NANRM,JA)
WORK1=XB-XA
WORK2=YB-YA
WORK3=ZB-ZA
RM(1)=SQRT(WORK1*WORK1+WORK2*WORK2+WORK3*WORK3)
GO TO 137
86 DO 87 JL=1,NTV
JK=JL+JA-1
XR=X(1,JK)
YB=Y(1,JK)
ZB=Z(1,JK)
WORK1=XA-XR
WORK2=YA-YB
WORK3=ZA-ZB
RT=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3

```

```

87 R(JL)=SQRT(RT)
C
C           INITIALIZE TEMPORARY STORAGE LOCATIONS.
C
88 DO 89 NN=1,NTV
    LTMP(NN)=0.
    ATMP(NN)=CHORD(M)
    DTMP(NN)=0.
89 BTMP(NN)=CHORD(M)
    NWML=NW-1
137 SGMAZ=0.
    INDX = NPSI(M) + (JAC-1)*NA/NIB+1
C
C           LOCATE POINTS B AND C.
C
IF (MODWK.EQ.0) CALL SUBI
IF (MODWK.NE.1) GO TO 138
N111=NWSTRE
IF (NPER.EQ.4) N111=LRGWKS
DO 152 IND=1,N111
    DUMX(IND)=XM(IND,JA)
    DUMY(IND)=YM(IND,JA)
152 DUMZ(IND)=ZM(IND,JA)
    LIMLSS=NWSTRE
    IF (NPER.NE.4) GO TO 151
    IF (NRATIO.EQ.1) GO TO 151
    DO 153 IND=LRGWKS,NWSTRE
        XMM(IND)=XM(IND,JA)
        YMM(IND)=YM(IND,JA)
153 ZMM(IND)=ZM(IND,JA)
    IND=LRGWKS-1
    IND1=LRGWKS-NRATIO
    XMM(IND1)=XM(IND1,JA)
    YMM(IND1)=YM(IND1,JA)
    ZMM(IND1)=ZM(IND1,JA)
    CALL INTERP(NRATIO,LRGWKS,NWSTRE,LIMLSS,XMM,YMM,ZMM,DUMX,DUMY
    1 ,DUMZ)
151 IF (MODWK.EQ.1) CALL SUBII(NPER,NA,INDX,NR,JAC,NIB,NRDT,NTVI,VZ,
    1 JA,J,JB,LIMLSS)
138 CONTINUE
    MODWK=MODWK+1
    N1=NIBRVM
    N2=1
    JB=0
    IF (MODWK.EQ.1.AND.NAS.GT.NANRM) GO TO 91
    IF (NPER.NE.4) GO TO 139
    SXG=SIGBL(MSFT)*SGRATE
    SXX=ABS(SXG)
    DO 7447 IND=1,NANR
        SIGBL(IND)=SIGBL(IND)*DTWOP I

```

```

SXY=ABS(SIGBL(IND))
IF ((SXY.GT.SXX).AND.IND.NE.MSET) SIGBL(IND)=SIGBL(IND)/SXY*SXX
7447 CONTINUE
WRITE (4) MSET,(SIGBL(IND),IND=1,NANR)
WRITE(6,987) MSET
9887 FORMAT(1X,8H MSET = ,I5)
IF(NBC.NE.-2) GO TO 139
WRITE (6,9876) MSET,(SIGBL(IND),IND=1,NANR)

C
C      LNTH(1,J) AND A(1,J), DNTH(2,JSIG) AND B(2,JSIG) ARE NOT
C      COMPUTED UNTIL STATEMENTS 150 THRU 166.
C      DNTH(1,JSIG) AND B(1,JSIG) ARE NOT YET NEEDED, AS THEY INVOLVE
C      THE VORTICES AT THE BLADE AND KNOWN LENGTHS BETWEEN THE
C      R(J)'S.
C      COMPUTE GAMMA, INDUCED WAKE VELOCITY, EXCEPT GAMMA(1,J) AND
C      LOAD COMPONENTS.

C
139 WORKX=ABS(VZ(1,J))
PX=GAMFAC
IF (WORKX.GT.PX) VZ(1,J)=VZ(1,J)/WORKX*GAMFAC
140 GAMMK(1,J)=VZ(1,J)*CCLA(M)/TWOPI+GAMMA(1,J)
RETURN
END

```

```

SUBROUTINE INTERP(NRATIO,NFIR,NLST,I1 ,X,Y,Z,XN,YN,ZN)
DIMENSION X(54),Y(54),Z(54),XN(108),YN(108),ZN(108)
DATA RM1,RP103,RP97,RM19/- .5555555E-2,.5722222,.5388889,-.1055555/
IF(NRATIO.NE.2.AND.NRATIO.NF.3)GO TO 998
IF (NFIR.LT.2) GO TO 997
NLIM=NLST-NFIR-1
XN(NFIR)=X(NFIR)
YN(NFIR)=Y(NFIR)
ZN(NFIR)=Z(NFIR)
ISSMNR=NFIR-2
I1=NFIR
GO TO (999,20,30),NRATIO
20 DO 25 I=1,NLIM
I1=I1+1
ISSMNR=ISSMNR+1
ISS=ISSMNR+1
ISSP1=ISSMNR+2
ISSP2=ISSMNR+3
XN(I1)=-.0625*(X(ISSMNR)+X(ISSP2))+.5625*(X(ISS)+X(ISSP1))
YN(I1)=-.0625*(Y(ISSMNR)+Y(ISSP2))+.5625*(Y(ISS)+Y(ISSP1))
ZN(I1)=-.0625*(Z(ISSMNR)+Z(ISSP2))+.5625*(Z(ISS)+Z(ISSP1))
I1=I1+1
XN(I1)=X(ISSP1)
YN(I1)=Y(ISSP1)
25 ZN(I1)=Z(ISSP1)
GO TO 999
30 DO 35 I=1,NLIM
I1=I1+1
ISSMNR=ISSMNR+1
ISS=ISSMNR+1
ISSP1=ISSMNR+2
ISSP2=ISSMNR+3
XN(I1)=RM1*X(ISSMNR)+RP103*X(ISS)+RP97*X(ISSP1)+RM19*X(ISSP2)
YN(I1)=RM1*Y(ISSMNR)+RP103*Y(ISS)+RP97*Y(ISSP1)+RM19*Y(ISSP2)
ZN(I1)=RM1*Z(ISSMNR)+RP103*Z(ISS)+RP97*Z(ISSP1)+RM19*Z(ISSP2)
I1=I1+1
XN(I1)=RM19*X(ISSMNR)+RP97*X(ISS)+RP103*X(ISSP1)+RM1*X(ISSP2)
YN(I1)=RM19*Y(ISSMNR)+RP97*Y(ISS)+RP103*Y(ISSP1)+RM1*Y(ISSP2)
ZN(I1)=RM19*Z(ISSMNR)+RP97*Z(ISS)+RP103*Z(ISSP1)+RM1*Z(ISSP2)
I1=I1+1
XN(I1)=X(ISSP1)
YN(I1)=Y(ISSP1)
35 ZN(I1)=Z(ISSP1)
GO TO 999
997 WRITE(6,9970)NFIR,NRATIO
9970 FORMAT(1H0,5HMISS =,I3,13H FOR NRATIO =,I3,13H IS INCORRECT)
GO TO 999
998 WRITE(6,9980)NRATIO
9980 FORMAT(1H0,13HGIVEN RATIO =,I3,
1 36H IS INCORRECT FOR SUBROUTINE INTERP )

```

999 RETURN  
END

```
SUBROUTINE T44 (A,NA)
INTEGER A
1 IF(A.LT.0.0) GO TO 2
IF(A.GE.NA) GO TO 3
RETURN
2 A=A + NA
GO TO 1
3 A = A - NA
GO TO 1
END
```

```

SUBROUTINE SUBI
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHA0(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION AT(11)
DIMENSION ATMP(11)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION BT(11)
DIMENSION BTMP(11)
DIMENSION C(09)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DLNTH(040)
DIMENSION DNTH(011,040)
DIMENSION DSQ(040)
DIMENSION DTMP(040)
DIMENSION GAMMA(05,040)
DIMENSION GAMMK(1,040)
DIMENSION IDXG(40)
DIMENSION ID(01)
DIMENSION KXX(01)
DIMENSION LLNTH(044)
DIMENSION LNTH(05,44)
DIMENSION LSQ(044)
DIMENSION LTMP(044)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION R(11)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)

```

```

DIMENSION SGMA1(044,044)
DIMENSION SGMA2(05,44)
DIMENSION SIGBL(360)
DIMENSION SIGMZ(10)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSTION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSIION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZROT(01)

```

C  
C

```

COMMON /BETA1/ BETA, MBETR, NBETC, PI, D, U, F, AS, ALPHA1, ALPHA2, RO
COMMON /BETA3/ OM, OMSQ, AO, AR, V, RHO, MU
COMMON /TEST33/ NIB, NR0T, NW, NBRV1, X, Y, Z, A, B, DNTH, LNTH, NAR, NPER,
1 JSIGT, NWMK, J, NWM1, NTBV, VX, VY, VZ, NIBRV
COMMON /TEST55/ JL, JSIG, NTV, NTV1, M, DPSI, CHORD, RSMLL, RCAP, GAMMA, QSZ
COMMON /WAKE1/ VOOMR, NUWKPT, VI, WKX, WKY, WKZ, COSB3, SINR3, NAS1,
INIBNA, NWKLST, NWKRW, NWKCL, NLP1, NLP2, NLP3, NLP4, DTWOP
COMMON /CONT/ NA, NR, NANR, JA, JJ, NN, N, SIGN, TI, NGJR
COMMON /WK1C/ PSI, CCLA, DIR
COMMON /WK2A/ MSET, GAMMK, INDX, JAC, INDXL, SGMAZ, SIGMZ, SGMBL
COMMON /WK2B/ XA, YA, ZA, XB, YB, ZB, XC, YC, ZC
COMMON /WK2C/ SIGBL
COMMON /SUBIB/ KX, LSQ, DSQ, DTMP, LTMP, ATMP, BTMP
COMMON /SUBIC/ R, C, DTWOP
COMMON /SUBID/ I, IP1, IM1
COMMON /SUBIE/ NAS
COMMON /CONVGB/ SGMA1, INDXG

```

C

```

DO 135 I=1,NWM1
IP1=I+1
XC=X(IP1,JA)
YC=Y(IP1,JA)
ZC=Z(IP1,JA)
XB=X(I,JA)
YB=Y(I,JA)
ZB=Z(I,JA)
NN=1
N=1
SIGN=1.
JJ=JA

```

```

JSIG=JSIGT-1
ASSIGN 100 TO NCNTR
WORK1=XA-XC
WORK2=YA-YC
WORK3=ZA-ZC
RT=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
C
C      COMPUTE SQUARE ROOT OF RT AT THE APPROPRIATE STEP.
C
C      IF(NPER.NE.4) GO TO 90
85  IGN = 0
    IF(INDX-I.GE.NA) IGN = -1
    IF(INDX-I.LT.0) IGN = 1
    INDX = INDX + NA * IGN
    IF ( IGN.NE.0) GO TO 85
    INDXL= (INDX-I) * NR + ((JAC-1)/NIB) * (NR/NROT)
C
90 RS=SQRT(RT)
GO TO NCNTR, (100,114,115,117,118)
C
C      COMPUTE NV*G, TRAILING VORTEX CONTRIBUTION, OR ETA*H, SHED
C      VORTEX CONTRIBUTION, L2 OR D2, AND ADD TO PREVIOUS CON-
C      TRIBUTIONS FROM QUADRILATERAL FOR GAMMA(I,JSIG).
C
100 RPR=RS+R(NN)
DORL=(XB-XC)**2+(YB-YC)**2+(ZB-ZC)**2
ASSIGN 94 TO IORG
WORK1=R(NN)
VTEST=RS*RS+WORK1*WORK1-DORL
IF (VTEST.GT.0) GO TO 101
WORK2=RS-WORK1
WORK2=WORK2*WORK2
WORK3=RS+WORK1
WORK3=WORK3*WORK3
VTEST=(WORK3-DORL)*(DORL -WORK2)/(4.*DORL )
IF (I.NE.1) GO TO 92
WORK1=CHORD(M)
GO TO 93
92 IF (SIGN.GT.0) WORK1=A(I-1,JJ)
    IF (SIGN.LT.0) WORK1=B(I ,JSIG+1)
93 WORK1=WORK1*WORK1
IF (VTEST.GT.WORK1) GO TO 101
HORG=0.
WORK5=SQRT(DORL)*WORK1
IF(WORK5.NE.0.) HORG=1./WORK5
ASSIGN 95 TO IORG
GO TO 103
101 HORG=0.
WORK5=R(NN)*RS*(RPR*RPR-DORL)
IF(WORK5.NE.0.) HORG=SIGN*RPR/WORK5

```

```

103 EORNZ=(XA-XC)*(YC-YB)-(YA-YC)*(XC-XB)
EHNGZ=EORNZ*HORG
GO TO IORGT, (94,95)
95 SIGM=1.
IF (EHNGZ.LT.0.) SIGM=-1.
JX=JSIG
IF (N.LE.2) JX=JSIG+1
WORK1=GAMMA(I,JX)
WORK2=EHNGZ*WORK1
IF (ABS(WORK2).GT.1.) EHNGZ=SIGM/WORK1
94 SGMAZ=EHNGZ+SGMAZ
96 IF (N-2) 102,104,106
C
C      STORE R, L2, COMPUTE B FOR SHED VORTEX CONTRIBUTION.
C
102 R(NN)=RS
LLNTH(NN)=DORL
JJ=JJ+1
INDXL=INDXL+ 1
XB=X(IP1,JJ)
YB=Y(IP1,JJ)
ZB=Z(IP1,JJ)
WORK1=XA-XB
WORK2=YA-YB
WORK3=ZA-ZB
RT=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
N=2
SIGN=-1.
GO TO 90
C
C      STORE D2, COMPUTE C FOR TAILED VORTEX CONTRIBUTION.
C
104 C(3)=EHNGZ
JSIG=JSIG+1
XC=X(I,JJ)
YC=Y(I,JJ)
ZC=Z(I,JJ)
N=3
DLNTH(NN )=DORL
NN=NN+1
SIGN=1.
GO TO 100
C
C      RFDEFINE C.
C
106 XC=XB
YC=YB
ZC=ZB
IF (I-1) 107,107,108
C

```

```

C      GAMMA(1,J)S ARE UNKNOWN.  IF I=1, STORE SIGMA(J,JSIG).
C      THIS IS SIGMA(1,PSII,J,JSIG)
C
107 SGMA1(J,JSIG)=SGMAZ*CCLA(M)*DTWOPI
      SGMBL = SGMAZ
      GO TO 109
C
C      GAMMA(1,J) ARE KNOWN FOR I.GT.1.    COMPUTE VZ(1,J).
C
108 VZ(1,J)=VZ(1,J)+(SGMAZ-SIGMZ(NN-1))*GAMMA(I,JSIG)
      IF( NPER.NE.4) GO TO 109
      SGMBL = SGMAZ - SIGMZ(NN-1)
      SGMA2(I,JSIG) = SGMBL
C
C      CONVENIENT LOCATION TO COMPUTE SIGMA(J,PSII,I,JJ)
C      POSSIBLE ADDED CODING
C
109 SIGMZ(NN-1)=C(3)
      IF (NPER.NE.4) GO TO 112
      SIGBL(INDXL)= SGMBL + SIGBL(TNDXL)
C
C      IF THE ROW IS NOT COMPLETED, STORE SGMAZ AND CONTINUE WITH VZ
C      COMPUTATION.
C
112 IF (NN.GT.NTV1) GO TO 111
110 SGMAZ=-EHNGZ
      GO TO 102
C
C      COMPUTE NEW VORTEX CORE RADII FOR I.GT.1, OTHERWISE STORE L2
C      AND D2.
C
111 R(NN)=RS
      SGMAZ=0.
      LLNTH(NN)=DORL
      IF (KX.GT.1) GO TO 135
      IF (I.LE.1) GO TO 122
      IM1=I-1
      NN=1
C
C      N IS REPLACING J FROM STATEMENTS 111-138.
C
      N=JA
      JSIG=JSIGT
113 RT=LLNTH(NN)
      RS=SQRT(RT)
C
C      STORE L.
C
114 LLNTH(NN)=RS
      RT=LNTH(I-1,N)/RS

```

```

RS=SQRT(RT)

C
C      COMPUTE TRAILING VORTEX CORE RADII.

C
115 AT(NN)=RS*A(I-1,N)
IF (NN.GT.NTV1) GO TO 119

C
C      THERE IS NO B(NTV) SO DO NOT COMPUTE IT, OTHERWISE COMPUTE B
C      TRAILING VORTEX CORE RADII.

C
116 RT=DLNTH(NN)
RS=SQRT(RT)
117 RT=DNTH(I ,JSIG)/RS
DLNTH(NN)=RS
RS=SQRT(RT)
118 BT(NN)=RS*B(I ,JSIG)
N=N+1
JSIG=JSIG+1
NN=NN+1
GO TO 113

C
C      MAKE PERMANENT STORAGE OF L AND D, A AND B.

C
119 IM1=I-1
N=JA-1
DO 120 NN=1,NTV
N=N+1
LNTH(IM1,N)=LTMP(NN)
LTMP(NN)=LLNTH(NN)
A(I-1,N)=ATMP(NN)
ATMP(NN)=AT(NN)
120 CONTINUE
JSIG=JSIGT-1
DO 121 NN=1,NTV1
JSIG=JSIG+1
DNTH(I,JSIG)=DTMP(NN)
DTMP(NN)=DLNTH(NN)
B(I,JSIG)=BTMP(NN)
BTMP(NN)=BT(NN)
121 CONTINUE
GO TO 135

C
C      STORE L**2, D**2 FOR I=1, ALL J, FOR DEFINITION OF A AND B
C      AFTER CIRCULATIONS ARE COMPUTED
C
122 JNTV=JA+NTV1
NN=0
DO 124 JJ=JA,JNTV
NN=NN+1
LSQ(JJ)=LLNTH(NN)

```

```
124 CONTINUE
  JSIGI=JSIG-NTV1+1
  NN=0
  DO 126 JJ=JSIGI,JSIG
    NN=NN+1
    DSQ(JJ)=DLNTH(NN)
126 CONTINUE
135 CONTINUE
  IF (KX.GT.1) RETURN
  N=JSIGT-1
  DO 139 NN=1,NTV1
    N=N+1
    DNTH(NW,N)=DTMP(NN)
    B(NW,N)=BTMP(NN)
139 CONTINUE
  N=JA-1
  DO 141 NN=1,NTV
    N=N+1
    LNTH(NW-1,N)=LTMP(NN)
    A(NW-1,N)=ATMP(NN)
    IF (NW.EQ.2.AND.NA.SEQ.1) A(NW,N)=CHORD(M)
141 CONTINUE
  RETURN
END
```

```
SUBROUTINE SUBII (NPER,NA,INDX,NR,JAC,NIB,NROT,NTV1,VZ,JA,J,JB,
1 NWSTRE)
```

```
C
  INTEGER OUT,WKPT,CNTR
  INTEGER T45,WW
  REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1 LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
  DIMENSION VZ(05,44)
C
  COMMON /STPSZ/ NROLD,NAA,LRGWKS,LIMLSS,LSWW
  COMMON /MODCNT/ NTVM,NXSTRE,NWR,NANRM,NIBRVM,NIBV
  COMMON /MODWK1/ GAMMA(54,16),R(1),A(05,16),VXM(54,16),
1 VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
  COMMON /STPDUM/ X(108),Y(108),Z(108)
  COMMON /MODWK3/ AFM(4,11),BFM(4,10)
  COMMON /VLNTHS/ NALIM,VLL(40)
  COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
  COMMON /WK2C/SIGBL(360)
C
  EL=VLL(JA)
  TWOEL=2.*EL
  RSQ=R(1)*R(1)
  NSW=-1
  NWSTM1=NWSTRE-1
  I=NANRM-1
  NRATIO=1
  70 I=I+1
  JZ=I
  IF(NPER.NE.4)      GO TO 71
  IF(I.LT.LRGWKS)   GO TO 71
  NRATIO=NROLD
  JZ=(I-LRGWKS)/NRATIO+LRGWKS
  71 IP1=I+1
  IF(NRATIO.GT.1) GO TO 72
  XC=XM(IP1,JA)
  YC=YM(IP1,JA)
  ZC=ZM(IP1,JA)
  GO TO 73
  72 XC=X(IP1)
  YC=Y(IP1)
  ZC=Z(IP1)
  73 WORK1=XA-XC
  WORK2=YA-YC
  WORK3=ZA-ZC
  RT=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
  IF(RT.GT.TWOEL) GO TO 86
  IF (RSQ.LT.EL) GO TO 84
  IF (RT.LT.EL) GO TO 84
  NSW=0
```

```

      GO TO 134
86 I=I+NALIM
      NSW=1
      GO TO 134
84 IF (NSW.LT.1) GO TO 87
      I=I-NALIM
      GO TO 135
      NSW=-1
C
C      COMPUTE SQUARE ROUT OF RT AT THE APPROPRIATE STEP.
87 IF(NRATIO.GT.1) GO TO 88
      XB=XM(I,JA)
      YB=YM(I,JA)
      ZB=ZM(I,JA)
      GO TO 89
88 XB=X(I)
      YB=Y(I)
      ZB=Z(I)
89 NSW=-1
      NN=1
      N=1
      SIGN=1.
      JJ=JA
      IF(NPER.NE.4) GO TO 90
85 IGN = 0
      IF(INDX-I.GE.NA) IGN = -1
      IF(INDX-I.LT.0) IGN = 1
      INDX = INDX + NA * IGN
      IF (IGN.NE.0) GO TO 85
      INDXL= (INDX-I) * NR + ((JAC-1)/NIB) * (NR/NROT)
C
C      90 RS=SQRT(RT)
      GO TO 100
C
C      COMPUTE NV*G, TRAILING VORTEX CONTRIBUTION, OR ETA*H, SHED
C      VORTEX CONTRIBUTION, L2 OR D2, AND ADD TO PREVIOUS CON-
C      TRIBUTIONS FROM QUADRILATERAL FOR GAMMA(I,JA).
C
100 RPR=RS+R(NN)
      DORL=(XB-XC)**2+(YB-YC)**2+(ZB-ZC)**2
      ASSIGN 94 TO IORG
      WORK1=R(NN)
      VTEST=RS*RS+WORK1*WORK1-DORL
      IF (VTEST.GT.0) GO TO 101
      WORK2=RS-WORK1
      WORK2=WORK2*WORK2
      WORK3=RS+WORK1
      WORK3=WORK3*WORK3
      VTEST=(WORK3-DORL)*(DORL -WORK2)/(4.*DORL )
      92 IF (SIGN.GT.0) WORK1=A(NANRM,JJ)

```

```

93 WORK1=WORK1*WORK1
    IF (VTEST.GT.WORK1) GO TO 101
    HORG=0.
    WORK5=S QRT(DORL)*WORK1
    IF(WORK5.NE.0.) HORG=1./WORK5
    ASSIGN 95 TO IORGT
    GO TO 103
101 HORG=0.
    WORK5=R(NN)*RS*(RPR*RPR-DORL)
    IF(WORK5.NE.0.) HORG=SIGN*RPR/WORK5
103 EORNZ=(XA-XC)*(YC-YB)-(YA-YC)*(XC-XB)
    EHNGZ=EORNZ*HORG
    GO TO IORGT, (94,95)
95 SIGM=1.
    IF (EHNGZ.LT.0.) SIGM=-1.
    WORK1=GAMMA(JZ,JA)
    WORK2=EHNGZ*WORK1
    IF (ABS(WORK2).GT.1.) EHNGZ=SIGM/WORK1
94 SGMAZ=EHNGZ
102 R(NN)=RS
C
C      GAMMA(1,J)S ARE UNKNOWN.  IF I=1, STORE SIGMA(J,JSIG).
C      THIS IS SIGMA(1,PSII,J,JSIG)
C
C      GAMMA(1,J) ARE KNOWN FOR I.GT.1.      COMPUTE VZ(1,J).
C
103 VZ(1,J)=VZ(1,J)+(SGMAZ           )*GAMMA(JZ,JA)
    IF( NPER.NE.4) GO TO 111
    SGMBL = SGMAZ
C
C      CONVENIENT LOCATION TO COMPUTE SIGMA(J,PSII,I,JJ)
C
    DO 107 JQ=1,NTV1
    MODINX=INDXL+JQ
107 SIGBL(MODINX)=-SGMBL*BFM(JB,JQ)+SIGBL(MODINX)
C
C      IF THE ROW IS NOT COMPLETED, STORE SGMAZ AND CONTINUE WITH VZ
C      COMPUTATION.
C
111 R(NN)=RS
134 RSQ=RT
135 IF (I.LT.NANRM) GO TO 140
    IF (I.LT.NWSTM1) GO TO 70
140 RETURN
    END

```

OVERLAY (WKOVL,4,0)

PROGRAM CONVG

C

```
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX

C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHAO(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION GAMMAG(360)
DIMENSION GAMMK(1,040)
DIMENSION INDXG(40)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION SGMA1(044,044)
DIMENSION SIGBL(360)
DIMENSION SIGMZ(10)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
```

```
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XSIMQ(040,040)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZAP(40)
DIMENSION ZROT(01)
```

C  
C

```
COMMON /ITRG/ ITRGX
COMMON /BETA1/BETA,MBETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /BETA2/ XSIMQ,ZAP, NGJJ,M1,DETERM
COMMON /BETA3/OM,OMSQ,AD,AR,V,RHO,MU
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
IJSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOOMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
INIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /CONVGA/ EPSG,NWKQ
COMMON /CONVGB/ SGMA1,INDXG
COMMON /CONVGC/ GAMMAG
COMMON /WK2A/ MSET,GAMMK,indx,JAC,INDXL,SGMAZ,SIGMZ,SGMBL
COMMON /WK2C/ SIGBL
COMMON /OUTIN/ IN,OUT
COMMON /SUBIE/ NAS
COMMON /STEPXA/ WKPT,WW,IOUT,NOTTP1,KAT,NBC
```

C

```
9876 FORMAT (1H0, (8(1X,G14.7)))
950 FORMAT (13H ITG DIVERGES,2I5,2E14.7)
951 FORMAT (I5,E12.4,31H GAMMAS HAVE CONVERGED MSET= ,I10,/)
```

C  
C  
C

```
C COMPUTE NEW GAMMA(1,J) USING ITERATION SCHEME ON AN EQ OF THE
C FORM G=GL+GV+C*SUM((SIG*G))
```

```
NGJJ=NGJR
```

```
N=1
```

```
M1=0
```

```
ITR=0
```

```
142 GDI=0.
```

```
G=0.
```

```
ITR=ITR+1
```

```
DO 145 J=1,NGJR
```

```
GDI=GAMMA(1,J)
```

```
XK=0.
```

```
DO 144 K=1,JSIG
```

```

144 XK=SGMA1(J,K)*GAMMA(1,K)+XK
    GAMMA(1,J)=(GAMMK(1,J)+XK-SGMA1(J,J)*GAMMA(1,J))/(1.-SGMA1(J,J))
    GDI=(GDIF-GAMMA(1,J))**2+GDI
145 G=G+GAMMA(1,J)**2
    GTEST=GDI /G
    IF (GTEST.LE.EPSG) GO TO 150
C
C          IF GAMMAS CONVERGE, CONTINUE, OTHERWISE ITERATE AGAIN UNLESS
C          ITR EXCEEDS UPPLIMIT.
C
146 IF (ITR.LT.ITRGX) GO TO 142
148 WRITE (OUT,950) ITR,ITRGX,GTEST,EPSG
    IF (M1.EQ.1) STOP
    DO 152 J=1,NGJR
    DO 152 K=1,JSIG
152 XSIMQ(J,K)=-SGMA1(J,K)
    DO 153 J=1,NGJR
    ZAP(J)=GAMMK(1,J)
153 XSIMQ(J,J)=1.+XSIMQ(J,J)
    ITR=0
    M1=1
    CALL MATINV
    DO 147 J=1,NGJR
147 GAMMA(1,J)=ZAP(J)
    GO TO 142
C
C          GAMMAS HAVE CONVERGED
C
150 WRITE (OUT,951) ITR, GTEST,MSET
    WRITE(6,9876)((GAMMA(IX,JX),IX=1,N),JX=1,NGJR)
C
    IF (NPER.EQ.4) GO TO 157
    RETURN
157 DO 164 J=1,NGJR
    M=INDXG(J)
164 GAMMAG(M)=GAMMA(1,J)
    IF (NAS.EQ.WW+(NA/NIB)-1) WRITE (NOTTP1) (GAMMAG(J),J=1,NANR)
    IF (NAS .EQ. WW+(NA/NIB)-1) WRITE (6,9876) (GAMMAG(J),J=1,NANR)
    RETURN
    END

```

```

OVERLAY (WKOVL,5,0)
PROGRAM AL1BD2
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSDPM,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSTON ALFAT(01)
DIMENSION ALPHA0(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSTON ATMP(11)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION BTMP(11)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION DSQ(040)
DIMENSION DTMP(040)
DIMENSION GAMMA(05,040)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LSQ(044)
DIMENSION LTMP(044)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION THTAX(01)
DIMENSION THTAY(01)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)

```

```
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZROT(01)
```

```
C
C
```

```
COMMON /BETA1/BETA,MBETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /BETA3/OM,OMSQ,AQ,AR,V,RHO,MU
COMMON /TEST33/ NIR,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOOMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOPI
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /AL1BDA/ ABK
COMMON /SUBIB/ KX,LSQ,DSQ,DTMP,LTMP,ATMP,BTMP
```

```
C
C
C
C
C
C
C
```

```
PERFORM FLOW PERIODICITY CHECK. IF NOT PERIODIC CHECK TIME
LIMIT (GO TO 446). IF PERIODIC CHOOSE ONE OR MORE OF (A)
COMPUTE SIGS FOR BLADE LOADS ON BASIS OF SMALLER
SPACING, (B) COMPUTE FLOW FIELD, NOT AT VORTEX END
POINTS, AND (C) OTHER.
```

```
COMPUTE A(1,J), B(2,J), L(1,J), AND D(2,J)
```

```
JJ=0
JSIG=0
NN=0
151 JJ=JJ+1
RT=LSQ(JJ)
RS=SQRT(RT)
LNTH(1,JJ)=RS
NN=NN+1
IF (NN.GT.1) GO TO 158
JSIG=JSIG+1
154 RT=ABS(GAMMA(1,JSIG))
IF (JJ.LT.NIBRV) GO TO 155
RS=SQRT(RT)
GO TO 162
155 RS=SQRT(RT)
```

```
C
C
C
```

```
VORTEX CORE RADIUS IS CONSTANT TIMES CIRCULATION**.5
```

```
156 A(1,JJ)=RS*ABK
      GO TO 151
158 IF (NN-NTV) 160,159,162
159 NN=0
      GO TO 154
160 JSIG=JSIG+1
      RT=ABS(GAMMA(1,JSIG)-GAMMA(1,JSIG-1))
      RS=SQRT(RT)
      GO TO 156
162 A(1,JJ)=RS*ABK
      JJ=0
163 JJ=JJ+1
      RT=DSQ(JJ)
      RS=SQRT(RT)
      DNTH(2,JJ)=RS
      RT=ABS(GAMMA(1,JJ)-GAMMA(2,JJ))
      RS=SQRT(RT)
      B(2,JJ)=RS*ABK
      IF (JJ.LT.NGJR) GO TO 163
      RETURN
      END
```

```
OVERLAY (WKOVL,6,0)
PROGRAM APXLD
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHA0(01)
DIMENSION ALPHAR(01)
DIMENSION AD(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LOADN(044)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION RBAR(040)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION THTAX(01)
DIMENSION THTAY(01)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
```

```

DIMENSION Y(05,44)
DIMFNSTON YROT(01)
DIMENSION Z(05,44)
DIMENSION ZRDT(01)

C
C
COMMON /BFTA3/OM,OMSQ,AD,AR,V,RHO,MU
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /APXLDA/ RBAR
COMMON /APXLDB/ LOADN
COMMON /WK1A/ PSIR,DPSIK,PSIK,DELTA,RREF,MUCDS,MUSDS,THTAX,THTAY
COMMON /WK1C/ PSI,CCLA,DIR

C
C      DEFINE APPROXIMATE BLADE LOADS
C      NONDIMENSIONAL FORM=(RHO*U*GAMMA)/(RHO*OM*ON*R*R*R)
C

170 DO 180 M=1,NROT
DO 180 K=1,NIB
PSIK=PSIR(M)+(K-1)*DPSIK
MUSPK=MU*SIN(PSI(M)+PSIK)
JJ=0
DO 180 J=1,NTV1
JJ=JJ+1
LOADN(JJ)=(RBAR(JJ)+MUSPK*DIR(M))*GAMMA(1,JJ)
180 CONTINUE

C
C      LOADN IS NON-DIMENSIONAL
C      LOADD(JJ)=LOADN(JJ)*DFLOD
C      WRITE EITHER LOADN OR LOADD AFTER COMPUTATION, BUT DO NOT USE
C      BOTH. LOADN(JJ) AND VZ(J) COULD BE EQUIVALENCED.

C
RETURN
END

```

```
OVERLAY (WKOVL,7,0)
PROGRAM WK3
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
C
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHAO(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VXX(01,01)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
```

DIMENSION Z(05,44)  
DIMENSION ZROT(01)

C  
C

COMMON /BETA1/BETA,MBETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO  
COMMON /BETA3/DM,OMSQ,AO,AR,V,RHO,MU  
COMMON /TEST33/ NIB,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,  
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV  
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ  
COMMON /WAKE1/ VOOMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,  
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP1  
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR  
COMMON /CONVGA/ EPSG,NWKRD  
COMMON /WKCONT/ NWKPD  
COMMON /STEPXA/ WKPT,WW,IOUT,NOTTP1,KAT,NBC  
COMMON /WK4A/ VXX  
COMMON /OUTDI/ NNTV,NEXPWK,NSIGRW,NMDDR,NMODC  
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),  
1VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)  
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM  
COMMON /OUTDII/ NWKCLM

C

DATA INX1,INX2,INX3,INX4,INX5,TNX6,INX7/  
14H X,4H Y,4H Z,4H VX,4H VY,4H VZ,4HSIGA/  
DATA NWKX,NWKY,NWKZ/3HWKX,3HWKY,3HWKZ/

C  
C

LOADN(JJ) COULD BE LDADD(JJ)

IF (NWKRQ.EQ.1.AND.NPER.EQ.4) GO TO 192  
GO TO 189  
192 NLP1=1  
NLP2=1  
NLP3=NWKCL  
NLP4=NWKRW  
CALL T3A  
DO 186 JX=1,NWKCL  
DO 186 IX=1,NWKRW  
IF (IX.GT.NWKLST.AND.JX.EQ.NWKCL) GO TO 191  
VXX(IX,JX)=-VZ(IX,JX)\*COSB3+VX(IX,JX)\*SINB3  
186 VI(IX,JX)=VXX(IX,JX)+VI(IX,JX)  
191 CONTINUE  
CALL MPRECT (NWKY,VXX,NWKRW,NWKCL,NWKRW,NWKCLM)  
NAS1=NAS1+1  
IF (NAS1.LT.NIBNA) GO TO 188

C  
C

COMPUTE WAKE FLOWS  
VONA=NIB/(VOOMR\*NA)  
DO 187 JX=1,NWKCL  
DO 187 IX=1,NWKRW

```

IF (IX.GT.NWKLST.AND.JX.EQ.NWKCL) GO TO 190
187 VI(IX,JX)=VONA*VI(IX,JX)
190 CONTINUE
CALL MPRECT (NWKX,VI,NWKRW,NWKCL,NWKRW,NWKCLM)
KAT=1
188 NLP1=NROT
NLP2=NIB
NLP3=NTV
C
C
C
C      SET WAKE AZIMUTHAL INDEX LIMIT
C
189 NLP4=NW
NPER=1
CALL T3A
NPER=NWKPD
C
IF (NWKPD.NE.4) GO TO 377
CALL MPRECT (INX4,VX,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX5,VY,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX6,VZ,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX1 ,X,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX2 ,Y,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX3 ,Z,NW,NIBRV,NEXPWK,NNTV)
CALL MPRECT (INX4,VXM,NWSTRE,NIBRVM,NMODR,NMODC)
CALL MPRECT (INX5,VYM,NWSTRE,NIBRVM,NMODR,NMODC)
CALL MPRECT (INX6,VZM,NWSTRE,NIBRVM,NMODR,NMODC)
CALL MPRECT (INX1,XM,NWSTRE,NIBRVM,NMODR,NMODC)
CALL MPRECT (INX2,YM,NWSTRE,NIBRVM,NMODR,NMODC)
CALL MPRECT (INX3,ZM,NWSTRE,NIBRVM,NMODR,NMODC)
377 CONTINUE
RETURN
END

```

```
SUBROUTINE T3A
INTEGER Z2
INTEGER OUT,WKPT,CNTR
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
1LTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS
```

C

```
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION AD(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION LNTH(05,44)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION PSIR(01)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZROT(01)
```

C

```
COMMON /TEST33/ NIB,NRDT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOOMR,NUWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP
COMMON /MODCNT/ NTVM,NWSTRF,NWR,NANRM,NIBRVM,NIBM
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),
1VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
COMMON /SURIE/ NAS
COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
COMMON /OVT3A/ Z2,II
```

```
COMMON /OVT3B/ IROW,JAKM,K,L  
COMMON /OVT3F/ JPASS
```

```
C  
C  
C  
C COMPUTE INDUCED VELOCITIES AT ALL VORTEX ELEMENT END POINTS,  
C AND INCLUDING BLADE VORTEX POINTS. INCLUDE SELF-INDUCED  
C EFFECTS DUE TO BLADE AND NEIGHBORING VORTICES (BASED ON  
C APPROXIMATE CURVATURE FROM AN ARC DETERMINED FROM 3-POINT  
C CIRCULAR ARC CURVE FITTING.  
C  
C  
C INITIALIZE CONTROL CONSTANTS FOR WAKE INDUCED VELOCITY  
C CALCULATIONS.  
C  
N1=NLP1  
N2=NLP2  
N3=NLP3  
N4=NLP4  
N5=2  
N6=1  
IF (NPER.EQ.4) N5=1  
DO 600 Z2=1,N5  
IF (NAS.LE.NANRM.AND.Z2.EQ.2) GO TO 600  
200 JJ=0  
J=0  
C  
C J AND K HAVE REDEFINED FOR K>2  
C  
IF (NPER.EQ.4) GO TO 201  
IF (Z2.EQ.1) GO TO 201  
N3=NTVM  
N4=NWSTRE-1  
IF (NWSTRE.LT.NWR) N4=NWSTRE  
N6=NANRM+1  
201 DO 500 M=1,N1  
DO 500 K=1,N2  
JAKM=(K-1)*NTV+1+NTV*NIB*(M-1)  
DO 500 L=1,N3  
J=J+1  
DO 500 II=N6,N4  
IF (Z2.EQ.2) GO TO 212  
IF (NPER.EQ.4) GO TO 211  
XA=X(II,J)  
YA=Y(II,J)  
ZA=Z(II,J)  
GO TO 220  
211 IF (II.GT.NWKLST.AND.J.EQ.NWKCL) RETURN  
JAKM=0  
XA=WKX(II,J)
```

```

YA=WKY(II,J)
ZA=WKZ(II,J)
GO TO 220
212 XA=XM(II,J)
YA=YM(II,J)
ZA=ZM(II,J)
VXM(II,J)=0.
VYM(II,J)=0.
VZM(II,J)=0.
GO TO 221
C
C      POINT A IS POINT AT WHICH VELOCITIES ARE TO BE COMPUTED.
C
220 VX(II,J)=0.
VY(II,J)=0.
VZ(II,J)=0.
C      INITIALIZE VELOCITY COMPONENTS, INDICES, ETC.
221 JSIG=0
IROW=NPER
JPASS=J
CALL T3AB
IF (NAS.GT.NANRM) CALL T3ASP(VX,VY,VZ)
IF (Z2.EQ.1) CALL ADVXYZ (VX(II,J),VY(II,J),VZ(II,J),TWOP1)
IF (Z2.EQ.2) CALL ADVXYZ(VXM(II,J),VYM(II,J),VZM(II,J),TWOP1)
500 CONTINUE
600 CONTINUE
RETURN
END

```

```
SUBROUTINE ADVXYZ(VX,VY,VZ,TWOP1)
VX=VX/TWOP1
VY=VY/TWOP1
VZ=VZ/TWOP1
WORK1=ABS(VX)
WORK2=ABS(VY)
WORK3=ABS(VZ)
WORK4=AMAX1(WORK1,WORK2,WORK3)
IF (WORK4.LE..1) RETURN
VX=(VX/WORK4)*.1
VY=(VY/WORK4)*.1
VZ=(VZ/WORK4)*.1
RETURN
END
```

```
SUBROUTINE T3AB
INTEGER Z2
INTEGER OUT,WKPT,CNTR
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
LLTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS
```

C

```
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION ATMP(11)
DIMENSION B(005,40)
DIMENSION BTMP(11)
DIMENSION C(09)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DNTH(011,040)
DIMENSION DTMP(040)
DIMENSION GAMMA(05,040)
DIMENSION LNTH(05,44)
DIMENSION LTMP(044)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION PSIR(01)
DIMENSION R(11)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION SIGMX(10)
DIMENSION SIGMY(10)
DIMENSION SIGMZ(10)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSTON VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZROT(01)
```

C

```
COMMON /TEST33/ NIR,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
```

```

COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VDOOMR,NWKPT,VI,WKX,WKY,WKZ,COSB3,SINB3,NAS1,
INIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP1
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),
IVYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
COMMON /VLIMIT/ VLIM(11),VMLIM(16)
COMMON /OVT3A/ Z2,II
COMMON /OVT3B/ IROW,JAKM,K,L

C
QSX=0.
QSY=0.
QSZ=0.
DO 400 JA=1,NIBRV,NTV
QX=0.
QY=0.
QZ=0.
JL=JA
JSIGT=1+((JA-1)*NTV1)/NTV
C           IROW CONTROLS BRANCHING TO SPECIAL COMPUTATIONS REQUIRED FOR
C           SELF-INDUCED VELOCITY CALCULATIONS, AND AVOIDANCE OF
C           CALCULATIONS BY STANDARD EQUATIONS. IROW=1, POINT A IS ON
C           CURRENT ROW, SELF-INDUCED VELOCITIES ARE LINEAR, IROW=2,
C           POINT A IS ON NEXT ROW, IROW=3, POINT A IS NOT ON CURRENT
C           BLADES WAKE, BUT HAS NOT BEEN ACCOUNTED FOR, IROW=4,
C           POINT A HAS BEEN ACCOUNTED FOR, NO FURTHER CHECKS NEED BE
C           MADE UNTIL POINT A IS REDEFINED.
IF (IROW.GT.3) GO TO 213
212 IROW=2
213 CONTINUE
DO 390 I=1,NWM1
JSIG=JSIGT
SGMAX=0.
SGMAY=0.
SGMAZ=0.
NN=0
JL=JA
C           IF POINT A IS NOT ON CURRENT BLADES WAKE DO STANDARD
C           CALCULATION, OTHERWISE TEST FOR NECESSITY OF SELF-INDUCED
C           VELOCITY COMPUTATIONS.
C           I=1, START ON NEW BLADES WAKE
214 IF (I.GT.1) GO TO 280
C           CHECK TO SEE IF POINT A IS ON CURRENT BLADES WAKE
215 IF (JA-JAKM) 218,216,219
C           II=I=1 AUTOMATICALLY REQUIRES SPECIALIZED SELF-INDUCED VELOCITY
C           CALCULATIONS.
216 IF (II.LE.1) GO TO 222
217 IROW=2
GO TO 270
218 IROW=3

```

```

GO TO 270
219 IROW=4
GO TO 270
C     II=I=1, AND A ARE ON CURRENT BLADES WAKE
C     COMPUTE RI(JL)S FOR FUTURE USE
222 JL=J
C
C     COMPUTE ADDITIONAL SELF-INDUCED QSZ COMPONENT DUE TO BLADE OR
C     COMPUTE SHED VORTEX COMPONENT AT END OF WAKE.
C     STATEMENTS TO BE ADDED
C
CALL TEST5
DO 224 JX=1,NTV
224 R(JX)=ABS(RCAP(M,L)-RCAP(M,JX))
IF (NW.LE.2) GO TO 260
C     COMPUTE SELF-INDUCED VELOCITY FROM TRAILING VORTEX ONLY CON-
C     TRIBUTION.
XB=X(2,JL)
YB=Y(2,JL)
ZB=Z(2,JL)
JSIG=JSIGT+J-JA-1
IF (JSIG.EQ.JSIGT-1) JSIG=JSIG+1
XC=X(3,JL)
YC=Y(3,JL)
ZC=Z(3,JL)
IP1=I+1
SIGN=1.
GO TO 231
C     II=NW AND A ARE ON CURRENT BLADES WAKE
229 IP1=I-1
IF (IP1.EQ.0) GO TO 321
XC=X(IP1,JL)
YC=Y(IP1,JL)
ZC=Z(IP1,JL)
SIGN=-1.
231 MX=(YA-YB)*(ZB-ZC)-(YB-YC)*(ZA-ZB)
MY=(ZA-ZB)*(XB-XC)-(ZB-ZC)*(XA-XB)
MZ=(XA-XB)*(YB-YC)-(XB-XC)*(YA-YB)
RT=MX*MX+MY*MY+MZ*MZ
IF (RT.EQ.0.) RT=1.
RS=SQRT(RT)
MXYZ=RS
DELSQ=(XA-XC)**2+(YA-YC)**2+(ZA-ZC)**2
WORK1=LNTH(I,JL)*LNTH(IP1,JL)
WORK1=WORK1*WORK1
WORK2=LNTH(I,JL)*LNTH(I,JL)
WORK3=LNTH(IP1,JL)*LNTH(IP1,JL)
WORK2=WORK2+WORK3-DELSQ
WORK2=WORK2*WORK2
RT=4.*WORK1-WORK2

```

```

IF (RT.LE.0.) GO TO 247
RT=DELSQ/RT
RS=SQRT(RT)
RSCRP=2.*LNTH(I,JL)*LNTH(IP1,JL)*RS
RT=LNTH(I,JL)*LNTH(I+JL)
RT=RSCRP*RSCRP-RT
IF (RT.LE.0.) GO TO 247
RS=SQRT(RT)
WORK1=LNTH(I,JL)*LNTH(I,JL)
WORK2=LNTH(IP1,JL)*LNTH(IP1,JL)
C      CHOOSE DEFINITION OF FSMAL ACCORDING TO L(I,J)**2.GE.DELSQ
C      +L(IP1,J)**2
IF (WORK1-DELSQ-WORK2.GT.0) GO TO 238
236 FSMAL=(RSCRP-RS)/LNTH(I,JL)
GO TO 240
238 FSMAL=(RSCRP+RS)/LNTH(I,JL)
240 RT=4.*FSMAL*RSCRP/A(I,JL)
C      CHOOSE AND USE PROPER CIRCULATION VALUE
IF (JL-JA) 243,244,242
242 IF (JL-JA-NTV1) 246,245,243
243 STOP
244 FSCRP=GAMMA(I,JSIG)*( ALOG(RT)+.25)/(2.*RSCRP*MXYZ)
GO TO 248
245 FSCRP=-GAMMA(I,JSIG)*( ALOG(RT)+.25)/(2.*RSCRP*MXYZ)
GO TO 248
246 FSCRP=(GAMMA(I,JSIG+1)-GAMMA(I,JSIG))*( ALOG(RT)+.25)/(2.*RSCRP*
1MXYZ)
GO TO 248
247 FSCRP=0.
248 FSCRP=FSCRP*SIGN
249 IF (II.GE.NW) GO TO 322
QSX=MX*FSCRP
QSY=MY*FSCRP
QSZ=MZ*FSCRP
263 CONTINUE
260 DO 262 NX=1,NTV1
C      INITIALIZE SIGMS
SIGMX(NX)=0.
SIGMY(NX)=0.
262 SIGMZ(NX)=0.
IROW=1
C      AVOID COMPUTATION EHNGZ AT JL=J
IF (JL.EQ.JA) GO TO 265
JSIG=JSIGT
JL=JA
GO TO 360
265 R(1)=LNTH(I,JL)
NN=1
IP1=I+1
GO TO 357

```

```

270 JL=JA
NN=0
272 XR=X(1,JA)
YB=Y(1,JA)
ZB=Z(1,JA)
RT=(XB-XA)**2+(YB-YA)**2+(ZB-ZA)**2
RS=SQRT(RT)
R(1)=RS
275 JL=JL+1
NN=NN+1
NX=JSIGT+NN-1
XC=XB
YC=YB
ZC=ZB
XB=X(1,JL)
YB=Y(1,JL)
ZB=Z(1,JL)
RT=(XB-XA)**2+(YB-YA)**2+(ZB-ZA)**2
RS=SQRT(RT)
RPR=RS+R(NN)
DORL=(XB-XC)**2+(YB-YC)**2+(ZB-ZC)**2
WORK1=R(NN)
VTEST=RS*RS+WORK1*WORK1-DORL
IF (VTEST.GT.0) GO TO 276
WORK2=RS-WORK1
WORK2=WORK2*WORK2
WORK3=RS+WORK1
WORK3=WORK3*WORK3
VTEST=(WORK3-DORL)*(DORL -WORK2)/(4.*DORL )
WORK1=CHORD(M)
WORK1=WORK1*WORK1
IF (VTEST.GT.WORK1) GO TO 276
HORG=0.
WORK5=SQRT(DORL)*WORK1
IF(WORK5.NE.0.) HORG=1./WORK5
GO TO 277
276 HORG=0.
WORK5=R(NN)*RS*(RPR*RPR-DORL)
IF(WORK5.NE.0.) HORG=RPR/WORK5
277 EORNX=(XA-XC)*(YC-YB)-(YA-YC)*(XC-XB)
EORNY=(ZA-ZC)*(XC-XB)-(XA-XC)*(ZC-ZB)
EORNZ=(YA-YC)*(ZC-ZB)-(ZA-ZC)*(YC-YB)
288 WORK1=GAMMA(1,NX)
WORK2=ABS(EORNX*WORK1*HORG)
WORK3=ABS(EORNY*WORK1*HORG)
WORK4=ABS(EORNZ*WORK1*HORG)
WORK1=AMAX1(WORK2,WORK3,WORK4)
IF (WORK1.LE.VLIM(NN)) GO TO 287
SIGMX(NN)=EORNX/WORK1*HORG*VLIM(NN)
SIGMY(NN)=EORNY/WORK1*HORG*VLIM(NN)

```

```

SIGMZ(NN)=EORNZ/WORK1*HORG*VL IM(NN)
GO TO 286
287 SIGMX(NN)=EORNX*HORG
SIGMY(NN)=EORNY*HORG
SIGMZ(NN)=EORNZ*HORG
286 R(NN+1)=RS
IF (NN.LT.NTV1) GO TO 275
C      CONTINUE COMPUTING BLADE CONTRIBUTIONS UNTIL BLADE IS COMPLETED
C      THEN GO TO NEXT ROW.
278 JL=JA
IF (IROW-2) 350,280,360
C      DO SPECIAL CALCULATIONS ONLY IF POINT A IS ON CURRENT BLADES
C      WAKE.
280 IF(JA-JAKM) 281,282,359
281 IROW=3
GO TO 360
C      IF POINT A IS NOT ON OR JUST DOWN THE WAKE FROM B OR C, DO
C      STANDARD CALCULATION.
282 IF (II-I-1) 350,283,360
C      IF POINT A IS NOT BEHIND POINT JL, DO STANDARD CALCULATION.
283 IF (JL.NE.J) GO TO 360
C      COMPUTE SELF-INDUCED VELOCITIES FOR I.GT.1
C      COMPUTE SELF-INDUCED QS FOR TRAILING VORTICES
284 JK=0
N=JL
XB=X(I,JL)
YB=Y(I,JL)
ZB=Z(I,JL)
IF (II.GE.NW) GO TO 229
LTMP(1)=LNTH(I,JL)
LTMP(2)=LNTH(II,JL)
IP1=I+2
XC=X(IP1,JL)
YC=Y(IP1,JL)
ZC=Z(IP1,JL)
IP1=I+1
ATMP(1)=A(I,JL)
285 MX=(YB-YA)*(ZA-ZC)-(YA-YC)*(ZB-ZA)
MY=(ZB-ZA)*(XA-XC)-(ZA-ZC)*(XB-XA)
MZ=(XB-XA)*(YA-YC)-(XA-XC)*(YB-YA)
RT=MX*MX+MY*MY+MZ*MZ
IF (RT.EQ.0.) RT=1.
RS=SQRT(RT)
MXYZ=RS
DELSQ=(XB-XC)**2+(YB-YC)**2+(ZB-ZC)**2
WORK3=  (4.*((LTMP(1)*LTMP(2))**2-(LTMP(1)**2+LTMP(2)**2-DELSQ)**2
12)
IF (WORK3.LE.0) WORK3=5.4E-70
RT=DELSQ/WORK3
RS=SQRT(RT)

```

```

RSCRP=2.*LTMP(1)*LTMP(2)*RS
289 RT=RSCRP**2-LTMP(1)**2
JK=JK+1
IF (RT.LT.0.) RT=0.
RS=SQRT(RT)
C      COMPUTE FSMAL DEPENDING ON L(1)**2.GE.DELSQ) L(2)**2.
IF (LTMP(1)**2-DELSQ-LTMP(2)**2.GT.0) GO TO 294
292 FSMAL=(RSCRP-RS)/LTMP(1)
GO TO 296
294 FSMAL=(RSCRP+RS)/LTMP(1)
296 RT=4.*FSMAL*RSCRP/ATMP(1)
C      COMPUTE TRAILED (JK=1,2) OF SHED (JK=3,4) CONTRIBUTION TO
C      SELF-INDUCED VELOCITY.
GO TO (297,310,346,348), JK
297 IF (JL-JA.LE.0) GO TO 300
298 IF (JL-JA-NTV1) 304,302,343
300 IF (RT.EQ.0.) GO TO 307
FSCRP=GAMMA(I,JSIG)*( ALOG(RT)+.25)
GO TO 308
302 IF (RT.EQ.0.) GO TO 307
FSCRP=-GAMMA(I,JSIG)*( ALOG(RT)+.25)
GO TO 308
304 IF (RT.EQ.0.) GO TO 307
FSCRP=(GAMMA(I,JSIG+1)-GAMMA(I,JSIG))*( ALOG(RT)+.25)
GO TO 308
C      COMPUTE CONTRIBUTION FROM NEXT TRAILED VORTEX ELEMENT.
307 FSCRP=0.
308 ATMP(1)=A(II,JL)
LTMP(3)=LTMP(1)
LTMP(1)=LTMP(2)
LTMP(2)=LTMP(3)
GO TO 289
310 IF (JL.LE.JA) GO TO 316
314 IF (JL-JA-NTV1) 320,318,343
316 IF (RT.EQ.0.) GO TO 322
FSCRP=(FSCRP+GAMMA(II,JSIG)*( ALOG(RT)+.25))/ (2.*RSCRP*MXYZ)
GO TO 322
318 IF (RT.EQ.0.) GO TO 322
FSCRP=(FSCRP-GAMMA(II,JSIG)*( ALOG(RT)+.25))/ (2.*RSCRP*MXYZ)
GO TO 322
320 IF (RT.EQ.0.) GO TO 322
FSCRP=(FSCRP+(GAMMA(II,JSIG+1)-GAMMA(II,JSIG))*( ALOG(RT)+.25))/(
12.*RSCRP*MXYZ)
C      DEFINE TRAILED VORTEX SELF-INDUCED VELOCITY COMPONENT.
C      CHECK SIGN OF FSCRP
322 QSX=MX*FSCRP
QSY=MY*FSCRP
QSZ=MZ*FSCRP
321 IF (JL-JA) 323,323,340
C      COMPUTE NG WITH ONLY ONE VORTEX INCLUDED, JSIG

```

C COMPUTE FIRST CONTRIBUTION FROM SHED VORTICITY.

```

323 JLM1=JL
NN=1.
JL=JL+1
JSIG1=JSIG+1
JLP1=JL+1
JK=0
RT=1.
324 ATMP(1)= B(II,JSIG)
XB=X(II,JL)
YB=Y(II,JL)
ZB=Z(II,JL)
XC=X(II,JLP1)
YC=Y(II,JLP1)
ZC=Z(II,JLP1)
LTMP(1)=DNTH(II,JSIG)
LTMP(2)=DNTH(II,JSIG1)
325 MX=((YA-YB)*(ZB-ZC)-(YB-YC)*(ZA-ZB))*RT
MY=((ZA-ZB)*(XB-XC)-(ZB-ZC)*(XA-XB))*RT
MZ=((XA-XB)*(YB-YC)-(XB-XC)*(YA-YB))*RT
RT=MX*MX+MY*MY+MZ*MZ
IF (RT.EQ.0.) RT=1.
RS=SQRT(RT)
326 MXYZ=RS
DELSQ=(XA-XC)**2+(YA-YC)**2+(ZA-ZC)**2
RT= (4.*LTMP(1)*LTMP(2))**2-(LTMP(1)**2+LTMP(2)**2-
1DELSQ)**2
IF (RT.LE.0) GO TO 337
RT=DELSQ/RT
RS=SQRT(RT)
RSCRP=2.*LTMP(1)*LTMP(2)*RS
RT=RSCRP**2-LTMP(1)**2
IF (RT.LE.0.) GO TO 337
RS=SQRT(RT)
IF (LTMP(1)**2-DELSQ-LTMP(2)**2.GT.0) GO TO 334
332 FSMAL=(RSCRP-RS)/LTMP(1)
GO TO 336
334 FSMAL=(RSCRP+RS)/LTMP(2)
336 RT=4.*FSMAL*RSCRP/ATMP(1)
IF (II.GE.NW) GO TO 338
FSMAL=GAMMA(II,JSIG)-GAMMA(I,JSIG)
GO TO 339
338 FSMAL=-GAMMA(I,JSIG)
339 IF (RT.LE.0.) GO TO 337
FSCRP=FSMAL*( ALOG(RT)+.25)/(2.*RSCRP*MXYZ)
QSX=QSX+MX*FSCRP
QSY=QSY+MY*FSCRP
QSZ=QSZ+MZ*FSCRP
337 IF (JL.EQ.JA+1) GO TO 343
JL=JL+1

```

```

340 IF (JL-JA-NTV1.LT.0) GO TO 344
341 JL=JA+NTV1-1
JLP1=JL-1
RT=-1.
JK=JK+1
NN=NTV1
JSIG1=JSIG-1
GO TO (324,343,324,343), JK
C      CHECK ON VALIDITY OF THIS TRANSFER WHEN JL=JA+NTV1
343 IROW=1
QX=QX+QSX
QY=QY+QSY
QZ=QZ+QSZ
IF (N.LE.JA) GO TO 342
C      COMPUTE INDUCED VELOCITY FROM PREVIOUS TRAILING AND SHED VORTEX
345 R(NN)=DNTH(II,JSIG-1)
QX=QX+(SGMAX-STGMAX(NN))*GAMMA(I,JSIG-1)
QY=QY+(SGMAY-SIGMY(NN))*GAMMA(I,JSIG-1)
QZ=QZ+(SGMAZ-SIGMZ(NN))*GAMMA(I,JSIG-1)
SIGMX(NN)=0.
SIGMY(NN)=0.
SIGMZ(NN)=0.
IF (NN.GE.NTV1) GO TO 3420
C(1)=0.
C(2)=0.
C(3)=0.
3420 XB=X(II,JL)
YB=Y(II,JL)
ZB=Z(II,JL)
SGMAX=0.
SGMAY=0.
SGMAZ=0.
NN=NN+1
342 RS=DNTH(II,JSIG)
IP1=I+1
IF (N-JA-NTV1.LT.0) GO TO 379
IF (N-JA-NTV1.EQ.0) GO TO 380
WRITE (6,3444)
3444 FORMAT (9H0342 HALT)
STOP
C      COMPUTE SELF-INDUCED VELOCITY FOR POINT BETWEEN SHED VORTICES
344 JLP1=JL+1
XC=X(II,JLP1)
YC=Y(II,JLP1)
ZC=Z(II,JLP1)
LTMP(2)=DNTH(II,JSIG+1)
JLP1=JL-1
XB=X(II,JLP1)
YB=Y(II,JLP1)
ZB=Z(II,JLP1)

```

```

ATMP(1)=B(II,JSIG)
LTMP(1)=DNTH(II,JSIG)
JK=2
GO TO 285
346 IF (II.GE.NW) GO TO 3451
FSMAL=GAMMA(II,JSIG)-GAMMA(I,JSIG)
GO TO 347
3451 FSMAL=-GAMMA(I,JSIG)
347 FSCR=0.
IF (RT.LE.0.) GO TO 3471
FSCR=FSMAL*( ALOG(RT)+.25)
3471 LTMP(3)=LTMP(1)
LTMP(1)=LTMP(2)
LTMP(2)=LTMP(3)
JSIG=JSIG+1
ATMP(1)=B(II,JSIG)
GO TO 289
348 IF (II.GE.NW) GO TO 3491
FSMAL=GAMMA(II,JSIG)-GAMMA(I,JSIG)
GO TO 349
3491 FSMAL=-GAMMA(I,JSIG)
349 FSCR=0.
IF (RT.LE.0.) GO TO 3492
FSCR=(FSCR+FSMAL*( ALOG(RT)+.25))/(2.*RSCR*MXZ)
3492 QSX=MX*FSCR+QSX
QSY=MY*FSCR+QSY
QSZ=MZ*FSCR+QSZ
JL=JL+1
R(NN+2)=DNTH(II,JSIG)
C COMPUTE COMPONENT OF INDUCED VELOCITY FROM PREVIOUS TRAILING
C VORTEX
C GO TO 343
C CALCULATE USUAL INDUCED VELOCITY COMPONENTS UNLESS JL=J, II=I
C AVOIDS RECALCULATION OF TRAILED VORTEX SELF-INDUCED VELOCITY
C COMPONENT.
350 IF (JL.NE.J) GO TO 360
351 SIGMX(1)=0.
SIGMY(1)=0.
SIGMZ(1)=0.
R(1)=LNTH(I,JL)
IP1=I+1
NN=1
GO TO 357
354 XB=X(IP1,JL)
YB=Y(IP1,JL)
ZB=Z(IP1,JL)
RT=(XA-XB)**2+(YA-YB)**2+(ZA-ZB)**2
DORL=DNTH(IP1,JSIG)**2
N=4
SIGN=-1.

```

```

GO TO 365
C      RETURNS TO 370
355 SIGMX(NN)=EHNGX
      SIGMY(NN)=EHNGY
      SIGMZ(NN)=EHNGZ
      QX=QX+SGMAX*GAMMA(I,JSIG)
      QY=QY+SGMAY*GAMMA(I,JSIG)
      QZ=QZ+SGMAZ*GAMMA(I,JSIG)
      XK=35.
      NN=NN+1
      IF (NN.EQ.NTV) GO TO 390
356 JSIG=JSIG+1
      SIGMX(NN)=0.
      SIGMY(NN)=0.
      SIGMZ(NN)=0.
357 DORL=DNTH(IP1,JSIG)**2
      XC=X(IP1,JL)
      YC=Y(IP1,JL)
      ZC=Z(IP1,JL)
      R(NN)=LNTH(I,JL)
      JL=JL+1
      XB=X(IP1,JL)
      YB=Y(IP1,JL)
      ZB=Z(IP1,JL)
      RT=(XA-XB)**2+(YA-YB)**2+(ZA-ZB)**2
      N=2
      IROW=4
      SIGN=1.
      GO TO 365
359 IROW=4
C      BEGIN STANDARD TYPE ROW INDUCED VELOCITY CALCULATION.
360 SGMAX=0.
      SGMAY=0.
      SGMAZ=0.
      JL=JA
      XB=X(I,JL)
      JSIG=JSIGT
      YB=Y(I,JL)
      ZB=Z(I,JL)
      IP1=I+1
      XC=X(IP1,JL)
      YC=Y(IP1,JL)
      ZC=Z(IP1,JL)
      NN=1
      RT=(XA-XC)**2+(YA-YC)**2+(ZA-ZC)**2
      DORL=LNTH(I,JL)**2
      N=1
      SIGN=1.
365 RS=SQRT(RT)
C      IF (CNTR.EQ.2) GO TO 372

```

```

370 RPR=R$+R(NN)
C      TEST FOR END OF VORTEX ELEMENT (POINT A) INSIDE CURRENT VORTEX
C      ELEMENT CORE.  DEFINE HORG DIFFERENTLY ONLY IF A IS INSIDE
C      CORE OF B-C ELEMENT.
WORK1=R(NN)
VTEST=RS*RS+WORK1*WORK1-DORL
IF (VTEST.GT.0) GO TO 371
WORK3=RS+WORK1
WORK3=WORK3*WORK3
WORK2=RS-WORK1
WORK2=WORK2*WORK2
VTEST=(WORK3-DORL)*(DORL -WORK2)/(4.*DORL )
IF (SIGN.EQ.0) STOP
WORK1=CHORD(M)
WORK1=WORK1*WORK1
IF (VTEST.GT.WORK1) GO TO 371
HORG=0.
WORK5=SQRT(DORL)*WORK1
IF(WORK5.NE.0.) HORG=1./WORK5
GO TO 377
371 HORG=0.
WORK5=R(NN)*RS*(RPR*RPR-DORL)
IF(WORK5.NE.0.) HORG=SIGN*RPR/WORK5
377 EORNZ=(XA-XC)*(YC-YB)-(YA-YC)*(XC-XB)
EORNY=(ZA-ZC)*(XC-XB)-(XA-XC)*(ZC-ZB)
EORNX=(YA-YC)*(ZC-ZB)-(ZA-ZC)*(YC-YB)
EHNGX=EORNX*HORG
EHNGY=EORNY*HORG
EHNGZ=EORNZ*HORG
381 WORK1=GAMMA(I,JSIG)
WORK2=ABS(EHNGX*WORK1)
WORK3=ABS(EHNGY*WORK1)
WORK4=ABS(EHNGZ*WORK1)
WORK1=AMAX1(WORK2,WORK3,WORK4)
IF (WORK1.LE.VLIM(NN)) GO TO 383
EHNGX=EHNGX/WORK1*VLIM(NN)
EHNGY=EHNGY/WORK1*VLIM(NN)
EHNGZ=EHNGZ/WORK1*VLIM(NN)
383 SGMAX=SGMAX+EHNGX
SGMAY=SGMAY+EHNGY
SGMAZ=SGMAZ+EHNGZ
385 GO TO (372,378,380,355), N
372 R(NN)=RS
JL=JL+1
IF (IROW.GT.2) GO TO 376
373 IF (II-I-1) 374,375,376
374 IF (JL.EQ.J) GO TO 354
GO TO 376
375 IF (JL.EQ.J) GO TO 284
376 IP1=I+1

```

```

XB=X(IP1,JL)
YB=Y(IP1,JL)
ZB=Z(IP1,JL)
RT=(XA-XB)**2+(YA-YB)**2+(ZA-ZB)**2
DORL=DNTH(IP1,JSIG)**2
N=2
SIGN=-1.
GO TO 365
C      RETURN TO 370
378 C(1)=EHNGX
C(2)=EHNGY
C(3)=EHNGZ
379 XC=X(I,JL)
YC=Y(I,JL)
ZC=Z(I,JL)
N=3
DORL=LNTH(I,JE)**2
SIGN=1.
NN=NN+1
GO TO 370
380 NX=NN-1
QX=QX+(SGMAX-SIGMX(NX))*GAMMA(I,JSIG)
QY=QY+(SGMAY-SIGMY(NX))*GAMMA(I,JSIG)
QZ=QZ+(SGMAZ-SIGMZ(NX))*GAMMA(I,JSIG)
SIGMX(NX)=C(1)
SIGMY(NX)=C(2)
SIGMZ(NX)=C(3)
382 IF (NN.EQ.NTV) GO TO 390
C      CHECK NN INCREMENTING IN SPECIAL AREAS
384 SGMAX=-EHNGX
SGMAY=-EHNGY
SGMAZ=-EHNGZ
JSIG=JSIG+1
XC=XB
YC=YB
ZC=ZB
GO TO 372
390 R(NN)=RS
C      ADD CURRENT BLADES WAKE EFFECTS TO INDUCED VELOCITY AT A.
IF (Z2.EQ.2) GO TO 394
393 VX(II,J)=VX(II,J)+QX
VY(II,J)=VY(II,J)+QY
VZ(II,J)=VZ(II,J)+QZ
GO TO 395
394 VXM(II,J)=VXM(II,J)+QX
VYM(II,J)=VYM(II,J)+QY
VZM(II,J)=VZM(II,J)+QZ
395 DO 392 NN=1,NTV1
SIGMX(NN)=0.
SIGMY(NN)=0.

```

392 SIGMZ(NN)=0.  
C(1)=0.  
C(2)=0.  
C(3)=0.  
400 CONTINUE  
RETURN  
END

```

SUBROUTINE TEST5
REAL LBIG,LSMAL,LBSLS,LBSLSQ
DIMENSION C(01)
DIMENSION GAMMA(005,040)
DIMENSION LSMAL(11)
DIMENSION RCAP(01,11)
DIMENSION RSMAL(01,44)
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,C,RSMAL,RCAP,GAMMA,QSZ
GAMSUM=0.
C3=3.*C(M)
C34SQ=C3/4.
C34SQ=C34SQ*C34SQ
RJDPSI=RSMAL(M,JL)*DPSI
RJPSSQ=RJDPSI*RJDPSI
TERM1=+1./RJDPSI
DO 1 I=1,NTV1
1 LSMAL(I)=ABS(RCAP(M,I+1)-RCAP(M,I))
JX=JL
6 IF (JX.LE.NTV) GO TO 7
JX=JX-NTV
GO TO 6
7 JJ=0
NN=JSIG+NTV1-1
DO 5 I=JSIG,NN
JJ=JJ+1
IF (JJ.LT.JX) GO TO 2
KX=JX
N=JJ
GO TO 3
2 KX=JJ
N=JX-1
3 LBIG=0.
DO 4 K=KX,N
4 LBIG=LSMAL(K)+LBIG
LBSLS=LBIG-LSMAL(JJ)
LBSLSQ=LBSLS*LBSLS
C3LI42=C3/(4.*LBIG)
C3LI42=C3LI42*C3LI42
RJDPLI=RJDPSI/LBIG
RJDPLI=RJDPLI*RJDPLI
5 GAMSUM=GAMMA(1,I)* ALOG(
2((1.+SQRT(1.+RJDPLI))/(
3((1.+SQRT(1.+C3LI42)))*
4((LBSLS+SQRT(LBSLSQ+C34SQ))/(
5((LBSLS+SQRT(LBSLSQ+RJPSSQ)))))+GAMSUM
TERM1=TERM1*GAMSUM
QSZ=QSZ+TERM1
RETURN
END

```

```

SUBROUTINE T3ASP(VX,VY,VZ)
INTEGER Z2
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSDP,LLNTH,LNTH,LOADN,
ILTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS
C
DIMENSION VLL(40)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
C
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM
COMMON /MODWK1/ GAMMA(54,16),R(1),A(05,16),VXM(54,16),
IVYM(54,16),VZM(54,16),X(54,16),Y(54,16),Z(54,16)
COMMON /WK2B/ XA,YA,ZA,XB,YB,ZB,XC,YC,ZC
COMMON /VLIMIT/ VLIM(11),VMLIM(16)
COMMON /ELNTHS/ ELL(16)
COMMON /OVT3A/ Z2,II
COMMON /OVT3F/ J
COMMON /VLNTHS/ NALIM,VLL
C
C COMPUTE INDUCED VELOCITIES AT ALL VORTEX ELEMENT END POINTS,
C AND INCLUDING BLADE VORTEX POINTS. INCLUDE SELF-INDUCED
C EFFECTS DUE TO BLADE AND NEIGHBORING VORTICES (BASED ON
C APPROXIMATE CURVATURE FROM AN ARC DETERMINED FROM 3-POINT
C CIRCULAR ARC CURVE FITTING.
C
C
C INITIALIZE CONTROL CONSTANTS FOR WAKE INDUCED VELOCITY
C CALCULATIONS.
C
IF (Z2.EQ.2) NSW1=1
NN=1
NWSTM1=NWSTRE-1
EEL=VLL(JA)
TWOEL=EEL+EEL
NSW=-1
EL=ELL(JA)
NANRX=NANRM
JL=JA
JSIG=JA
QX=0.
QY=0.
QZ=0.
WORK1=XA-X(NANRM,JL)
WORK2=YA-Y(NANRM,JL)
WORK3=ZA-Z(NANRM,JL)
RSQ=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
R(1)=SQRT(RSQ)
IF (R(1).NE.0) GO TO 5
NANRX=NANRM+1

```

```

IF (NANRX.GT.NWSTM1) GO TO 400
WORK1=XA-X(NANRX,JL)
WORK2=YA-Y(NANRX,JL)
WORK3=ZA-Z(NANRX,JL)
R(1)=SORT(1*WORK1+WORK2*WORK2+WORK3*WORK3)
5 I=NANRX-1
XB=X(NANRX,JL)
YB=Y(NANRX,JL)
ZB=Z(NANRX,JL)
10 I=I+1
IF (NWSTRE.GT.II.AND.I.EQ.II.AND.JA.EQ.J) GO TO 390
C BEGIN STANDARD TYPE ROW INDUCED VELOCITY CALCULATION.
IP1=I+1
XC=X(IP1,JL)
YC=Y(IP1,JL)
ZC=Z(IP1,JL)
NRETN=0
IF ((II.EQ.I.OR.II-1.EQ.I).AND.JA.EQ.J.AND.Z2.EQ.2)
1 CALL SELFIN (I,II,JA,QX,QY,QZ,NRETN)
IF (NRETN.EQ.1) GO TO 390
WORK1=XA-XC
WORK2=YA-YC
WORK3=ZA-ZC
RT=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
IF(RT.GT.TWOEL) GO TO 362
IF (RSQ.LT.EEL) GO TO 364
IF (RT.LT.EEL) GO TO 364
NSW=0
GO TO 389
362 NSW=1
I=I+NALIM
GO TO 389
364 IF (NSW.LT.1) GO TO 363
I=I-NALIM
NSW=-1
GO TO 390
363 WORK1=XB-XC
WORK2=YB-YC
WORK3=ZB-ZC
DORL=WORK1*WORK1+WORK2*WORK2+WORK3*WORK3
NSW=-2
365 RS=SQRT(RT)
370 RPR=RS+R(NN)
C TEST FOR END OF VORTEX ELEMENT (POINT A) INSIDE CURRENT VORTEX
C ELEMENT CORE. DEFINE HORG DIFFERENTLY ONLY IF A IS INSIDE
C CORE OF B-C ELEMENT.
WORK1=R(NN)
VTEST=RS*RS+WORK1*WORK1-DORL
IF (VTEST.GT.0) GO TO 371
WORK3=RS+WORK1

```

```

WORK3=WORK3*WORK3
WORK2=RS-WORK1
WORK2=WORK2*WORK2
VTEST=(WORK3-DORL)*(DORL -WORK2)/(4.*DORL )
WORK1=A(NANRM,JA)
WORK1=WORK1*WORK1
IF (VTEST.GT.WORK1) GO TO 371
HORG=0.
WORK5=SQRT(DORL)*WORK1
IF(WORK5.NE.0.) HORG=1./WORK5
GO TO 377
371 HORG=0.
WORK5=R(NN)*RS*(RPR*RPR-DORL)
IF(WORK5.NE.0.) HORG=RPR/WORK5
377 EORNZ=(XA-XC)*(YC-YB)-(YA-YC)*(XC-XB)
EORNY=(ZA-ZC)*(XC-XB)-(XA-XC)*(ZC-ZB)
EORNX=(YA-YC)*(ZC-ZB)-(ZA-ZC)*(YC-YB)
EHNGX=EORNX*HORG
EHNGY=EORNY*HORG
EHNGZ=EORNZ*HORG
381 WORK1=GAMMA(I,JSIG)
WORK2=ABS(EHNGX*WORK1)
WORK3=ABS(EHNGY*WORK1)
WORK4=ABS(EHNGZ*WORK1)
WORK1=AMAX1(WORK2,WORK3,WORK4)
IF (WORK1.LE.VMLIM(JSIG)) GO TO 383
EHNGX=EHNGX/WORK1*VMLIM(JSTG)
EHNGY=EHNGY/WORK1*VMLIM(JSIG)
EHNGZ=EHNGZ/WORK1*VMLIM(JSIG)
383 WORK1=EL/SQRT(DORL)
SGMAX=EHNGX*WORK1
SGMAY=EHNGY*WORK1
SGMAZ=EHNGZ*WORK1
372 R(NN)=RS
XB=XC
YB=YC
ZB=ZC
QX=QX+(SGMAX )*GAMMA(I,JSIG)
QY=QY+(SGMAY )*GAMMA(I,JSIG)
QZ=QZ+(SGMAZ )*GAMMA(I,JSIG)
389 RSQ=RT
390 IF (I.LT.NANRX) GO TO 391
IF (I.LT.NWSTM1) GO TO 10
391 IF (Z2.EQ.2) GO TO 393
VX(II,J)=VX(II,J)+QX
VY(II,J)=VY(II,J)+QY
VZ(II,J)=VZ(II,J)+QZ
GO TO 400
393 VXM(II,J)=VXM(II,J)+QX
VYM(II,J)=VYM(II,J)+QY

```

VZM(I,I,J)=VZM(I,I,J)+QZ  
400 CONTINUE  
RETURN  
END

```

SUBROUTINE SELFIN (I,II,JA,QX,QY,QZ,NRETN)
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM
COMMON /MODWK1/ GAMMA (54,16),R (1),AM(05,16),VXM(54,16),
1 VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
NRETN=1
A=AM(NANRM,JA)
I1=II
IF (NWSTRE.EQ.II) I1=II-1
IM1=I1-1
IP1=I1+1
XA=XM(I1,JA)
YA=YM(I1,JA)
ZA=ZM(I1,JA)
XB=XM(IM1,JA)
YB=YM(IM1,JA)
ZB=ZM(IM1,JA)
XC=XM(IP1,JA)
YC=YM(IP1,JA)
ZC=ZM(IP1,JA)
CALL POINTA (JA,I,A,JA,QSX, QSY, QSZ, II, XA, YA, ZA, XB, YB, ZB, XC, YC, ZC,
1 GAMMA)
QX=QX+QSX
QY=QY+QSY
QZ=QZ+QSZ
RETURN
END

```

```

SUBROUTINE POINTA (JL,I,A,JSIG,QSX, QSY, QSZ,II,XA,YA,ZA,XB,YB,ZB,
1 XC,YC,ZC,GAMMA)
REAL LTMP(3),MX,MY,MZ,MXYZ
DIMENSION GAMMA(54,16)
COMMON /MODCNT/ NTVM,NWSTRE,NWR,NANRM,NIBRVM,NIBM
IX=II
JK=0
N=JL
WORK1=XA-XB
WORK2=YA-YB
WORK3=ZA-ZB
LTMP(1)=SQRT(WORK1*WORK1+WORK2*WORK2+WORK3*WORK3)
WORK1=XA-XC
WORK2=YA-YC
WORK3=ZA-ZC
LTMP(2)=SQRT(WORK1*WORK1+WORK2*WORK2+WORK3*WORK3)
ATMP =A
285 MX=(YB-YA)*(ZA-ZC)-(YA-YC)*(ZB-ZA)
MY=(ZB-ZA)*(XA-XC)-(ZA-ZC)*(XB-XA)
MZ=(XB-XA)*(YA-YC)-(XA-XC)*(YB-YA)
RT=MX*MX+MY*MY+MZ*MZ
IF (RT.EQ.0.) RT=1.
RS=SQRT(RT)
MXYZ=RS
DELSQ=(XB-XC)**2+(YB-YC)**2+(ZB-ZC)**2
WORK3=(4.*LTMP(1)*LTMP(2))**2-(LTMP(1)**2+LTMP(2)**2-DELSQ)**
12)
IF (WORK3.LE.0) WORK3=5.4E-70
RT=DELSQ/WORK3
RS=SQRT(RT)
RSCRP=2.*LTMP(1)*LTMP(2)*RS
IF (II.EQ.NWSTRE) GO TO 306
289 RT=RSCRP**2-LTMP(1)**2
JK=JK+1
IF (RT.LT.0.) RT=0.
RS=SQRT(RT)
C COMPUTE FSMAL DEPENDING ON L(1)**2.GE.DELSQ)L(2)**2.
IF (LTMP(1)**2-DELSQ-LTMP(2)**2.GT.0) GO TO 294
292 FSMAL=(RSCRP-RS)/LTMP(1)
GO TO 296
294 FSMAL=(RSCRP+RS)/LTMP(1)
296 RT=4.*FSMAL*RSCRP/ATMP
C COMPUTE TRAILED (JK=1,2)                                CONTRIBUTION TO
C SELF-INDUCED VELOCITY.
GO TO (300,316),JK
300 IF (RT.EQ.0.) GO TO 307
FSCRP=GAMMA(I,JSIG)*(ALOG(RT)+.25)
GO TO 308
306 IX=II-1
307 FSCRP=0.

```

```
308 LTMP(3)=LTMP(1)
      LTMP(1)=LTMP(2)
      LTMP(2)=LTMP(3)
      GO TO 289
316 IF (RT.EQ.0.) GO TO 322
      FSCRP=(FSCRP+GAMMA(IX,JSIG)*( ALOG(RT)+.25))/(2.*RSCRP*MXYZ)
C      DEFINE TRAILING VORTEX SELF-INDUCED VELOCITY COMPONENT.
322 QSX=MX*FSCRP
      QSY=MY*FSCRP
      QSZ=MZ*FSCRP
      RETURN
      END
```

OVERLAY (WKOVL,10,0)  
PROGRAM STEPX

C

```
INTEGER OUT,WKPT,CNTR
INTEGER T45,WW
REAL MXYZ,MU,MUALT,MUSPK,MUCAT,MUSAT,MUDP,MUSD,LLNTH,LNTH,LOADN,
ILTMP,LSQ,MX,MY,MZ,MUCDP,MUSDS,MUCDS,IO,MB,LX,KXX
```

C

```
DIMENSION A(05,44)
DIMENSION ALFA1(01)
DIMENSION ALFA2(01)
DIMENSION ALFAS(01)
DIMENSION ALFAT(01)
DIMENSION ALPHA0(01)
DIMENSION ALPHAR(01)
DIMENSION AO(01)
DIMENSION AR(01)
DIMENSION B(005,40)
DIMENSION BETA(03,1)
DIMENSION CCLA(01)
DIMENSION CHORD(01)
DIMENSION DELTA(01)
DIMENSION DIR(1)
DIMENSION DNTH(011,040)
DIMENSION GAMMA(05,040)
DIMENSION GAMMAG(360)
DIMENSION IO(01)
DIMENSION KXX(01)
DIMENSION LNTH(05,44)
DIMENSION LX(01)
DIMENSION MB(01)
DIMENSION MUCDS(1)
DIMENSION MUSDS(1)
DIMENSION NPSI(1)
DIMENSION PSI(1)
DIMENSION PSIR(01)
DIMENSION RCAP(01,11)
DIMENSION RSMLL(01,44)
DIMENSION RZERO(1)
DIMENSION SIGBL(360)
DIMENSION THTAX(01)
DIMENSION THTAY(01)
DIMENSION TM(3,3),TV(3),Q(3),HH(3)
DIMENSION VI(01,01)
DIMENSION VX(05,44)
DIMENSION VY(05,44)
DIMENSION VZ(05,44)
DIMENSION WKX(01,01)
DIMENSION WKY(01,01)
DIMENSION WKZ(01,01)
```

```

DIMENSION X(05,44)
DIMENSION XROT(01)
DIMENSION XX(01)
DIMENSION Y(05,44)
DIMENSION YROT(01)
DIMENSION Z(05,44)
DIMENSION ZROT(01)

C
C
COMMON /STPSZ/ NRATIO,NAA,LRGWKS,LIMLSS,LSWW
COMMON /BETA1/BETA,MRETR,NBETC,PI,D,U,F,AS,ALPHA1,ALPHA2,RO
COMMON /BETA3/OM,OMSQ,AO,AR,V,RHO,MU
COMMON /TEST33/ NIR,NROT,NW,NBRV1,X,Y,Z,A,B,DNTH,LNTH,NAR,NPER,
1JSIGT,NWMK,J,NWM1,NIBV,VX,VY,VZ,NIBRV
COMMON /TEST55/ JL,JSIG,NTV,NTV1,M,DPSI,CHORD,RSMLL,RCAP,GAMMA,QSZ
COMMON /WAKE1/ VOOMR,NWKPT,VI,WKX,WKY,WKZ,COSR3,SINB3,NAS1,
1NIBNA,NWKLST,NWKRW,NWKCL,NLP1,NLP2,NLP3,NLP4,TWOP
COMMON /CONT/ NA,NR,NANR,JA,JJ,NN,N,SIGN,II,NGJR
COMMON /SURIE/ NAS
COMMON /WK1C/ PSI,CCLA,DIR
COMMON /WK1A/ PSIR,DPSIK,PSIK,DELTA,RREF,MUCDS,MUSDS,THTAX,THTAY
COMMON /WKCONT/ NWKPD
COMMON /STEPXA/ WKPT,WW,IOUT,NOTTP1,KAT,NBC
COMMON /MODCNT/ NTV,NWSTRE,NWR,NANRM,NIBRVM,NIBM
COMMON /MODWK1/ GAMMAM(54,16),RM(1),AM(05,16),VXM(54,16),
1VYM(54,16),VZM(54,16),XM(54,16),YM(54,16),ZM(54,16)
COMMON /MODWK3/ AFM(4,11),BFM(4,10)
COMMON /MUVXYZ/ TM,TV,DEL,VDT,RC,CAPPHI,AQ,AZ,YR,ZR,RP,IVAR
COMMON /OUTDI/ NNTV,NEXPWK,NSIGRW,NMODR,NMODC
COMMON /OUTDII/ NWKCLM
COMMON /CONVGC/ GAMMAG
COMMON /WK2C/ SIGBL
COMMON /WK4A/ VXX

C
C      COMPUTE NEW VORTEX ELEMENT END POINT LOCATIONS
C
IF (NW.LT.NANRM) NW=NW+1
IF (NWSTRE.LT.NWR) NWSTRE=NWSTRE+1
NWSTM1=NWSTRE-1
NWM1=NW-1
NVM2=NMODC
IF (NAS.GE.LSWW) LRGWKS=LRGWKS+1
IF (NAS.NE.LSWW) GO TO 416

C
C      INIT FOR SMALL STEPS
C
FRATIO=FLOAT(NRATIO)
DPSI=DPSI/FRATIO
NA=NAA
NANR=NA*NR

```

```

NIBNA=NA/NIB
DEL=DEL/FRATIO
VDT=VDT/FRATIO
GO TO (4001,4002,4003,4004,4005),IVAR
4001 CALL TURN (TV,TM,DEL,RC,CAPPHI,AQ)
GO TO 4005
4002 CALL ROLL (TV,TM,AZ,DEL,YR,ZR,VDT)
GO TO 4005
4003 CALL SUMPUP (TV,TM,DEL,RP)
GO TO 4005
4004 CALL STYCLB (TV,TM,VDT,DEL)
4005 DO 5 M=1,NROT
      MUCDS(M)=MUCDS(M)/FRATIO
      5 MUSDS(M)=MUSDS(M)/FRATIO

```

```

C          TRANSPORT FULL MESH
C

```

```

416 DO 420 M=1,NROT
      IF (IVAR.EQ.5) TV(1)=MUCDS(M)
      IF (IVAR.EQ.5) TV(3)=MUSDS(M)
      DO 420 I=1,NWM1
      K=NW-I
      L=NW-I+1
      J=(M-1)*NIRV
      DO 418 JJ=1,NIBV
      J=J+1
      HH(1)=X(K,J)
      HH(2)=Y(K,J)
      HH(3)=Z(K,J)
      CALL GMPRD (TM,HH,Q,3,3,1,9,3,3)
      X(L,J)=TV(1)+Q(1)+VX(K,J)*DPSI
      Y(L,J)=TV(2)+Q(2)+VY(K,J)*DPSI
      418 Z(L,J)=TV(3)+Q(3)+VZ(K,J)*DPSI
      IF (I.EQ.1.OR.M.GT.1) GO TO 420
      DO 419 N=1,NGJR
      419 GAMMA(L,N)=GAMMA(K,N)
      420 CONTINUE

```

```

C          TRANSPORT MODIFIED WAKE
C

```

```

IF (NAS.LT.NANRM) GO TO 560
CALL MODCOX (NROT,NIB,NTV,NTVM,A,AM,AFM,NEXPWK,NNTV,NMODR,NANRM,
1 NVM2,NAS)
      CALL MODCOR (NROT,NIB,NTV,NTVM,VX,VY,VZ,VXM,VYM,VZM,AFM,NEXPWK,
2 NWKCLM,NMODR,NANRM,NVM2)
      DO 550 M=1,NROT
      IF (IVAR.EQ.5) TV(1)=MUCDS(M)
      IF (IVAR.EQ.5) TV(3)=MUSDS(M)
      NWSTMF=NWSTRE-NANRM
      DO 550 I=1,NWSTMF

```

```

K=NWSTRE-I
L=K+1
J=(M-1)*NIBM
DO 510 JJ=1,NIBM
J=J+1
HH(1)=XM(K,J)
HH(2)=YM(K,J)
HH(3)=ZM(K,J)
CALL GMPRD (TM,HH,Q,3,3,1,9,3,3)
XM(L,J)=TV(1)+Q(1)+VXM(K,J)*DPSI
YM(L,J)=TV(2)+Q(2)+VYM(K,J)*DPSI
510 ZM(L,J)=TV(3)+Q(3)+VZM(K,J)*DPSI
IF (I.EQ.1.OR.M.GT.1) GO TO 550
DO 520 N=1,NIBRV
520 GAMMAM(L,N)=GAMMAM(K,N)
550 CONTINUE
CALL GMS (NANRM,NROT,NIB,NTVM,BFM,GAMMA,GAMMAM,NTV1,NEXPWK,
1 NSIGRW,NMODR,NMODC)
560 DO 441 M=1,NROT
441 PSI(M)=PSI(M)+DPSI*DIR(M)
NAS=NAS+1
IF (NAS.GE.NANRM)
1 CALL MODCOR(NROT,NIB,NTV,NTVM,X,Y,Z,XM,YM,ZM,AFM,NEXPWK,NNTV,
1 NMODR,NANRM,NVM2)
IF (NAS.GE.NANRM+1)
1 CALL MODCOR(NROT,NIB,NTV,NTVM,X,Y,Z,XM,YM,ZM,AFM,NEXPWK,NNTV,
1 NMODR,NANRM-1,NVM2)
C
C          OUTPUT BRANCH CONTROL
C
C          START NEW COMPUTATION WITH NO OUTPUT IF NBC.EQ.1
C
      WRITE (6,3) NAS,NW,NWSTRF
      IF(NBC.NE.-1) GO TO 490
      WRITE(7,900) NAS,PSI(1)
      WRITE(7,901) ((X(I,J),Y(I,K),Z(I,K),I=1,NW),J=NTVM,NIBRV,NTVM)
900  FORMAT(I3,G14.4)
901  FORMAT(16F5.2)
490  CONTINUE
      IF (NAS.GE.WW) NWKPD=4
      IF (NWKPD.EQ.4) NPER=4
      II=0
      IF (KAT.EQ.1) STOP
      IF (NAS.GE.WW+NIBNA) STOP
      IF(NAS.GT.(2*NANRM).AND.NBC.EQ.-10) STOP
      IF(NBC.LE.1)GO TO 440
444  WRITE(IOUT,902) NW,NIBRV,((X(I,J),Y(I,J),Z(I,J),I=1,NW),J=1,
1NIBRV),PSI
      WRITE(IOUT,902) NW,NGJR,((GAMMA(I,J),I=1,NW),J=1,NGJR)
440  RETURN

```

3 FORMAT (3OH0THE NUMBER OF WAKE POSITIONS ,3I5)  
902 FORMAT (2I3/(8F10.7))  
END

## Machine Compatibility

The Wake Geometry Program has been run on the University of Rochester's IBM 360/65 under MVT Release 18, General Computer Corporation's CDC 6600 under Scope 3.2, and NASA-Langley's CDC 6600 under Scope 3.0. The program is standard FORTRAN IV and is also WATFIV compatible.

## Recommended CDC 6600 Overlay Structure

The recommended CDC 6600 overlay structure is that contained in this listing. For execution on an IBM 360/65 the overlay statements may be replaced by subroutines by the following types of statements:

PROGRAM XXX by SUBROUTINE XXX

and

CALL OVERLAY (5LSKOVL,N,M,6HRECALL) by CALL XXX

where XXX is the appropriate subprogram or subroutine name.

```

C PROGRAM MAIN
MAIN PROGRAM BLD34
DIMENSION COSARY(36)
DIMENSION SNCSIA(36),SNCSIB(36),VBINT(10,36)
DIMENSION SCTRMA(10,36)
DIMENSION ASSF(20),ASSL(20),ASST(20)
DIMENSION VX(18,37),WX(18,37)
DIMENSION CSIX(740),CSIA(740),CSIB(740)
DIMENSION DUMBD4(4286),DOMBD4(0716)
DIMENSION SIGKJA(20,20)
DIMENSION SIGKJB(20,20)
DIMENSION SINEBJ(36)
DIMENSION SINEJ(36)
DIMENSION SAVE(360),WBR(10,36),EL(10,36)
DIMENSION HDUT(10,36),PHI(10,36),THET(10,36)
DIMENSION ELNTA(18),ELNTB(01),EMAA(18),EMAB(01),EIXA(18),EIXB(01)
DIMENSION EIZA(18),EIZB(01)
DIMENSION RBL(10),RBLA(10),RBLB(10)
DIMENSION XINA(18),XINB(01),DPHA(18),DPHB(01),EIYA(18),EIYB(01)
DIMENSION UNKWN(360),SV3(360)
DIMENSION EPA(18),EPB(01),DLA(18),DLB(01),ZAA(18),ZAB(01)
DIMENSION WDUT(10,36),WPHI(10,36),WTHET(10,36)
DIMENSION FORCX(10,36),FORCZ(10,36),EMOME(10,36),YINA(18),YINB(01)
DIMENSION WFX(10,36),WFZ(10,36),WEMO(10,36),BD1(15),BD2(15)
DIMENSION BI(10),BET(10)
DIMENSION VDUT(18,37),XDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
DIMENSION OMEGA(20),SIGA(20),AVA(18,20),AWA(18,20),APHIA(18,20),
1 ASIA(18,20),ATHEA(18,20),ATA(18,20),AMZA(18,20),AVYA(18,20),
2 AMYA(18,20),AVZA(18,20),CSIDTA(1,36)
DIMENSION OMEGB(20),SIGB(20),AVB(01,20),AWB(01,20),APHIB(01,20),
1 ASIB(01,20),ATHEB(01,20),ATB(01,20),AMZB(01,20),AVYB(01,20),
2 AMYB(01,20),AVZB(01,20),CSIDTB(1,36)
DIMENSION DUMSDA(3404),DUMSDB(1)
DIMENSION NACT(10),NBCT(10),NBSV(10),JCYC(10)
DIMENSION NVBINT(10,36)

C EQUIVALENCE (BD1(1),ZY),(BD1(2),THETA),(BD1(3),XR00A),(BD1(4),AKA),
1,(BD1(5),ACA),(BD1(6),BCA),(BD1(7),ISECA),(BD1(8),NRPTA),
2,(BD1(9),CTA),(BD1(10),ALPTA),(BD1(11),EMTA),(BD1(12),AKIA),
3,(BD1(13),OMSQA),(BD1(14),RA)

C EQUIVALENCE (BD2(1),ZQ),(BD2(2),THETB),(BD2(3),XR00B),
1,(BD2(4),AKB),(BD2(5),ACB),(BD2(6),BCB),(BD2(7),ISECB),
2,(BD2(8),NRPTB),(BD2(9),CTB),(BD2(10),ALPTB),(BD2(11),EMTB),
3,(BD2(12),AKIB),(BD2(13),OMSQB),(BD2(14),RB)

C EQUIVALENCE (DUMBD4(1),ELNTA(1))
EQUIVALENCE (DOMBD4(1),ELNTB(1))

```

EQUIVALENCE (DUMSDA(1),VDOT(1,1))

C

COMMON /BLD4X1/ ELNTA, EMAA, EIXA, RBLA, XINA, DPHA, EIYA, EPA,  
1DLA, ZAA, YINA, OMEGA, PSIRA, SIGA, AVA, AWA, APHIA, ASIA, ATHEA,  
2ATA, AMZA, AVYA, AMYA, AVZA, BD1, RWKA, CSALA, NMA, CSIDTA,  
3SIGKJA, DAMPCA  
COMMON /DUMDCM/ ELNTB, EMAB, EIXB, RBLB, XINB, DPHB, EIYB, EPB,  
1DLB, ZAB, YINB, OMEGB, PSIRB, SIGB, AVB, AWB, APHIB, ASIB, ATHEB,  
2ATB, AMZB, AVYB, AMYB, AVZB, BD2, RWKB, CSALB, NMB, CSIDTB,  
3SIGKJB, CAMPBC  
COMMON /SAD3/CSIX  
COMMON /PUNCH/ NPCH  
COMMON /CIR/PI,TWOP,DIS  
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3  
1,CPOMG,IT3  
COMMON /IO/IN,NOUT,IT7,IT8  
COMMON /B3/ USI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,  
1,RA1,RB1,ERRSV  
COMMON /SHEAR1/ NASHR  
COMMON /BLD4X2/ WDOT,WPHI,WTHET,WFX,WFZ,WEMO,NMAS,NMODE,NAPSON,  
1, NR11  
COMMON /BLD4X3/ AMU,NA,NR1  
COMMON /BLD3X1/ ALPT1,ALPT2,CT1,CT2,NRNTNA,NRNT,UNKWN,SV3,RBL,  
1, FORCZ,EMOME,HDOT,PHI,THET,BI,BET,SAVE,WBR,EL,FORCX  
COMMON /SAD2/ VDOT,XDOT,PHIDT,SIDT,CSIDT  
COMMON /GARY2/ XINPT,FINPT  
COMMON /SGSLS/ SIGLM,WBRLM  
COMMON /SAD6/ VX,WX  
COMMON /PRNT/NPRNT  
COMMON /VORTEX/ VBINT  
COMMON /MANV1/ SCTRMA  
COMMON /MANV2/ SNCSIA,FGF  
COMMON /MANV3/ NAIR  
COMMON /MANV4/ ASSF,ASSL,ASST  
COMMON /MANV5/ ALFDTM, PHIDTM  
COMMON /VORINT/ NACT,NBCT,NBSV,CLMAX,DELCL2,WUOM,CMST2,JCYCLE,JCGC  
1,APMAX

C

C

C

ARRAY DIMENSIONING VARIABLES

C

NDUMRY=4286  
NDIMRY=716  
NCSIRY=740  
NSDBRY=3404  
NSNCRY=36  
NVBIRY=10

C

C

INIT A AND B ROTOR SWAP STORAGE

C

EPSV=0.

```

ISW=2
ISW=1
DO 2384 I=1,NDUMRY
2384 DUMBD4(I)=0.
DO 5000 I=1,NDUMRY
5000 DOMBD4(I)=0.
DO 2344 I=1,NCSIRY
CSIA(I)=0.
CSIB(I)=0.
2344 CSIX(I)=0.
DO 2389 I=1,NSDBRY
C DUMSDB(I)=0.
2389 DUMSDA(I)=0.
DO 2390 I=1,NSNCRY
SNC SIA(I)=0.
2390 SNC SIB(I)=0.
DO 2391 I=1,NVBIRY
DO 2391 J=1,NSNCRY
NVBINT(I,J)=0
2391 VBINT(I,J)=0.
DO 9934 I=1,NVBIRY
9934 NACT(I)=0
C
IN=5
NUUT=6
IT7=8
IT8=7
C
C      READ MODEL PARAMETERS
C
READ(IN,899)
READ(IN,900) NBL,NB,NR,NA,NW,NMA,NMB,KTEST,NCV,NROT
READ(IN,900) NIT1,NIT2,NIT3,MAXMD
READ(IN,900) NPCH,NPRNT,NIP
READ(IN,900) NVORTX,NAIR
READ(IN,901) AMU,ALL1,ALL2,ALL2R,ATIME
READ(IN,901) CPOMG,ROAIR
READ(IN,901) XINPT,FINPT
READ(IN,901) SIGLM,WBRLM
READ(IN,901) WCLIMB,ALFDTM,PHTDTM,ALFRM,FUF
IF(NVORTX.EQ.1) READ(IN,901)((VBINT(I,J),I=1,NR),J=1,NA)
IF(NVORTX.EQ.1) READ(IN,900) JCYLE
IF(NVORTX.EQ.1) READ(IN,901) CLMAX,DELCL2,W00M,CMST2,APMAX
READ(IN,901) (ASSF(I),ASSL(I),ASST(I),I=1,MAXMO)

C
NR1=NR/2
IF(NBL.EQ.1) NR1=NR
NR2=NR1+1
NRNT=NR
NAPSUN=NA+1

```

```

NR11=NR1+1
NRNTNA=NRNT*NA
NAUVTO=NA/2+1
NROT=NBL
NMAS=NMA
NMODE=MAXMO
NASHER=NAOVTO
NC=NR

C
C      WRITE OUT INPUTS
C

      WRITE(NOUT,899)
      WRITE(NOUT,9212)
      WRITE(NOUT,920) NBL,NB,    NR,NA,NW,CPOMG,ROAIR,AMU
      WRITE(NOUT,924) ALL1,ALL2
      IF (FINPT.LT.5.0R.FINPT.GT.1.0) FINPT=..>
      WRITE(NOUT,9216) SIGLM,WBRLM
      WRITE(NOUT,9217) WCLIMB,ALFDTM,PHIDTM,ALFRM,FGF
      IF(NVORTX.EQ.1) WRITE(6,9218) ((VBINT(I,J),I=1,NR),J=1,NA)
      IF(NVORTX.EQ.1) WRITE(6,900) JCYCLE
      IF(NVORTX.F0.1) WRITE(6,200) CLMAX,DELCL2,WOCM,CMST2,APMAX
      WRITE(NOUT,9219)(I,ASSF(I),ASSL(I),ASST(I),I=1,MAXMO)
      WRITE(NOUT,9211)

C
C      PI=3.1415926
      TW0PI=2.*PI
      DSI=TW0PI/NA
      NRPI=NR+1
      NAPI=NA+1
      NWPI=NW+1
      IJ=NA*NR
      IT3=1
      I1=1
      I2=NR1
      JIP=1

C
C      CALL INPUT(BI,BET,ISECA,NRPTA,ELNTA,EIXA,EIYA,XINA,YINA,
1      EMAA,DPHA,EPA,DLA,ZAA,ALPTA,CTA,EMTA,OMSQA,AKIA,THETA,XRODA,
2      AKA,RA,ACA,BCA,ATA,AMZA,AVYA,AMYA,AVZA,AVA,AWA,APHIA,
3      ASIA,ATHEA,SIGA,OMEGA,RBL,EIZA,RWKA,I1,I2,NMA,PSIRA,DIRA,
1      NA,NR1,NRNT,NMAS,NMODE,NC,DAMPCA,SIGKJA)

C      DO 7326 I=1,NMAS
C      DO 7327 K=1,3
C7327 APHIA(I,K)=0.
C      AVA(I,4)=0.
C      DO 7329 K=5,6
C7329 APHIA(I,K)=0.

```

C7326 CONTINUE

```
C CALL OUTPUT(THETA,XROOA,AKA,ACA,BCA,RA,CTA,ALPTA,EMTA,AKIA,
1 OMSQA,BI,BET,ELNTA,EMAA,EIXA,EIZA,XINA,YINA,DPHA,EPA,ULA,
2 ZAA,OMEGA,SIGA,AVA,AWA,APHIA,ASIA,ATHEA,ATA,AMZA,AVYA,AMYA,AVZA,
3 RBL,EIYA,RWKA,I1,I2,NMA,PSIKA,DIRA,NR1,NMAS,NMODE,NC,DAMPCA,
4 SIGKJA)
C
C
9213 IF(NBL-2)9214,9213,9213
9213 WRITE(NOUT,9215)
      I1=NR2
      I2=NR
C
C
CALL INPUT(BI,BET,ISECB,NRPTB,ELNTB,EIXB,EIYB,XINB,YINB,
1 EMAB,DPHB,EPB,DLB,ZAB,ALPTB,CTB,EMTB,OMSQB,AKIB,THETB,XROOB,
2 AKB,RB,ACB,BCB,ATB,AMZB,AVYB,AMYB,AVZB,AVB,AWB,APHIB,ASIB,ATHEB
3 ,SIGB,OMEGB,RBL,EIZB,RWKB,I1,I2,NMB,PSIRB,DIRB,
1 NA,NR1,NRNT,NMAS,NMODE,NC,DAMPCB,SIGKJB)
C
C      DO 7330 I=1,NMAS
C      DO 7331 K=1,3
C7331 APHIB(I,K)=0.
C      AVB(I,4)=0.
C      DO 7333 K=5,6
C7333 APHIB(I,K)=0.
C7330 CONTINUE
C
CALL OUTPUT(THETB,XROOB,AKB,ACB,BCB,RB,CTB,ALPTB,EMTB,AKIB,
1 OMSQB,BI,BET,ELNTB,EMAB,EIXB,EIZB,XINB,YINB,DPHB,EPB,DLB,
2 ZAB,OMEGB,SIGB,AVB,AWB,APHIB,ASIB,ATHEB,ATB,AMZB,AVYB,AMYB,AVZB,
3 RBL,EIYB,RWKB,I1,I2,NMB,PSIRB,DIRB,NR1,NMAS,NMODE,NC,DAMPCB,
4 SIGKJB)
C
C      RECALCULATE SOME INPUT VALUES
C
9214 CNVRT=PI/180.0
CALL CONV(CNVRT,THETA,ACA,BCA,ALPTA,DPHA,NMA,NMAS)
WBARA=WBAR(AMU,ALPTA,CTA)
WCLIMB=WCLIMB/(CPOMG*RA)
ALFDTM=ALFDTM/CPCMGS
PHIDTM=PHIDTM/CPOMG
ALFRM=COS(ALFRM*CNVRT)
FGF=-FGF*32.2
AMSNA=AMU*SIN(ALPTA)
CSALA=COS(ALPTA)
AMCSA=AMU*CSALA
AMSNB=0.
```

C

```

IF (NBL.NE.2) GO TO 38
CALL CNVRT(CNVRT,THETB,ACB,BCB,ALPTB,DPHB,NMB,NMAS)
WBARB=WBAR(AMU,ALPTB,CTB)
AMSNB=AMU*SIN(ALPTB)
CSALB=CCS(ALPTB)
AMCSB=AMU*CSALB
C
C COMPUTE DISTANCES L SUB I J ACCORDING TO FORMULA PAGE III-3
C
38 IX1=NR*NBL
CSI=-DSI*DIRA+PSIRA
SINALS=SIN(ALPTA)
DO 40 J=1,NA
CSI=CSI+DSI*DIRA
SINEJ(J)=SIN(CSI)
COSARY(J)=COS(CSI)
40 SNCSIA(J)=SINEJ(J)*SINALS
C
C RBL(I) IS PETERS RBAR SUB I AND RWK(M,1) IS PETERS R SUB M
C
DO 50 I=1,NR1
BET(I)=BET(I)*CNVRT
DO 50 J=1,NA
SCTRMA(I,J)=-WCLIMB+RBL(I)*(ALFDTM*COSARY(J)+PHIDTM*SINEJ(J)*
1 ALFRM)
50 EL(I,J)=DSI*(RBL(I)+AMCSA*SINEJ(J)*DIRA)
C
144 IF(NBL-1) 143,143,144
CSI=-DSI*DIRB+PSIRB
SINALS=SIN(ALPTB)
DO 55 J=1,NA
CSI=CSI+DSI*DIRB
SINEBJ(J)=SIN(CSI)
COSARY(J)=COS(CSI)
55 SNCSIB(J)=SINEBJ(J)*SINALS
DO 59 I=NR2,NR
BET(I)=BET(I)*CNVRT
DO 59 J=1,NA
SCTRMA(I,J)=-WCLIMB+RBL(I)*(ALFDTM*COSARY(J)+PHIDTM*SINEBJ(J)*
1 ALFRM)
59 EL(I,J)=DSI*(RBL(I)+AMCSB*SINEBJ(J)*DIRB)
10 JIP=JIP+1
C
C INITIALIZE COLUMN VECTOR OF UNKNOWNNS FOR OVERALL ITERATION
C
143 DO 100 J=1,IJ
100 SAVE(J)=0.
C
C ENTER OVERALL ITERATIVE SCHEME
C CALL AERODYNAMIC PORTION (BLD III)

```

```

C      KTEST = 0 BYPASSES READ OF SIGMA AND MU
C
C      NNR1=NR1
C      CALL START (WBARA,AMU,ALPTA,BCA,ACA,AKIA,THETA,DSI,CSIA,
C      1 BI,BET,RBL,OMSQA,1,NNR1,AVA(NMA,1),CSIUTA,RA,PSIRA,DIRA,
C      1 HDOT,PHI,THET,NA,NRNT)
C      EMTA1=EMTA
C      RA1=RA
C
C      IF ONLY ONE RUTOR IS USED GO TO 83
C
C      IF(NBL-1)83,83,84
84  NNR=NR
C      NNR2=NR2
C      CALL START (WBARB,AMU,ALPTB,BCB,ACB,AKIB,THETB,DSI,CSIB,
C      1 BI,BET,RBL,OMSQB,NNR2,NNR,AVB(NMB,1),CSIUTB,RB,PSIRB,DIRB,
C      1 HDOT,PHI,THET,NA,NRNT)
C
C      EMTB1=FMTB
C      RB1=RB
C      CT2=CTB
C      ALPT2=ALPTB
83  ZY=RA
C      ZQ=RA
C
C      ENTRY POINT FOR NEXT ITERATION
C
85  CT1=CTA
C      ALPT1=ALPTA
C      GO TO (2004,2000),ISW
2004 CALL BLD3
2000 CONTINUE
C
C      ASSIGN CORRECT FORCES FOR INPUT TO BLD4
C
C      DO 93 I=1,NR1
C      DO 93 J=1,NA
C      WFX(I,J)=FORCX(I,J)
C      WFZ(I,J)=FORCZ(I,J)
93  WEMJ(I,J)=EMOME(I,J)
DO 931 I=1,NR1
931  RBLA(I)=RBL(I)
RER=0.
CSQ=0.
C
C      ENTER BLD4 WITH PARAMETERS FOR FIRST RUTOR
C
C      DO 2345 I=1,NCSIRY
2345 CSIX(I)=CSIA(I)
C

```

```

CALL BLD4
C
C ASSIGN CALCULATED VALUES FROM BLD4 TO CORRECT ARRAYS
C
DO 2346 I=1,NCSIRY
RER=RER+(CSIX(I)-CSIA(I))*(CSIX(I)-CSIA(I))
CSQ=CSIX(I)*CSIX(I)+CSQ
2346 CSIA(I)=CSIX(I)
DO 94 I=1,NR1
DO 94 J=1,NA
HDOT(I,J)=WDOT(I,J)
PHI(I,J)=WPHI(I,J)
94 THET(I,J)=WTHET(I,J)
C
C IF ONLY ONE ROTOR IS USED GO TO 85
C
IF (NBL-1) 9411,9411,86
C
C ASSIGN CORRECT FORCES FOR INPUT TO BLD4
C
86 DO 95 I=NR2,NR
DO 95 J=1,NA
L=I-NR1
WFX(L,J)=FORCX(I,J)
WFZ(L,J)=FORCZ(I,J)
95 WEMO(L,J)=EMOME(I,J)
DO 951 I=NR2,NR
L=I-NR1
951 RBLB(L)=RBL(I)
C
C ENTER BLD4 WITH PARAMETERS FOR SECOND ROTOR
C
DO 2347 I=1,NCSIRY
2347 CSIX(I)=CSIB(I)
DO 2387 I=1,NSDBRY
TEMPX=DUMSDA(I)
DUMSDA(I)=DUMSDB(I)
2387 DUMSDB(I)=TEMPX
DO 2386 I=1,NDUMRY
TEMPX=DUMB4(I)
DUMB4(I)=DOMBD4(I)
2386 DOMBD4(I)=TEMPX
DO 3000 I=1,NSNCRY
TEMPX=SNCsIB(I)
SNCsIB(I)=SNCSIA(I)
3000 SNCSIA(I)=TEMPX
C
CALL BLD4
C
C ASSIGN CALCULATED VALUES FROM BLD4 TO CORRECT ARRAYS

```

C

```

DO 2385 I=1,NDUMRY
TEMPX=DUMB04(I)
DUMB04(I)=DUMB04(I)
2385 DUMB04(I)=TEMPX
DO 2383 I=1,NSDBRY
TEMPX=DUMSDA(I)
DJMSDA(I)=DJMSDB(I)
2388 DUMSDB(I)=TEMPX
DO 2348 I=1,NCSIKY
RER=RER+(CSIX(I)-CSIB(I))*(CSIX(I)-CSIB(I))
CSQ=CSTX(I)*CSIX(I)+CSQ
2348 CSIB(I)=CSIX(I)
DO 3001 I=1,NSNCRY
TEMPX=SNCSIB(I)
SNCSIB(I)=SNCSIA(I)
3001 SNCSIA(I)=TEMPX
I1=0
DO 941 I=NR2,NR
I1=I1+1
DO 941 J=1,NA
HDOT(I,J)=WDOT(I1,J)
PHI(I,J)=WPHI(I1,J)
941 THET(I,J)=WTHET(I1,J)
9411 EPSR=SQR(T(RER/CSQ)
IF(IT3-3) 3028,3026,3021
3021 IF(EPSR.GT.EPSV) GO TO 3030
3026 EPSV=EPSR
3028 WRITE(NOUT,940) IT3,EPSR
IF(EPSR.GT.ALL2R) GO TO 3010
3030 IF(IT3.EQ.1000) GO TO 4000
IT3=-500
WRITE(NOUT,940) IT3,EPSR
3010 IT3=IT3
IF(IT3.GT.NIT3) IT3=1000
940 FORMAT(/,31X,5HIT3 =,I5,19X,18HRESPONSE    ERROR =,G15.6/)
IF(IT3.EQ.1000) GO TO 4000
GO TO 85
4000 IF (JIP.GE.NIP) STOP
READ (IN,901) THETO,AC,BC
THETA=CNVRT*THETO
ACA=CNVRT*AC
BCA=CNVRT*BC
WRITE (NOUT,4200) THETO,AC,BC
IF (NBL-1) 4010,4010,4005
4005 READ (IN,901) THETO,AC,BC
THETB=CNVRT*THETO
ACB=CNVRT*AC
BCB=CNVRT*BC
WRITE (NOUT,4200) THETO,AC,BC

```

```

4010 IT3=1
    DO 1 I=1,NCSIRY
    CSIA(I)=0.
    CSIB(I)=0.
1   CSIX(I)=0.
    GO TO 10
C
200 FORMAT (10(1X,E12.5)/)
899 FORMAT(80H
1
900 FORMAT (16I5)
901 FORMAT (8F10.0)
9212 FORMAT(3(/),48X,37HDYNAMIC RESPONSE OF HELICCPTER BLADES,5(/))
920  FORMAT(1H ,51X,18HNUMBER OF RUTORS= ,I3,/,
1 52X,18HNUMBER OF BLADES= ,I3,/,
3 40X,30HNUMBER OF RADIAL LOAD POINTS= ,I3,/,
4 39X,31HNUMBER OF AZIMUTHAL POSITIONS= ,I3,/,
5 47X,23HNUMBER OF WAKE POINTS= ,I3,/,
6 41X,28H ROTATIONAL SPEED CAP OMEGA= ,F9.4,8H RAD/SEC ,/,
7 53X,17HAIR DENSITY RHO= ,F8.5,/,
8 52X,18HADVANCE RATIO MU= ,F7.3)
924 FORMAT(32X,37HCONVERGENCE ON TWO INNER ITERATIONS =E8.1/
1            37X,32HCCNVERGENCE ON OUTER ITERATION =E8.1,2(/))
9211 FORMAT(1H0,48X,29HBLADE PROPERTIES- FIRST BLADE, 3(/))
9215 FORMAT(1H0,48X,30HBLADE PROPERTIES- SECOND BLADE,3(/))
9216 FORMAT(39X,31HLIMIT ON OFF-DIAGONAL SIGMAS = ,F7.4,/,
1            35X,35HLIMIT ON WAKE-INDUCED VELOCITIES = ,F7.4,/)
9217 FORMAT (14H0CLIMB RATE = ,E14.7/14H PITCH RATE = ,E14.7/
1 13H ROLL RATE = ,E14.7/10H ALPHAR = ,E14.7/18H GRAVITY FACTUR = ,
2 E14.7)
9218 FORMAT (32HOVortex BLADE INTERACTION PHASES//(8E15.6))
7994 FORMAT (6H0FORCZ//)
7995 FORMAT (6H0FORCX//)
7996 FORMAT (6H0EMOME//)
9219 FORMAT(2X,2H K,9X,5H ASSF,15X,5H ASSL,15X,5H ASST/(I5,3E20.10/))
4200 FCRMAT (20X,3(2X,G15.7))
END

```

```
SUBROUTINE INPUT(BI,BET,ISEC,NRPT,ELNTH,EIX,EIY,XINR,YINR,EMAS,
1 DPHI, EPS,DLZ,ZA,ALPHT,CT,EMT,OMSQ,AKI,THETO,XROOT,AKL,R,AC,BC,
2 AT,AMZ,AVY,AMY,AVZ,AV,AW,APHI,ASI,ATHET,SIG,OMEGA,RBL,EIZ,
3 RWK,I1,I2,NM,PSIR,DIR,NA,NR1,NRNT,NMAS,NMODE,NC,DAMPC,SIGKJ)
```

```
C  
C  
C INPUT READS IN BLADE PROPERTIES  
C  
DIMENSION RBL(10)  
DIMENSION SIGKJ(20,20)  
DIMENSION BI(10),BET(10),ELNTH(18),EIX(18),EIY(18),XINR(18),
1 YINR(18),EMAS(18),DPHI(18),EPS(18),DLZ(18),ZA(18),OMEGA(20),
2 EIZ(18),SIG(20)  
DIMENSION AMY(18,20),AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),AVZ(18,20)  
C  
COMMON /CIR/PI,TWOP,DIS  
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMU,NIT1,NIT2,NIT3
1 ,CPG,IT3  
COMMON /IO/IN,NOUT,IT7,IT8  
C  
READ(IN,901) ALPHT,CT,EMT,OMSQ,AKI,RWK  
READ (IN,901) DAMPC  
READ(IN,901) THETO,XROOT,AKL,R,AC,BC,PSIR,DIR  
READ(IN,901) (BI(I),I=I1,I2)  
READ(IN,901) (BET(I),I=I1,I2)  
DO 16 I=1,NM  
READ (IN,900) ISEC,NRPT  
C  
BLADE PROPERTIES REPEATED AUTOMATICALLY IF NRPT=1  
IF(NRPT) 15,10,15  
10 READ(IN,902) ELNTH(I),EIX(I),EIY(I),EIZ(I),XINR(I),YINR(I),
1 EMAS(I),DPHI(I),EPS(I),DLZ(I),ZA(I)  
GO TO 16  
C  
15 IM1=I-1  
EIX(I)=EIX(IM1)  
EIY(I)=EIY(IM1)  
EIZ(I)=EIZ(IM1)  
YINR(I)=YINR(IM1)  
ELNTH(I)=ELNTH(IM1)  
EMAS(I)=EMAS(IM1)  
XINR(I)=XINR(IM1)  
EPS(I)=EPS(IM1)  
DLZ(I)=DLZ(IM1)  
DPHI(I)=DPHI(IM1)  
ZA(I)=ZA(IM1)  
16 CONTINUE  
C  
21 READ(IN,901) (SIG(K),K=1,MAXMU)
```

```

DO 22 K=1,MAXMO
  READ(5,588)OMEGA(K)
DO 22 I=1,NM
C
C      THIS READ COULD BE REPLACED WITH A IT8 UNFORMATED READ
C
      READ(5,588)AV(I,K),AW(I,K),APHI(I,K),ASI(I,K),ATHET(I,K),
1 AT(I,K),AMZ(I,K),AVY(I,K),AMY(I,K),AVZ(I,K)
      AW(I,K)=-AW(I,K)
      AVY(I,K)=-AVY(I,K)
22 CONTINUE
DO 24 K=1,MAXMO
  TWK=2.*OMEGA(K)
  TDA=DAMPC*APHI(1,K)
DO 23 J=1,MAXMO
  SIGKJ(K,J)=TDA*APHI(1,J)
23 CONTINUE
  TSIG=SIG(K)
  SIG(K)=TSIG+SIGKJ(K,K)/TWK
  SIGKJ(K,K)=-TWK*TSIG
24 CONTINUE
C
C      REPLACE THIS READ WITH IT7
C
      READ(5,589)(RBL(I),I=11,I2)
      RETURN
C
      900 FORMAT (16I5)
      901 FORMAT (8F10.7)
      902 FORMAT(10E8.7)
      589  FORMAT(10F8.0)
      588  FORMAT(5(G12.7,3X),/,5G15.7)
      END

```

```

SUBROUTINE OUTPUT(THFTG,XRUDT,AKL,AC,BC,R,CT,ALPHT,EMT,
1 AKI,OMSQ,BI,BET,ELNTH,EMAS,EIX,EIZ,XINR,YINR,CPHI,
2 EPS,DLZ,ZA,OMEGA,SIG,AV,AW,APHI,ASI,ATHET,AT,AMZ,AVY,AMY,AVZ,
3 RBL,EIY,RWK,I1,I2,NM,PSIR,DIR,NR1,NMAS,NMODE,NC,DAMPC,SIGKJ)

C
C      PRINTS OUT BLADE PROPERTIES
C

DIMENSION RBL(10)
DIMENSION SIGKJ(20,20)
DIMENSION BI(10),BET(10),ELNTH(18),EIX(18),EIY(18),XINR(18),
1 YINR(18),EMAS(18),DPHI(18),EPS(18),DLZ(18),ZA(18),OMEGA(20),
2 EIZ(18),SIG(20)
DIMENSION AMY(18,20),AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
1 ATHERT(18,20),AT(18,20),AMZ(18,20),AVY(18,20),AVZ(18,20)

C      COMMON /IO/ IN,NOUT,IT7,IT8
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPOMG,IT3

C      WRITE(NOUT,9221) THETO,XRUDT,AKL,AC,BC,R,NM,PSIR,DIR
WRITE (NOUT,930) CT,ALPHT,EMT,AKI,OMSQ,RWK,DAMPC
WRITE(NOUT,922)(BI(I),I=I1,I2)
WRITE(NOUT,933)(BET(I),I=I1,I2)
WRITE(NOUT,922)
WRITE(NOUT,925)(I,ELNTH(I),EIX(I),EIY(I),EIZ(I),XINR(I),YINR(I),
1 EMAS(I),DPHI(I),EPS(I),DLZ(I),ZA(I),I=1,NM)
WRITE (NOUT,927)
DO 5 K=1,MAXMO
WRITE (NOUT,929) (SIGKJ(K,J),J=1,MAXMO)
5 CONTINUE
WRITE(NOUT,935)
DO 27 K=1,MAXMO
WRITE(NOUT,936) K,OMEGA(K),SIG(K),(I,AV(I,K),AW(I,K),APHI(I,K),
1 ASI(I,K),ATHET(I,K),I=1,NM)
27 CONTINUE
WRITE(NOUT,9351)
DO 2711 K=1,MAXMO
WRITE(NOUT,9361)(I,AT(I,K),AMZ(I,K),AVY(I,K),AMY(I,K),
1 AVZ(I,K),I=1,NM)
2711 CONTINUE
WRITE(NOUT,940)(RBL(I),I=I1,I2)
RETURN

C      940 FORMAT (2(/),56X,17HBLADE POINT RADII/(6E20.5))
9361 FORMAT(13X,I4,5E20.7)
9351 FORMAT(5(/),13X,8H SECTION,10X,1HT,19X,2HMZ,17X,3H-VY,18X,2HMY,
1 18X,2HVZ)
935 FURMAT (1H1 ,59X,12HNORMAL MODES/13X,7HSECTION,10X,1HV,19X,1HW,

```

```

118X,3HPHI,18X,2HSI,16X,5HTHETA)
925 FORMAT (1X,I3,3X,F7.4,3X,10E11.4)
922 FORMAT(3(/),57X,16HBLADE PROPERTIES//1X,3H I,4X,6H LENGTH,6X,
1 3HEIX,8X,3HEIY,8X,3HEIZ,8X,2HIX,09X,2HIY,9X,4HMASS,7X,9HDELTA PHI
2 ,2X,7HEPSILON,4X,8HDELTA LZ,4X,2HZA/9X,4HFEET,7X,3(6HLB-FT2,5X),
3 3(7HLB-SEC2,4X),7HDEGREES,4X,3(4HFEET,7X),/,
4 42X,3(4HFEET,7X),2(/))
930 FORMAT(46X,23HTHRUST COEFFICIENT CT
1=F9.5/43X,26HSHAFT AXIS ANGLE ALPHA S =F7.2,8H DEGREES/
249X,20HTIP MACH NUMBER MT =F9.4/64X,5HK I =F7.3/54X,15HOMEGA SQUAR
3E0 =F8.4,/,50X,19HBLADE POINT RADIUS=,F9.5,/,,
4 49X,20HDAMPING COEFFICIENT=,F12.5)
933 FORMAT (/30X,30HBLADE TWIST ANGLES IN DEGREES 3F10.5/(60X,3F10.5))
9221 FORMAT(1H ,36X,33HNOMINAL PITCH ANGLE, THETA ZERO = ,F8.3,
1 8H DEGREES ,/, 39X,30HOFFSET OF FLAP HINGE, X ROOT = ,F9.4,
2 5H FEET ,/,,
3 40X,29H LAG DAMPING COEFFICIENT KL = ,F9.2,15H FT LBS/RAD/SEC ,/,
4 41X,28HCYCLIC PITCH AMPLITUDES AC = ,F7.3,8H DEGREES ,/,
5 65X,4HBC = ,F7.3,8H DEGREES, /,
6 53X,16HROTOR RADIUS R = ,F7.3,5H FEET,/,,
2 47X,23HNUMBER OF MASS POINTS= ,I3,/
345X,24HROTOR REFERENCE ANGLE = ,F7.3, 8H DEGREES/
4 42X,27HROTOR ROTATION DIRECTION = ,F3.0/)
932 FORMAT (/41X,19HSEMI CHORD LENGTHS 3F10.5/(60X,3F10.5))
936 FORMAT (29X,4HMODE,I3,4X,9HFREQUENCY,F10.6,12H RADIANSEC,5X,
2 15HDAMPING SIGMA =F10.6/(13X,I4,5E20.7))
927 FORMAT (/10X,17HSIGKJ(K,J) MATRIX/)
929 FORMAT (2X,16F8.2)
END

```

```
SUBROUTINE CONV(CNVRT,THETO,AC,BC,ALPHT,DPHI,NM,NMAS)
C
C      DIMENSION DPHI(18)
C
C      COMMON /A1/  NRL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
C      ,CPOMG,IT3
C
C      THETO=THETO*CNVRT
C      AC=AC*CNVRT
C      BC=BC*CNVRT
C      ALPHT=ALPHT*CNVRT
C      DO 30 I=1,NM
C 30  DPHI(I)=DPHI(I)*CNVRT
C      RETURN
C      END
```

```
C FUNCTION WBAR(AMU,ALPHT,CT)
C
C WBAR RETURNS EITHER WBARA OR WBARB FOR USE IN SUBROUTINE START
C
AMUCS=AMU*COS(ALPHT)
AMCS2=AMUCS*AMUCS
SQT=SQRT(AMCS2*AMCS2+CT*CT)
WBAR=SQRT(.5*(SQT-AMCS2))
RETURN
END
```

```

SUBROUTINE START (WBARX,AMU,ALPHT,BC,AC,AKI,THETO,DSI,CSI,
1 BI,BET,RBL,UMSQ,L,M,AV,CSIDT,R,PSIR,DIR,HDUT,PHI,THET,NA,NRNT)
C
DIMENSION BI(10),BET(10),RBL(10)
DIMENSION HDUT(10,36),PHI(10,36),THET(10,36),CSIDT(1,36),
1CSI(20,37)
C
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPOMG,IT3
C
C START SETS INITIAL VALUES FOR HDOT, PHI, THET
C
FNA=NA
HOLD=WBARX+AMU*ALPHT
AMUSQ=AMU*AMU
AO=(.25*(1.+AMUSQ)*THETO+AMU*AC/3.-.25*AMU*BC*BI(L)-HOLD/3.+.
1 BET(M)*(1.+AMUSQ/6.))*AKI
AI=((.25+.125*AMUSQ)*BC+AC*BI(L)/3.)*AKI
BCIR=(2.*AMU*THETO/3.+(.25+.375*AMUSQ)*AC-BC*BI(L)/3.-.5*AMU*HOLD+.
1 .5*AMU*BET(M))*AKI
CO=.25*AKI
C1=AMU*AKI/3.
DO=UMSQ-BI(L)*AKI/3.
D1=-.5*AMU*BI(L)*AKI
D2=.25*AMUSQ*AKI
ETA1=((DO-1.)*(BCIR*DO-01*AO)-(AI*DO-C1*AO)*(1.5*D2-C0))/.
1 ((DO-1.)*(DO*(DO-1.)-.5*D1*D1)-(1.5*D2-C0)*(DO*(1.5*D2+C0)-
2 -.5*D1*C1))
CSI1=(AI-C1*AO/DO-(1.5*D2+C0-D1*C1/(2.*DO))*ETA1)/(DO-1.)
CSI0=(AO-.5*D1*ETA1)/DO
DO 100 I=L,M
SI=-DSI*DIR+PSIR
DO 100 J=1,NA
SI=SI+DSI*DIR
SN=SIN(SI)
CS=COS(SI)
HDOT(I,J)=RBL(I)*(CSI1*SN-ETA1*CS)+.5*BI(L)*((AC-CSI1)*CS-
2 -(BC+ETA1)*SN)-AMU*CS*(CSI0+CSI1*CS+ETA1*SN)
THET(I,J)=THETO+AC*SN+BC*CS
PHI(I,J)=CSI0+CSI1*CS+ETA1*SN
IF (I.EQ.1.OR.I.EQ.NR2) CSIDT(1,J)=CPOMG*R*(CSI1*SN-ETA1*CS)/AV
IF (I.EQ.1.OR.I.EQ.NR2) CSI(1,J)=-R*PHI(I,J)/AV
HDOT(I,J)=0.
PHI(I,J)=0.
CSI(1,J)=0.
100 CSIDT(1,J)=0.
C
WRITE(6,22)
WRITE(6,200)((THET(I,J),J=1,NA),I=L,M)
RETURN

```

C  
20 FORMAT( 6H0HDOT ,//)  
200 FORMAT(10(1X,E12.5),//)  
21 FORMAT( 6H0PHI ,//)  
22 FORMAT( 6H0THET ,//)  
23 FORMAT (6H0CSIDT//)  
9876 FORMAT (1H0,6E15.7)  
END

```

SUBROUTINE HARMN (NM,NA,DSI,F,MTYP,NMAS,NROW,NCOL)
C
C      DIMENSION A(18,19),B(18,19),F(NROW,NCOL)
C
      WRITE(6,900)
      NCNT=1
      NAP1=NA+1
      NAU2=NA/2
      N5=NAU2/5
      N5T10=(NAU2*10)/5
      IF(N5*T10-N5T10) 1000,1010,1000
1000  N5=N5+1
1010  CONTINUE
      ANA=NA
      T=2./ANA
      GO TO (1,2,3,4,5,6),MTYP
1   WRITE(6,901)
      GO TO 6
2   WRITE(6,902)
      GO TO 6
3   WRITE(6,903)
      GO TO 6
4   WRITE(6,904)
      GO TO 6
5   WRITE(6,905)
6   CONTINUE
      DO 240 L=1,NM
      DO 200 N=1,NAU2
      A(L,N) = 0
      B(L,N) = 0
      M=N-1
      DO 100 K=1,NA
      AKDSI=(K-1)*M*DSI
      C=COS(AKDSI)
      S = SIN(AKDSI)
      A(L,N)=A(L,N)+C*F(L,K)
      B(L,N)=B(L,N)+S*F(L,K)
100   CONTINUE
      B(L,N) = T*B(L,N)
200   A(L,N) = T*A(L,N)
240   A(L,1) = .5*A(L,1)
270   CONTINUE
      NG2=0
      NGRP=0
      WRITE(6,906) (N,N=1,5)
      WRITE(6,908)
210   NGRP=NGRP+1
      NG1=NG2+1
      NG2=5*NGRP+1
      IF(NGRP-N5) 220,215,300

```

```

215 NG2=NAU2
220 IF(NGRP-1) 250,250,260
250 DO 255 I=1,NM
255 WRITE(6,910) I,A(I,1),(A(I,N),B(I,N),N=2,NG2)
      GO TO 210
260   NX1=NG1-1
      NX2=NG2-1
      IF (NG1.EQ.NG2) GO TO 300
      WRITE(6,907)(N,N=NX1,NX2)
      WRITE(6,909)
      DO 265 I=1,NM
265   WRITE(6,911) I,(A(I,N),B(I,N),N=NG1,NG2)
      GO TO 210
300 CONTINUE
      IF (NCNT.GT.0) RETURN
      DO 86 I=1,NM
      DO 86 N=1,NAU2
      U=A(I,N)
      V=B(I,N)
80   G=SQRT(U*U+V*V)
      ARG=0.
      IF( G .EQ.0.)GO TO 85
      ARG=ATAN2(V,U)
85   B(I,N)=ARG
86   A(I,N)=G
      WRITE (6,920)
      NCNT=NCNT+1
      IF (NCNT.LT.2) GO TO 270
      RETURN
C
900  FORMAT(1H ,3(/),57X,17HHARMONIC ANALYSIS)
901  FORMAT(3(/),60X,11HLEFT TORQUE)
902  FORMAT(3(/),59X,13HLEFT Z MOMENT)
903  FORMAT(3(/),59X,13HLEFT Y SHEAR )
904  FORMAT(3(/),59X,13HLEFT Y MOMENT)
905  FORMAT(3(/),59X,13HLEFT Z SHEAR )
906  FORMAT(2(/),8X,5HN = 0,3X,5(9X,3HN =I2,8X))
907  FORMAT(2(/),8X,5(17X,3HN =I2))
908  FORMAT(5H I ,5X,1HA,5(11X,1HA,10X,1HB))
909  FORMAT(5H I ,6X,5(11X,1HA,10X,1HB))
910  FORMAT(I3,E11.4,5(1X,2E11.4))
911  FORMAT(I3,11X,5(1X,2E11.4))
920  FORMAT (1H ,///,51X,29HHARMONIC ANALYSIS, POLAR FORM)
END

```

SUBROUTINE BL03

C  
C  
C     THIRD PROGRAM IN BLADE LOADS SEQUENCE  
C     SOLUTION OF EQUATIONS BY ITERATION  
C  
DIMENSION USAVE(360),CO(10,36),CU1(10,36),SIGMA(360)  
DIMENSION UNKWN(360),SV3(360),RBL(10),FORCX(10,36),FORCZ(10,36)  
DIMENSION EMOME(10,36),HDUT(10,36),PHI(10,36),THET(10,36),BI(10)  
DIMENSION BET(10),SAVE(360),WBR(10,36),EL(10,36)  
C  
COMMON /CIR/PI,TWOP1,DIS  
COMMON /IO/IN,NOUT,IT7,IT8  
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NITL,NIT2,NIT3  
1 ,CPCMIG,IT3  
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,  
1 RAI,RBI,ERRSV  
COMMON /BLAD3/ CMPD,AMNA2,AMNB2,IT2,ON2DS,IT1,CMPAR  
COMMON /BLD4X3/ AMU,NA,NR1  
COMMON /BLD3X1/ ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,UNKWN,SV3,RBL,  
1 FORCZ,EMOME,HDUT,PHI,THET,BI,BET,SAVE,WBR,EL,FORCX  
C  
NANR=NA\*NR  
NRNA=NR\*NA  
3396 IF(IT3.NE.1) GO TO 370  
3398 DO 3397 I=1,NANK  
3397 SV3(I)=0.0  
370 IF(KTEST)373,373,372  
373 DO 3333 M=1,NRNA  
3333 SIGMA(M)=0.  
372 IF (KTEST) 20,20,2  
2 REWIND IT7  
REWIND IT8  
C  
C     DEFINE NECESSARY CONSTANTS  
C  
20 CNUTP=1./TWOP1  
FNA=NA  
PIO2=PI\*.5  
ON2DS=0.5/DSI  
AMNA2=AMSNA\*AMSNA\*DSI\*DSI  
AMNB2=AMSNB\*AMSNB\*DSI\*DSI  
IT1=0  
IT2=1  
C  
C     TEST ON OUTER AND MIDDLE ITERATION  
C  
IF(IT3.NE.1) GO TO 50  
40 IF(IT2-1)41,41,50

```

41 IF(KTEST)42,42,43
43 READ (IT8) (UNKWN(K),K=1,NA NR)
   IF(KTEST.GT.1) READ(5,901) (UNKWN(K),K=1,NA NR)
901 FORMAT(8F10.6)
   DO 57 K=1,NA
   M=(K-1)*NR
   DO 57 J=1,NR
   I=M+J
57 UNKWN(I)=UNKWN(I)/BI(J)
   GO TO 50
42 DO 44 I=1,IJ
44 UNKWN(I)=.01
50 CALL GAMAS (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
   1 USAVE,UNKWN,C0,C01,SIGMA,SV3,RBL,FORCX,FORCZ,EMOME,HDOT,PHI,
   2 THET,BI,BET,SAVE,WBR,EL)
   CMPD=0.0
   CMPAR=0.0
C
C      CHECK FOR CONVERGENCE ON OVERALL ITERATION
C
302 DO 302 INDEX=1,IJ
   CMPAR=CMPAR+(UNKWN(INDEX)-SV3(INDEX))**2
   CMPD=CMPD+(UNKWN(INDEX))**2
302 SV3(INDEX)=UNKWN(INDEX)
   EPLOM=SQRT(CMPAR/CMPD)
   IF (IT3-3) 3028,3026,3021
C
C      CUTOFF ON OVERALL ITERATION FOR SEVERE DIVERGENCE
C
3021 IF(EPLOM-ERRSV)3026,3026,303
3026 ERRSV=EPLOM
3028 WRITE(NOUT,940) IT3,EPLOM
   IF(EPLOM-ALL2)303,303,310
303 IF(IT3.LT.0) IT3=1000
   WRITE(NOUT,940) IT3,EPLOM
310 IT3=IT3+1
   IF (IT3.GT.NIT3) IT3=1000
   IF(IT3.EQ.1000) WRITE(NOUT,993) ((WBR (I,J),I=1,NR),J=1,NA)
993 FORMAT(3X,3HWBR//,(8G15.5))
   IF (IT3.EQ.1000) CALL HARMN (NR,NA,DS1,WBR,6,0,10,36)
   CALL BLD3B (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
   1 USAVE,UNKWN,C0,C01,SIGMA,SV3,RBL,FORCX,FORCZ,EMOME,HDOT,PHI,
   2 THET,BI,BET,SAVE,WBR,EL,INDEX)
   RETURN
940 FORMAT(2(/),30X,5HIT3 =,I5,30X,7HERROR =,E15.7/)
   END

```

```

SUBROUTINE GAMAS (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
1 USAVE,UNKWN,CO,CO1,SIGMA,SV3,RBL,FORCX,FORCZ,EMGME,HDOT,PHI,
2 THET,BI,BET,SAVE,WBR,EL)

C
DIMENSION SQ(10,36),AP(10,36)
DIMENSION SCTRMA(10,36),VBINT(10,36)
DIMENSION USAVE(360),CO(10,36),CO1(10,36),SIGMA(360)
DIMENSION UNKWN(360),SV3(360),RBL(10),FORCX(10,36),FORCZ(10,36)
DIMENSION EMGME(10,36),HDOT(10,36),PHI(10,36),THET(10,36),BI(10)
DIMENSION BET(10),SAVE(360),WBR(10,36),EL(10,36)

```

```

C
COMMON /APSQ/ AP,SQ
COMMON /CIR/PI,TWOP,I,DIS
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPOMG,IT3
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RAI,RB1,ERRSV
COMMON /BLAD3/ CMPD,AMNA2,AMNB2,IT2,ON2DS,IT1,CMPAR
COMMON /SGSLS/ SIGLM,WBRLM
COMMON/PRNT/NPRNT
COMMON /VORTEX/ VBINT
COMMON /MANV1/ SCTRMA
COMMON /MANV3/ NAIR

```

```

C DO LOOPS TO COMPUTE CERTAIN COEFFICIENTS AS FUNCTIONS OF RADIAL
C POSITION AND AZIMUTH WHICH APPEAR IN EXPRESSIONS FOR UNKNOWNNS,
C

```

```

NR1=NR2-1
NANR=NA*NR
NANB=NA/NB
50 DO 100 JJ=1,NANB
DO 100 MRDT=1,NBL
DO 100 K=1,NB
J=(JJ+(K-1)*NANB)
JM1=J-1
JP1=J+1
IF(JM1) 55,55,60
55 JM1=NA
GO TO 65
60 IF(JP1-NA) 65,65,62
62 JP1=1
65 DO 100 IM=1,NR1
I=IM+(MRDT-1)*NR1
IF (I-NR1)3137,3137,3138
3137 AMUSN=AMSNA
AMSN2=AMNA2
EMT=EMTA1
WBR(I,J)=WBAR(AMU,ALPTA,CTA)
GO TO 3139

```

```

3138 AMUSN=AMSNB
      AMSN2=AMNB2
      EMT=EMTB1
      WBR(I,J)=WBAR(AMU,ALPTB,CTB)
3139 CONTINUE
      IF(KTEST)63,63,64
64 READ (IT7) MSET,(SIGMA(M),M=1,NANR)
      SABS=ABS(SIGMA(MSET))
      SABS=SABS*SIGLM
      DO 20 M=1,NANR
      IF(M.EQ.MSET) GO TO 20
      SABSM=ABS(SIGMA(M))
      IF(SABSM.LT.SABS) GO TO 20
      SIGMA(M)=SIGMA(M)*SIGLM/SABSM
20 CONTINUE
63 INDEX=(J-1)*NR+I
73 INJM1=(JM1-1)*NR+I
      IF(KTEST.EQ.0) GO TO 80
      WBR(I,J)=0.

C      RECOMPUTE DOWNWASH VALUES ACCORDING TO PAGE III-4, IF IT2=1.
C
C      DO 75 M=1,NR
C      DO 75 N=1,NA
      IND=(N-1)*NR+M
75 WBR(I,J)=WBR(I,J)-BI(M)*SIGMA(IND)*UNKWN(IND)
      WABS=ABS(WBR(I,J))
      IF(WABS.LT.WBRLM) GO TO 80
      WBR(I,J)=WBR(I,J)*WBRLM/WABS

C      COMPUTE U ACCORDING TO PAGE III-3 AND V ACCORDING TO PAGE III-4
C
C      80 U=EL(I,J)/DSI
      V=HDOT(I,J)-AMUSN-WBR(I,J)+SCTRMA(I,J)
      SQTUV=SQRT(U*U+V*V)
      SQ(I,J)=SQTUV
      ARG=0.
      IF (SQTUV.NE.0.) ARG=ATAN2(V,U)
      APHIJ=BET(I)+THET(I,J)+ARG
      AP(I,J)=APHIJ

C      SUBROUTINE SERIES COMPUTES VALUES OF CLIFT=LIFT COEFFICIENT,
C      ASLUP=LIFT CURVE SLOPE, CMOME=MOMENT COEFFICIENT, CDRAG=DRAG
C      COEFFICIENT
C
C      IF (NAIR.EQ.1) CALL NACA15 (APHIJ,CLIFT,CDRAG,CMOME,ASLUP,EMT,U)
      IF (NAIR.EQ.1) GO TO 81
      CALL SERIES (I,J,1,EMT,U,V,APHIJ,CLIFT,ASLUP,CMOME,CDRAG)
C
C      81 IF (VBINT(I,J).NE.0.) CALL INTRAT (I,J,CLIFT,CMOME,NA,DSI,APHIJ)

```

```

UAPVC=U*ASLOP+V*CLIFT
CO(I,J)=UAPVC/SQTUV
CO1(I,J)=CLIFT*SQTUV+CO(I,J)*WBR(I,J)

C
C      INITIAL GAMMA VALUES ACCORDING TO FORMULA PAGE III-9
C      PETERS GAMMAS ARE UNKWN(INDEX) IN THIS PROGRAM
C
C      SKIP FOLLOWING WHEN IT3=1 AND USE INPUT FROM BLADE GEO
95  IF(IT3-1)100,100,951
951 IF(IT2-1) 97,97,100
97 INDEX=(J-1)*NR+I
      UNKWN(INDEX)=SQTUV*CLIFT+PI*BI(I)*I(THET(I,JP1)-THET(I,JM1))
      1          *UN2DS+PHI(I,J))

C      100 CONTINUE
C
IF(NPRNT.LT.1) GO TO 1000
WRITE (6,9998) ((SQ(I,J),J=1,NA),I=1,NR)
WRITE (6,9997) ((AP(I,J),J=1,NA),I=1,NR)
C
IF(NPRNT.LT.1) GO TO 1000
WRITE(6,9999)((WBR(I,J),J=1,NA),I=1,NR)
1000 IF(KTEST) 110,110,102
102 REWIND IT7
      IF (IT3.EQ.1.AND.IT2.EQ.1.AND.KTEST.GT.0) RETURN
C
C      ENTER ITERATION SCHEME ON GAMMAS
C
110 IT1=IT1+1
      IF(IT1-NIT1) 115,115,360
115 CSI=-DSI
C
C      UPDATE VALUES OF GAMMAS ACCORDING TO EQ 3 PAGE III-5 IN THE
C      FORM SHOWN ON PAGE III-5A
C
DO 300 JJ=1,NANB
DO 300 MROT=1,NBL
DO 300 K=1,NB
J=(JJ+(K-1)*NANB)
DO 300 IM=1,NR1
I=IM+(MROT-1)*NR1
C
INDEX=(J-1)*NR+I
      IF(KTEST) 106,106,107
107 CONTINUE
READ (IT7) MSET,(SIGMA(LM),LM=1,NANR)
      SABS=ABS(SIGMA(MSET))
      SABS=SABS*SIGLM
DO 21 M=1,NANR
      IF(M.EQ.MSET) GO TO 21

```

```

SABSM=ABS(SIGMA(M))
IF(SABSM.LT.SABS) GO TO 21
SIGMA(M)=SIGMA(M)*SIGLM/SABSM
21 CONTINUE
106 CONTINUE
DENOM=1.-BI(I)*(CO(I,J)*SIGMA(INDEX))
IF (ABS(DENOM)-1.E-06) 120,120,125
120 WRITE(NOUT,979)
GO TO 300
125 USAVE(INDEX)=UNKWN(INDEX)
SUM1=0.
DO 150 LM=1,NR
DO 146 LN=1,NA
IND=(LN-1)*NR+LM
IF( IND-INDEX) 145,146,145
145 SUM1=-BI(LM)*SIGMA(IND)*UNKWN(IND)+SUM1
146 CONTINUE
150 CONTINUE
JM1=J-1
IF(JM1) 155,155,160
155 JM1=NA
160 INJM1=(JM1-1)*NR+I
165 JP1=J+1
IF(JP1-NA) 200,200,170
170 JP1=1
200 UNKWN(INDEX)= CO(I,J)+PI*BI(I)*((THET(I,JP1)-THET(I,JM1))*DN2DS
     +PHI(I,J))-CO(I,J)*SUM1
     UNKWN(INDEX)=UNKWN(INDEX)/DENOM
300 CONTINUE
C
C      END UPDATE OF GAMMAS
C
C      IF(KTEST)304,304,113
113 REWIND IT7
C
C      CHECK FOR CONVERGENCE ON INNERMOST ITERATION
C
304 CMPAR=0.
CMPD=0.
DO 350 INDEX=1,IJ
CMPD=CMPD+(UNKWN(INDEX))**2
350 CMPAR=CMPAR+(UNKWN(INDEX)-USAVER(INDEX))**2
EPLON=SQRT(CMPAR/CMPD)
WRITE(NOUT,942) IT1,EPLON
IF(EPLON-ALL1) 360,360,110
C
C      CHECK FOR CONVERGENCE ON SECOND LEVEL ITERATION
C
360 IT1=0
CMPAR=0.

```

```
DO 379 INDEX=1,IJ
379  CMPAR=CMPAR+(UNKWN(INDEX)-SAVE(INDEX))**2
      EPLUN=SQRT(CMPAR/CMPD)
      WRITE(NOUT,941) IT2,EPLUN
      IF(EPLUN-ALL1) 500,500,380
380 IF(IT2-NIT2) 390,390,500
390 IT2=IT2+1
      DO 400 INDEX=1,IJ
400  SAVE(INDEX)=UNKWN(INDEX)
      GO TO 50
500 RETURN
979 FORMAT(//52X,16HDIVISION BY ZERO//)
941  FORMAT(2(/),30X,5HIT2 =,I5,30X,7HERROR =,E15.7//)
942  FORMAT(2(/),30X,5HIT1 =,I5,30X,7HERROR =,E15.7//)
9997 FORMAT(6H0APHIJ/(9G13.5))
9998 FORMAT(6H0SQTUV/(9G13.5))
9999 FORMAT(1HO,3HWBR/(9G13.5))
      END
```

```

SUBROUTINE BLD3B (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
1 USAVE,UNKNN,C0,C01,SIGMA,SV3,RBL,FORCX,FORCZ,EMOME,HDOT,PHI,
2 THET,BI,BET,SAVE,WBR,EL,INDEX)

C
C
DIMENSION SQ(10,36),AP(10,36)
DIMENSION SCTRMA(10,36),VBINT(10,36)
DIMENSION USAVE(360),C0(10,36),C01(10,36),SIGMA(360)
DIMENSION UNKWN(360),SV3(360),RBL(10),FORCX(10,36),FORCZ(10,36)
DIMENSION EMOME(10,36),HDOT(10,36),PHI(10,36),THET(10,36),BI(10)
DIMENSION BET(10),SAVE(360),WBR(10,36),EL(10,36)

C
COMMON /PUNCH/ NPCH
COMMON /APSQ/ AP,SQ
COMMON /MANV1/ SCTRMA
COMMON /MANV3/ NAIR
COMMON /VURTEX/ VBINT
COMMON /CIR/PI,TWOPi,DIS
COMMON /IO/IN,NCUT,IT7,IT8
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPOMG,IT3
COMMON /B3/ DST,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
COMMON /BLAD3/ CMPD,AMNA2,AMNB2,IT2,ON2DS,IT1,CMPAR

C
C COMPUTATION FOR BLADE LOADS
C

      WRITE (6,9872) (UNKWN(INDEX),INDEX=1,IJ)
      IF(IT3.LT.500) GO TO 58
      IF(NPCH.NE.2) GO TO 58
      DO 57 J=1,NA
      M=(J-1)*NR
      DO 57 I=1, NR
      K=M+I
57    UNKWN(K)=UNKWN(K)*BI(I)
      WRITE(3,901) (UNKWN(I),I=1,IJ)
901    FORMAT(8F10.6)
58    CONTINUE
3121  DO 825 I=1, NR
      IF (I-NR1)3127,3127,3128
3127  AMUSN=AMSNA
      AMSN2=AMNA2
      EMT=EMTA1
      GO TO 3129
3128  AMUSN=AMSNB
      AMSN2=AMNB2
      EMT=EMTB1
3129  BO2DS=ON2DS*BI(I)
      TPIB2=6.*PI*BO2DS*BI(I)
      DO 700 JC=1,NA

```

```

J=JC
JM1=JC-1
IF(JM1) 5351,5351,545
5351 JM1=NA
545 INDEX=(JC-1)*NR+I
INJM1=(JM1-1)*NR+I
600 U=EL(I,JC)/DSI
V=HDOT(I,JC)-AMUSN-WBR(I,JC)+SCTRMA(1,J)
SQTUV=SQRT(U*U+V*V)
SQ(I,JC)=SQTUV
ARG=0.
IF (SQTUV.EQ.0.) GO TO 605
ARG=ATAN2(V,U)
APHIJ=BET(I)+THET(I,JC)+ARG
605 AP(I,JC)=APHIJ
IF (IT3.EQ.1000) GO TO 700
C
C      RECOMPUTE COEFFICIENTS FROM SERIES SUBROUTINE
C
IF (NAIR.EQ.1) CALL NACA15 (APHIJ,CLIFT,CDRAG,CMOME,ASLDP,EMT,U)
IF (NAIR.EQ.1) GO TO 606
CALL SERIES (I,J,2,EMT,U,V,APHIJ,CLIFT,ASLDP,CMOME,CDRAG)
C
606 IF (VBINT(I,J).NE.0.) CALL INTRAT (I,J,CLIFT,CMOME,NA,DSI,APHIJ)
C
C      COMPUTE CAP I FUNCTIONS GIVEN ON PAGE III-8
C
CO(I,JC)= 2.*B02DS*CMOME*SQTUV
C
C      COMPUTE BLADE LOADS ACCORDING TO PAGE III-7
C
EMOME(I,JC)=2.*CMOME*SQTUV*SQTUV
FORCZ(I,JC)=(U*CLIFT+V*CDRAG)*SQTUV
FORCX(I,JC)=(-V*CLIFT+U*CDRAG)*SQTUV
700 CONTINUE
IF (IT3.EQ.1000) GO TO 825
C
C      CORRECT BLADE LOADS FOR J+1 AND J-1 TERMS
C
DO 800 J=1,NA
JM1=J-1
JP1=J+1
IF(JM1) 702,702,705
702 JM1=NA
GO TO 710
705 IF(J-NA) 710,707,707
707 JP1=1
710 INDEX=(J-1)*NR+I
INJM1=(JM1-1)*NR+I
INJP1=(JP1-1)*NR+I

```

```

FORCZ(I,J)=FORCZ(I,J)+B02DS*(UNKWN(INJP1)-UNKWN(INJM1))
FORCZ(I,J)=FORCZ(I,J)+CO(I,JP1)-CO(I,JM1)
EMOME(I,J)=EMOME(I,J)-.25*B02DS*(UNKWN(INJP1)-UNKWN(INJM1))
800 EMOME(I,J)=EMOME(I,J)-TPIB2*.25*ON2DS*(THET(I,JP1)-2.*THET(I,J)
1           +THET(I,JM1))-TPIB2/16.*(PHI(I,JP1)-PHI(I,JM1))
825 CONTINUE
C
C
IF (IT3.EQ.1000) WRITE (6,9878) ((SQ(I,JC),JC=1,NA),I=1,NR)
IF (IT3.EQ.1000) WRITE (6,9877) ((AP(I,JC),JC=1,NA),I=1,NR)
896 CALL BLD3C (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
1 USAVE,UNKWN,C0,CO1,SIGMA,SV3,RBL,FORCX,FORCZ,EMOME,HDOT,PHI,
2 THET,BI,BET,SAVE,WBR,EL,INDEX)
      RETURN
C
9872 FORMAT (7H GAMMAS//(10G12.4))
9877 FORMAT ( 6H0APHIJ/(18F7.3))
9878 FORMAT ( 6H0SQTUV/(18F7.3))
      END

```

```

SUBROUTINE BLD3C (AMU,ALPTA,ALPTB,CTA,CTB,NRNTNA,NRNT,NA,NR1,
1 USAVE,UNKWN,CO,CO1,SIGMA,SV3,RBL,FORCX,FORCZ,EMOME,HDOT,PHI,
2 THET,BI,BET,SAVE,WBR,EL,INDEX)
C
C
DIMENSION USAVE(360),CO(10,36),CO1(10,36),SIGMA(360)
DIMENSION UNKWN(360),SV3(360),RBL(10),FORCX(10,36),FORCZ(10,36)
DIMENSION EMOME(10,36),HDOT(10,36),PHI(10,36),THET(10,36),BI(10)
DIMENSION BET(10),SAVE(360),WBR(10,36),EL(10,36)
C
COMMON /CIR/PI,TWOPi,DIS
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMU,N11,N12,N13
1 ,CPUMG,IT3
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
COMMON /BLAD3/ CMPO,AMNA2,AMNB2,IT2,ON2DS,IT1,CMPAR
COMMON/PRNT/NPRNT
C
C
MODIFY LOADS FOR RESPONSE COMPUTATION ACCORDING TO PAGE IV-8
C
ENTRY BLD3C1
IF(NPRNT.LT.2) GO TO 9
896 WRITE(NOUT,980)
DO 850 J=1,NA
I=1
WRITE(NOUT,8961) I,J,FORCZ(I,J),FORCX(I,J),EMOME(I,J)
850 WRITE(NOUT,981)(I,FORCZ(I,J),FORCX(I,J),EMOME(I,J),I=2,NP)
9 IF(IT3.EQ.1000) GO TO 891
CPSQ=CPUMG*CPUMG
871 R=RA1
873 FAC =ROAIR*CPSQ*R*R*R
DO 87 M=1,NR
FACTR=FAC *BI(M)
DO 87 N=1,NA
TGARY=THET(M,N)+BET(M)
EMOME(M,N)=(EMOME(M,N)-.5*(FORCZ(M,N)*COS(TGARY)+.
1 FORCX(M,N)*SIN(TGARY)))*FACTR*R*BI(M)
FORCZ(M,N)=FORCZ(M,N)*FACTR
87 FORCX(M,N)=FORCX(M,N)*FACTR
C
IF(IT3-1000) 895,891,891
891 WRITE(NOUT,983)
NAUVT0=NA/2+1
NRDW=10
NCUL=36
WRITE(NUUT,993) ((FORCZ(I,J),I=1,NR),J=1,NA)
CALL HARMN(NR,NA,DSI,FORCZ,6,NMAS,NROW,NCOL)
WRITE(NUUT,984)
WRITE(NOUT,993) ((FORCX(I,J),I=1,NR),J=1,NA)

```

```
CALL HARMN(NR,NA,DSI,FORCX,6,NMAS,NROW,NCOL)
WRITE(NUOUT,985)
WRITE(NUOUT,993) ((EMOME(I,J),I=1,NR),J=1,NA)
993 FORMAT(8G15.5)
CALL HARMN(NR,NA,DSI,EMOME,6,NMAS,NROW,NCOL)
895 RETURN
8961 FORMAT(28X,2I5,3E20.7)
981 FORMAT(28X,15,5X,3E20.7)
980 FORMAT(1H1//56X,14HLOADS ON BLADE//32X,1H1,4X,1HJ,10X,7HFORCE Z
1      ,13X,7HFORCE X,13X,6HMOMENT/)
983 FORMAT(1H1,55X,20HFORCE IN Z DIRECTION    )
984 FORMAT(1H1,55X,20HFORCE IN X DIRECTION    )
985 FORMAT(1H1,57X,16HTURSIUNAL MOMENT    )
END
```

```

SUBROUTINE SERIES(I,J,NCODE,EMT,U,V,APHIJ,CLIFT,ASLOP,CMOME,CDRAG)
C
COMMON /CIR/PI,TWUPI,DIS
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPOMG,IT3
COMMON /IO/IN,NOUT,IT7,IT8
C
C
C SUBROUTINE TO COMPUTE CLIFT=LIFT COEFFICIENT
C ASLOP=LIFT CURVE SLOPE
C CMOME=MOMENT COEFFICIENT
C CDRAG=DRAG COEFFICIENT
C FORMULAS TAKEN FROM CURVE FITS BY P.C.
C
C
CLIFT=0.
ASLOP=0.
CMOME=0.
CDRAG=0.

C
C
180 NEG=1
    EMIJ=EMT*ABS(U)
    SQT=SQRT(1.-EMIJ*EMIJ)
    C1=1.-EMIJ
    C2=.22689*C1
97 IF(APHIJ) 181,182,182
181 APHIJ=-APHIJ
    NEG=-1*NEG
182 IF(APHIJ-3.1415926) 184,184,183
183 APHIJ=APHIJ-3.1415926*2.
    GU TO 97
184 IF(APHIJ-C2) 185,187,187
185 ASLOP=5.7296/SQT
    CLIFT=ASLOP*APHIJ
    CDRAG=.006+.13131*APHIJ*APHIJ
    CMOME=1.4324*APHIJ/SQT
    GU TO 250
187 IF(APHIJ-.34906) 189,191,191
189 CLIFT=.29269*C1+(1.3*EMIJ-.59)*APHIJ
    CMOME=CLIFT/(SQT*(.48868+.90756*EMIJ))
    C2=(.12217+.22689*EMIJ)*SQT
    CLIFT=CLIFT/C2
    ASLOP=(1.3*EMIJ-.59)/C2
    GO TO 210
191 IF(APHIJ-2.7402) 193,195,195
193 S=SIN(APHIJ)
    S2=SIN(2.*APHIJ)
    S3=SIN(3.*APHIJ)
    S4=SIN(4.*APHIJ)

```

```

CLIFT=(.080373*S1+.04308*S2-.011059*S3+.023127*S4)/SQT
CMOME=(-.02827*S1+.14022*S2-.00622*S3+.01012*S4)/SQT
C=COS(APHIJ)
C2=COS(2.*APHIJ)
C3=COS(3.*APHIJ)
C4=COS(4.*APHIJ)
ASLOP=(.080373*C+2.08616*C2-.033177*C3+.092508*C4)/SQT
CDRAG=(1.1233-.029894*C-1.00603*C2+.003115*C3-.091487*C4)/SQT
GO TO 250
195 IF(APHIJ<3.0020) 197,199,199
197 CLIFT=-(.4704+.10313*APHIJ)/SQT
ASLOP=-.10313/SQT
CMOME=-(.4786+.02578*APHIJ)/SQT
GO TO 210
199 IF(APHIJ>3.1415926) 200,200,260
200 CLIFT=(-17.550+5.5864*APHIJ)/SQT
ASLOP=5.5864/SQT
CMOME=(-12.5109+3.9824*APHIJ)/SQT
210 CDRAG=(1.1233-.029894*COS(APHIJ)-1.00603*COS(2.*APHIJ)
1           +.003115*COS(3.*APHIJ)-.091487*COS(4.*APHIJ))/SQT
250 IF(NEG) 255,255,260
255 CLIFT=-CLIFT
CMOME=-CMOME
APHIJ=-APHIJ
260 CONTINUE
C
300 CONTINUE
RETURN
END

```

```

SUBROUTINE INTRAT (I,J,CLIFT,CMOME,NA,DSI,APHIJ)
DIMENSION NACT(10),NBCT(10),NBSV(10),JCYC(10)
DIMENSION VBINT(10,36)
COMMON /VORINT/ NACT,NBCT,NBSV,CLMAX,DELCL2,WOUM,CMST2,JCYCLE,JCYC
1,APMAX
COMMON /VORTEX/ VBINT
IF (NACT(I).NE.0) GO TO 3
IF (APHIJ.LT.APMAX) RETURN
JCYC(I)=0
JC=JCYCLE+J
DO 1 K=J,JC
IF (K.GT.NA) GO TO 2
JCYC(I)=JCYC(I)+1
1   VBINT(I,K)=VBINT(I,K)+2.
2   NACT(I)=1
NBSV(I)=J
NBCT(I)=0
A=(CLIFT-CLMAX)/DELCL2+1.
IF (ABS(A).GT.1.0) A=A/ABS(A)
PSI=1./WOUM*ASIN(A)
3   NBCT(I)=NBCT(I)+1
IF (NBCT(I).GT.JCYC(I)) GO TO 6
PSIJVI=J*DSI
PSI PSI=PSIJVI-PSI
CLIFT=CLMAX+DELCL2*(SIN(WOUM*PSI PSI)-1.)
CMOME=CMST2*(1.-CUS(WOUM*PSI PSI))
CMOME=(CMOME+CLIFT*.5)*.5
GO TO 5
6   JCY=JCYC(I)+NBSV(I)-1
NBV=NBSV(I)
DO 4 K=NBV,JCY
4   VBINT(I,K)=VBINT(I,K)-2.
NACT(I)=0
5   RETURN
END

```

```

SUBROUTINE NACA15 (ALPHA,CL,CD,CM,CLA,EMT,U)
REAL MACH
DATA PI,TWOPID3.141593,6.283185/
NS=1
MACH=EMT*ABS(U)
1 IF (ALPHA.GE.0.) GO TO 2
ALPHA=-ALPHA
NS=-1*NS
2 IF (ALPHA.LE.PI) GO TO 3
ALPHA=ALPHA-TWOPID
GO TO 1
3 ALSQ=ALPHA*ALPHA
IF (ALPHA.GT..17453) GO TO 4
CL=.4425665*ALPHA
CD=.006+1.2578279*ALSQ
CM=1.44674322*ALPHA
CLA=5.4425665
GO TO 10
4 IF (ALPHA.LE.3.05433) GO TO 5
CL=-27.057746+8.6127481*ALPHA
CD=1.1263058-.1100658*ALSQ
CM=-13.846155+4.4073682*ALPHA
CLA=8.6127481
GO TO 10
5 ALCUBE=ALSQ*ALPHA
ALFOUR=ALCUBE*ALPHA
IF (ALPHA.GT..59305) GO TO 6
CL=-5.17552006+74.39225790*ALPHA-305.08426727*ALSQ+
1 510.05783752*ALCUBE-300.69898135*ALFOUR
CD=1.00809827-13.21615930*ALPHA+60.24338928*ALSQ-
1 105.33915863*ALCUBE+66.65706750*ALFOUR
CM=-1.3120201+19.4541356*ALPHA-82.0386380*ALSQ+
1 139.6846800*ALCUBE-83.7789094*ALFOUR
CLA=74.39225790-610.1685344*ALPHA+1530.1735125*ALSQ-
1 1202.7959252*ALCUBE
GO TO 10
6 IF (ALPHA.GT.2.79253) GO TO 7
CL=-1.1042825+5.9103327*ALPHA-5.2223610*ALSQ+
1 1.3844760*ALCUBE-0.08952477*ALFOUR
CD=-0.36898575+1.2001663*ALPHA+1.4199886*ALSQ-
1 1.0988522*ALCUBE+.16709722*ALFOUR
CM=-.1810135+1.13690885*ALPHA-1.1730461*ALSQ+
1 .30186757*ALCUBE-.01199924*ALFOUR
CLA=5.9103327-10.444722*ALPHA+4.153428*ALSQ-
1 .35809908*ALCUBE
GO TO 10
7 CL=19073.5635-26905.6199*ALPHA+14223.9149*ALSQ-
1 3340.04534*ALCUBE+293.9323*ALFOUR
CD=4324.4195-6164.22236*ALPHA+3288.5370*ALSQ-
1 778.11679*ALCUBE+68.89728*ALFOUR

```

```
CM=20060.7293-27914.6308*ALPHA+14560.552*AL SQ-  
1 3374.20824*ALCUBE+293.10403*ALFOUR  
CLA=-26905.6199+28447.8298*ALPHA-10020.13602*ALSQ+  
1 1175.7292*ALCUBE  
10 EFMACH=SQRT(1.-MAGH*MACH)  
CL=CL/EFMACH  
CD=CD/EFMACH  
CM=CM/EFMACH  
CLA=CLA/EFMACH  
IF (NS.EQ.1) GO TO 11  
CL=-CL  
CM=-CM  
ALPHA=-ALPHA  
11 RETURN  
END
```

SUBROUTINE BLD4

C

```
DIMENSION DALPIA(36),CSIX(20,37), SIGKJ(20,20)
DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
2 YINR(18),OMEGA(20),SIG(20),BD(15)
DIMENSION AV(18,20),AW(18,20),APH(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
2 AMY(18,20),AVZ(18,20),HDOT(10,36),PHI(10,36),
3 THET(10,36),FX(10,36),FZ(10,36),EMO(10,36)
DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
DIMENSION FV(18,37),FW(18,37),EMOME(18,37),CSI(20,37),CS2DT(20,37)
1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMA(18),H(18),X(19)
2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
DIMENSION CSPH(18),CAPHI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
2 FORC(37)
DIMENSION JM(10),JMP1(10),HDT(10),APH(10),ATH(10)
```

C

C

```
COMMON /SAD3/CSIX
COMMON /PUNCH/ NPCH
COMMON /GCORD1/ THETO,CPSQ,DT,AC,BC,AKL,DF02,R,ONOCP,CSALT
COMMON /CONL1/ ENR,PIO2,XROOT,RAB,NMPL,NRP1,NAP1
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPDMG,IT3
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
COMMON /BLD4X1/ ELNTH, EMAS, EIX, RBL, XINR, DPHI, EIY, EPS,
1 DLZ, ZA, YINR, OMEGA, PSIR, SIG, AV, AW, APHI, ASI, ATHET,
2 AT, AMZ, AVY, AMY, AVZ, BD, RWK, CSAL, NM, XCSIDT,
3 SIGKJ, DAMPC
COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EMO,NMAS,NMODE,NAPSON,NR11
COMMON /BLD4X3/ AMU,NA,NR1
COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
1 CCP,SSP,CCPS,SCPS,SUMA,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPHI,CC,SC,EX
2,EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMP1,HDT,APH,
3 ATH.
COMMON /SVSNR/ SNR
COMMON /GARY/ NGOTO
COMMON /SAD2/ VDOT,WDOT,PHIDT,SIDT,CSIDT
COMMON /MANV2/ DALPIA,FGF
COMMON /CIR/PI,TWOP1,DIS
```

C

C

C

BLADE DYNAMICS PROGRAM

SAVE NR AND SET NEW NR FOR BLADE RESPONSE SUBPROGRAM

C

```

C      DEFINE CONSTANTS
C
NPAGE=1
NAP1=NA+1
DO 19 JA=1,NAP1
DO 19 K=1,MAXMO
19 CSI(K,JA)=CSIX(K,JA)
SNR=NR
NR=NR1
NRP1=NR+1
R=BD(1)
RAB=BD(14)
THE TO=BD(2)
XROOT=BD(3)
AKL=BD(4)
AC=BD(5)
BC=BD(6)
ISEC=BD(7)
NRPT1=BD(8)
CT=BD(9)
ALPHT=BD(10)
EMT=BD(11)
AKI=BD(12)
CMSQ=BD(13)

```

```

C      INITIALIZE DYNAMIC EFFECTS TO ZERO IF IN FIRST OVERALL ITERATION
C
IF(IT3-1000) 2941,2940,2940
2941 IF(IT3-2)10,10,20
10 DO 15 JA=1,NAP1
   DO 12 I=1,NM
     VDOT(I,JA)=0.
     WDOT(I,JA)=0.
     PHIDT(I,JA)=0.
12   SIOT(I,JA)=0.
   DO 14 K=2,MAXMO
14   CSIDT(K,JA)=0.
15   CONTINUE
   DO 21 JA=1,NA
21   CSIDT(1,JA)=XCSIDT(1,JA)
20   NMP1=NM+1
   FNA=NA
   ENR=NR
   CNOCP=1./(CPUMG*R)
   CAPT=TWOP1/CPUMG
   DT=CAPT/NA
   DT02=DT*.5
   PI02=.5*PI
   CSALT=CSAL
   CPSQ=CPUMG*CPUMG

```

```

SFY(1)=0.
SFZ(1)=0.
SFM(1)=0.
CAPHI(1)=THETO+DPHI(1)
CSPH(1)=COS(CAPHI(1))
CCPS(1)=COS(CAPHI(1))
SCPS(1)=SIN(CAPHI(1))
H(1)=DLZ(1)*COS(THETO)
RADIS(1)=XR00T+ELNTH(1)

C COMPUTE TABLES OF COSINES AND OFFSET DISTANCES EXACTLY THE SAME AS
C IN THE NATURAL FREQUENCY PROGRAM
C
DO 40 I=2,NM
IM1=I-1
C CUMULATIVE PHI ANGLE ALONG BLADE
C
CAPI(1)=CAPI(1)+DPHI(1)
CCRS(1)=COS(CAPHI(1))
SCPS(1)=SIN(CAPHI(1))
CSPH(1)=COS(CAPHI(1)-THETO)

C TOTAL DISTANCE TO RIGHT SIDE OF SECTION FROM CENTER OF ROTATION
C
RADIS(I)=XR00T+ELNTH(I)
C AVERAGE MASS USED IN COMPUTATION
C
31 SUMA(IM1)=.5*(EMAS(IM1)+EMAS(I))
H(I)=H(I)
DO 35 J=1,IM1
H(I)=H(I)+DLZ(J+1)*CCPS(J)
35 RADIS(I)=RADIS(I)+ELNTH(J)
40 CONTINUE

C SINE AND COSINE OF OMEGA * T
C
DO 45 JA=1,NAP1
DMT=CPOMG*(JA-1.)*DT+PSIR
CCP(JA)=COS(CMT)
45 SSP(JA)=SIN(CMT)
SUMA(NM)=.5*EMAS(NM)
NGOTO=1
CALL CONVL
CALL GCDURD
CALL RSPNS
GO TO 2831
2940 NGOTO=2
CALL RSPNS

```

```
    CALL SHEAR
    IF (NPCH.EQ.1) CALL RSPZZ
2881 CONTINUE
    DO 50 J=1,NAP1
    DO 50 K=1,MAXMO
50  CSIX(K,J)=CSI(K,J)
    RETURN
    END
```

```

SUBROUTINE CONVL
C
C      REAL XX(12),FXX(12),FZZ(12),EM00(12)
C
C      DIMENSION SIGKJ(20,20)
C      DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
C      1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
C      2 YINR(18),OMEGA(20),SIG(20),BD(15)
C      DIMENSION AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
C      1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
C      2 AMY(18,20),AVZ(18,20),HDOT(10,36),PHI(10,36),
C      3 THET(10,36),FX(10,36),FZ(10,36),EM0(10,36)
C      DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
C      1 CSIDT(20,37)
C      DIMENSION FV(18,37),FW(18,37),EMOME(18,37),CSI(20,37),CS2DT(20,37)
C      1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMA(18),H(18),X(19)
C      2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
C      DIMENSION CSPH(18),CAPI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
C      1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
C      2 FORC(37)
C      DIMENSION JM(10),JMP1(10),HDT(10),APH(10),ATH(10)
C
C      COMMON /BLD4X1/ ELNTH, EMAS, EIX , RBL , XINR, DPHI, EIY , EPS,
C      1 DLZ, ZA , YINR, OMEGA, PSIR, SIG , AV , AW , APHI , ASI , ATHET,
C      2 AT , AMZ , AVY , AMY , AVZ , BD , RWK , CSAL , NM , XCSIDT,
C      3 SIGKJ, DAMPC
C
C      COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
C      1 ,CPOMG,IT3
C      COMMON /IO/IN,NOUT,IT7,IT8
C      COMMON /B3/ DS1,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
C      1 RAI,RBI,ERRSV
C      COMMON /CONL1/ ENR,PID2,XROOT,RAB,NMP1,NRP1,NAP1
C      COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EM0,NMAS,NMODE,NAPSON,NR11
C      COMMON /BLD4X3/ AMU,NA,NRI
C      COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
C      1 CCP,SSP,CCPS,SCPS,SUMA,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPI,CC,SC,EX
C      2 ,EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMP1,HDT,APH,
C      3 ATH
C      COMMON /SAD2/ VDOT,WDOT,PHIDT,SIDT,CSIDT
C      COMMON/PRNT/NPRNT
C
C      COMPUTE LAMBDA'S (ARGUMENTS OF CUSINE)
C      COMPUTE FOURIER COEFFICIENTS AT EACH AZIMUTH
C
C      R=BD(1)
C      IR=1
C      DO 90 I=1,NM

```

```

IM1=I-1
X(I)=XROOT+.5*ELNTH(I)
IF (IM1) 88,88,83
83 DO 85 J=1,IM1
85 X(I)=X(I)+ELNTH(J)
X(NM+1)=RAB
C
C      COMPUTE LAMBDA
C
IF (X(I).GT.RWK) GO TO 90
88 IF (X(I).GT.RWK) GO TO 90
SFZ(I)=0.
SFX(I)=0.
SFM(I)=0.
IR=I
90 CONTINUE
3122 CONTINUE
C
C      SMALL A COEFFICIENTS
C
RX=R
XX(1)=RWK*RX
DO 95 JA=1,NR1
JAP1X=JA+1
95 XX(JAP1X)=RBL(JA)*RX
NR1P2=NR1+2
DO 200 JA=1,NA
DO 11 JX=1,NR1
JG=JX+1
FXX(JG)=FX(JX,JA)
FZZ(JG)=FZ(JX,JA)
EMOO(JG)=EMO(JX,JA)
11 CONTINUE
FXX(1)=0.0
FZZ(1)=0.0
EMOO(1)=0.0
FXX(NR1P2)=0.
FZZ(NR1P2)=0.
EMOO(NR1P2)=0.
XX(NR1P2)=RAB
NZ=NM+1
CALL ALINT (X,XX,FXX,SFX,NZ,NR1P2)
CALL ALINT (X,XX,FZZ,SFZ,NZ,NR1P2)
CALL ALINT (X,XX,EMOO,SFM,NZ,NR1P2)
C
C      LOADS READY FOR RESPONSE CALCULATION
C
DO 150 I=1,NM
FV(I,JA)=-SFZ(I)*CCPS(I)-SFX(I)*SCPS(I)
FW(I,JA)=SFZ(I)*SCPS(I)-SFX(I)*CCPS(I)

```

```

150 EMOME(I,JA)=SEM(I)+ZA(I)*FV(I,JA)
160 CONTINUE
C
C      MAKE FIRST AND LAST ELEMENTS THE SAME
C
DO 210 I=1,NM
FV(I,NAP1)=FV(I,1)
FW(I,NAP1)=FW(I,1)
EMOME(I,NAP1)=EMOME(I,1)
210 SIDT(I,NAP1)=SIDT(I,1)
IF(IT3.EQ.1000) GO TO 100
IF (NPRNT.LT.2) GO TO 1117
100 WRITE(6,211)
      WRITE(6,9875) (( FV(I,JX),JX=1,NAP1),I=1,NM)
      WRITE(6,212)
      WRITE(6,9875) (( FW(I,JX),JX=1,NAP1),I=1,NM)
      WRITE(6,213)
      WRITE(6,9875) ((EMOME(I,JX),JX=1,NAP1),I=1,NM)
      WRITE(6,214)
      WRITE(6,9875) (( SIDT(I,JX),JX=1,NAP1),I=1,NM)
C
C      END CONVERSION OF AERODYNAMIC LOADS
C
211 FORMAT(3H0FV//)
212 FORMAT(3H0FW//)
213 FORMAT(6H0EMOME//)
214 FORMAT(5HS0SIDT//)
9875 FORMAT(1H ,10G12.4)
1117 CONTINUE
RETURN
END

```

```

SUBROUTINE ALINT (X,R,F,FR,NM,NL)
DIMENSION X(NM),R(NL),F(NL),FR(NM)
NM1=NM-1
DO 2 I=1,NM
2 FR(I)=0.0
I=1
L=1
4 XIPI=X(I+1)
RL=R(L)
IF(XIPI .GT. RL) GO TO 5
I=I+1
GO TO 4
7 IF(I .GE. NM1) RETURN
I=I+1
XI=X(I)
XIPI=X(I+1)
IF(XIPI .LT. RLP1) GO TO 10
FR(I)=FR(I)+.5*(FL+FL+BS*(XI+RLP1-RL-RL))*(RLP1-XI)
8 L=L+1
5 LP1=L+1
IF(LP1 .GT. NL) RETURN
FLP1=F(LP1)
FL=F(L)
RLP1=R(LP1)
RL=R(L)
IF(XIPI .LT. RLP1) GO TO 9
FR(I)=FR(I)+.5*(FLP1+FL)*(RLP1-RL)
GO TO 8
9 BS=(FLP1-FL)/(RLP1-RL)
FR(I)=FR(I)+.5*(FL+FL+BS*(XIPI-RL))*(XIPI-RL)
GO TO 7
10 FR(I)=FR(I)+.5*(FL+FL+BS*(XI+XIPI-RL-RL))*(XIPI-XI)
GO TO 7
END

```

## SUBROUTINE GCOORD

C

```
DIMENSION CSITMP(37),CSITXP(37)
DIMENSION ASSF(20),ASSL(20),ASST(20)
DIMENSION DALPIA(36),
          SIGKJ(20,20)
DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
2 YINR(18),OMEGA(20),SIG(20),BD(15)
DIMENSION AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
2 AMY(18,20),AVZ(18,20),HDOT(10,36),PHI(10,36),
3 THET(10,36),FX(10,36),FZ(10,36),EMO(10,36)
DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
DIMENSION FV(18,37),FW(18,37),EMOME(18,37),CSI(20,37),CS2DT(20,37)
1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMAS(18)
2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
DIMENSION H(18),X(19)
DIMENSION CSPH(18),CAPI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
2 FORC(37)
DIMENSION JM(10),JMP1(10),HDT(10),APH(10),ATH(10)
DIMENSION CH13(18)
```

C  
C

```
COMMON /BLD4X1/ ELNTH, EMAS, EIX, RBL, XINR, DPHI, EIY, EPS,
1 DLZ, ZA, YINR, OMEGA, PSIR, SIG, AV, AW, APHI, ASI, ATHET,
2 AT, AMZ, AVY, AMY, AVZ, BD, RWK, CSAL, NM, XCSIDT,
3 SIGKJ, DAMPC
COMMON /GCORD1/ THETO,CPSQ,DT,AC,BC,AKL,DT02,R,ONOCP,CSALT
COMMON /CONLL/ ENR,PIO2,XROOT,RAB,NMPL,NRPI,NAP1
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPCM,G,IT3
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /B3/ DS1,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EMO,NMAS,NMODE,NAPSON,NR11
COMMON /BLD4X3/ AMU,NA,NR1
COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
1 CCP,SSP,CCPS,SCPS,SUMAS,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPI,CC,SC,
1 EX,
2 EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMP1,HDT,APH,
3 ATH
COMMON /SA02/ VDOT,WDOT,PHIDT,SIDT,CSIDT
COMMON /GARY2/ XINPT,FINPT
COMMON/PRNT/NPRNT
COMMON /MANV2/ DALPIA,FGF
COMMON /MANV4/ ASSF,ASSL,ASST
COMMON /MANV5/ ALFDTM, PHIDTM
```

C

C CERTAIN COEFFICIENTS FOR COMPUTATION OF TOTAL GENERALIZED FORCES  
C AND MOMENTS  
C

```
JKK= NA/2
SNTH0=SIN(THETO)
DO 300 I=1,NM
G1=SUMAS(I)*CPSQ*(H(I)+EPS(I)*CCPS(I))
CH(1,I)=G1*SCPS(I)
CH(2,I)=SUMAS(I)*(EPS(I)+H(I)*CSPH(I))/CCPS(I)
CH(3,I)=-2.*SUMAS(I)*CPOMG*EPS(I)
CH(4,I)=G1*CCPS(I)
CH(5,I)=-SUMAS(I)*H(I)*SIN(CAPHI(I)-THETO)/CCPS(I)
CH(6,I)=CH(3,I)*CCPS(I)
CH(3,I)=CH(3,I)*SCPS(I)
CH(7,I)=-CPSQ*SCPS(I)*XINR(I)*CCPS(I)-SCPS(I)*EPS(I)*G1
CH(8,I)=-XINR(I)-EPS(I)*CH(2,I)
CH(9,I)=2.*CPOMG*SCPS(I)*(XINR(I)+SUMAS(I)*EPS(I)*EPS(I))
CH(10,I)=SUMAS(I)*CPSQ*EPS(I)*RADIS(I)
CH(12,I)=-2.*CPOMG*(XINR(I)+SUMAS(I)*EPS(I)*EPS(I))
CH13(I)=(XINR(I)+SUMAS(I)*RADIS(I)*RADIS(I))*CPOMG
300 CH(11,I)=CH(12,I)*SCPS(I)-2.*CPOMG*SUMAS(I)*EPS(I)*H(I)*SNTH0
1 /CCPS(I)
```

C
IF(NPRNT.LT.2) GO TO 9
WRITE (6,301)
WRITE (6,9875) ((CH(IX,I),IX=1,11),I=1,NM)

C COMPUTE SUPERPOSITION INTEGRALS IN EACH KTH MODE  
C

```
9 DO 550 K=1,MAXMO
SIGOM=SIG(K)*GMEGA(K)
OMK2=OMEGA(K)*OMEGA(K)
TEST=SIG(K)*SIG(K)
IF (TEST.LE.1.) GO TO 5
OMBR=OMEGA(K)*SQRT(TEST-1.)
OMT=SIGOM-OMBR
OMT2=SIGOM+OMBR
DO 4 JA=1,NAP1
CSITMP(JA)=CSI(K,JA)
CSITXP(JA)=CSIDT(K,JA)
T=(JA-1.)*DT
FURC(JA)=0.0
EXMT(JA)=EXP(OMT*T)
4 EX(JA)=EXP(OMT2*T)
GO TO 311
5 OMBR=OMEGA(K)*SQRT(1.-SIG(K)*SIG(K))
OMT=OMBR*DT
IF(NPRNT.LT.2) GO TO 10
WRITE(6,6001) K,SIG(K),GMEGA(K),DT
10 SIKDT=SIN(OMT)
```

```

CSKDT=COS(OMT)
6 CMT2=OMT*OMT
OMT3=OMT2*OMT
IF(OMT-.05) 303,307,307
303 OMT4=OMT2*OMT2
OMT6=OMT4*OMT2
C
C      ALPHA,BETA,GAMMA COEFFICIENTS FOR FILONS RULE OF INTEGRATION .
C      SEE APPENDIX OF BOOK ON INTEGRAL TRANSFORMS BY TRANTER
C
FILA=OMT3/22.5-(OMT4*OMT1)/157.5+(OMT6*OMT1)/2362.5
FILB=.6566656666667*OMT2/7.5-OMT4/25.25+OMT6/283.5
FILG=1.3333333333333-OMT2/7.5+OMT4/210.-OMT6/11340.
GO TO 308
307 FILA=(OMT2+OMT*SIKDT*CSKDT-2.*SIKDT*SIKDT)/OMT3
FILB=2.*(OMT*(1.+CSKDT*CSKDT)-2.*SIKDT*CSKDT)/OMT3
FILG=4.*(SIKDT-OMT*CSKDT)/OMT3
308 ADT=FILA*DT
BDT=FILB*DT
GDT=FILG*DT
DO 310 JA=1,NAP1
T=(JA-1.)*DT
FORC(JA)=0.
CMT=CMBR*T
20 CC(JA)=COS(CMT)
SC(JA)=SIN(OMT)
310 EXMT(JA)=EXP(-SIGUM*T)
311 DO 360 JA=1,NA
THC1=CPOMG*(AC*CCP(JA)-BC*SSP(JA))
THC2=-CPSQ*(AC*SSP(JA)+BC*CCP(JA))
C
C      COMPUTE TOTAL GENERALIZED FORCES, PAGE IV-3,IV-4
C
DO 350 I=1,NM
QVNEW=(-CCPS(I)*CSAL+SCPS(I)*DALPIA(JA))*SUMAS(I)*FGF
QWNEW=(SCPS(I)*CSAL+CCPS(I)*DALPIA(JA))*SUMAS(I)*FGF
QPHI1=-EPS(I)*QVNEW
QV=CH(1,I)+CH(2,I)*THC2+CH(3,I)*SIDT(I,JA)+FV(I,JA)
QW=CH(4,I)+CH(5,I)*THC2+CH(6,I)*SIDT(I,JA)+FW(I,JA)
QPHI=CH(7,I)+CH(8,I)*THC2+CH(9,I)*SIDT(I,JA)+EMOME(I,JA)
QPHI=QPHI - CPOMG*(CCP(JA)*ALFDTM + SSP(JA)*PHIDTM)*CH(8,I)*CPOMG
QSI=CH(10,I)+CH(11,I)*THC1+CH(12,I)*PHIDT(I,JA)-CH(3,I)*
1VDOT(I,JA)-CH(6,I)*WDOT(I,JA)
QTHER=-(-SSP(JA)*ALFDTM + CCP(JA)*PHIDTM)*CH13(I)*CPOMG
QV=QV+QVNEW
QW=QW+QWNEW
QPHI=QPHI+QPHI1
IF(JA-JKK) 312,312,314
312 JB=JA+JKK
GO TO 316

```

```

314 JB=JA-JKK
316 TH01=CPOMG*(AC*CCP(JB)-BC*SSP(JB))
TH02=-CPSQ*(AC*SSP(JB)+BC*CCP(JB))
QV0NEW=(-CCPS(I)*CSAL+SCPS(I)*DALPIA(JB))*SUMAS(I)*FGF
QW0NEW=(SCPS(I)*CSAL+CCPS(I)*DALPIA(JB))*SUMAS(I)*FGF
QPHI01=-EPS(I)*QV0NEW
QVU=CH(1,I)+CH(2,I)*TH02+CH(3,I)*SIDT(I,JB)+FV(I,JB)
QWD=CH(4,I)+CH(5,I)*TH02+CH(6,I)*SIDT(I,JB)+FW(I,JB)
QPHI0=CH(7,I)+CH(8,I)*TH02+CH(9,I)*SIDT(I,JB)+EMOME(I,JB)
QPHI0=QPHI0- CPOMG*(CCP(JB)*ALFDTM + SSP(JB)*PHIDTM)*CH(8,I)*CPOMG
QSIO=CH(10,I)+CH(11,I)*TH01+CH(12,I)*PHIDT(I,JB)-CH(3,I)*
1VDOT(I,JB)-CH(6,I)*WDOT(I,JB)
QTHETO=-(-SSP(JB)*ALFDTM + CCP(JB) * PHIDTM)*CH13(I)*CPOMG
QVO=QV0+QV0NEW
QWB=QWD+QW0NEW
QPHI0=QPHI0+QPHI01
318 IF(I-2) 330, 320, 330
320 G1=AKL/ELNTH(2)*SIDT(1,JA)
G12=AKL/ELNTH(2)*SIDT(1,JB)
QV=QV+SCPS(2)*G1
QW=QW+CCPS(2)*G1
QVO=QV+SCPS(2)*G12
QWU=QW+CCPS(2)*G12
C
C      GENERALIZED FORCE ACTING IN EACH NORMALIZED MODE
C
330 FORCO=QVO*AV(I,K)*ASSF(K)+(QW0*AW(I,K)+QSIO*ASI(I,K))*1ASSL(K)+QPHI0*APHI(I,K)*ASST(K)
FORCO = FORCO + QTHETO*ATHET(I,K)*ASST(K)
FORC(JA)=FORC(JA)+QV*AV(I,K)+QW*AW(I,K)+QPHI*APHI(I,K)
1+QSI*ASI(I,K)+FORCO
FORC(JA)=FORC(JA) + QTHET*ATHET(I,K)
350 CONTINUE
DO 355 KJ=1,MAXMO
355 FORC(JA)=FORC(JA)-SIGKJ(K,KJ)*(CSIDT(KJ,JA)+CSIDT(KJ,JB)*ASST(K))
FORC(JA)=FORC(JA)*(1.-.5*ASST(K))
360 CONTINUE
FORC(NAP1)=FORC(1)
WRITE(6,361)
WRITE(6,9875) (FORC(JA),JA=1,NA)
IF (TEST.GT.1.) GO TO 371
DO 370 JA=1,NAP1
370 EX(JA)=(1./EXMT(JA))*FORC(JA)
JGO=1
GO TO 379
C
C      COMPUTE SUPERPOSITION INTEGRALS AT EACH AZIMUTH POSITION
C      INTEGRALS ON PAGE IV-6
C
371 SC(1)=0.0

```

```

CC(1)=0.0
C
C      COMPUTATION OF REDUCED INTEGRAL PARTS OF SUPPOSITION
C      INTEGRALS AT EACH AZIMUTH POSITION FOR OVERDAMPED CASE
C
DO 372 JA=2,NAP1
JAA=JA-1
CC(JA)=CC(JAA)+DT02*(FORC(JA)*EXMT(JA)+FORC(JAA)*EXMT(JAA))
372 SC(JA)=SC(JAA)+DT02*(FORC(JA)*EX(JA)+FORC(JAA)*EX(JAA))
OMT3=1.0/EXMT(NAP1)
OMT4=1.0/EX(NAP1)
CK=1.0-OMT4
SK=1.0-OMT3
S1=(OMT3*CC(NAP1))/SK
S2=(OMT4*SC(NAP1))/CK
C      CALCULATION OF CSI(K,JA),CSIDT(K,JA),CS2DT(K,JA)
DO 375 JA=1,NAP1
CMT3=.5*(CC(JA)+S1)/EXMT(JA)
OMT4=.5*(SC(JA)+S2)/EX(JA)
CSI(K,JA)=(OMT3-OMT4)/UMBR
CSIDT(K,JA)=-SIGOM*CSI(K,JA)+OMT3+OMT4
CS2DT(K,JA)=FORC(JA)-OMK2*CSI(K,JA)-2.*SIGOM*CSIDT(K,JA)
CSI(K,JA)=(CSI(K,JA)*FINPT+CSITMP(JA)*(1.-FINPT))
375 CSIDT(K,JA)=(CSIDT(K,JA)*FINPT+CSITXP(JA)*(1.-FINPT))
GO TO 550
379 DO 500 JAA=1,NAP1
CSITMP(JAA)=CSI(K,JAA)
CSITXP(JAA)=CSIDT(K,JAA)
380 JAAM=JAA-1
T=(JAA-1.)*DT
GO TO (400,410,420,430),JGU
400 CSI(K,JAA)=0.
CSIDT(K,JAA)=0.
JGU=2
GO TO 500
410 SAVE=DT02*EX(2)
CSINT=SAVE*CC(2)+DT02*FORC(1)
SNINT=SAVE*SC(2)
JGU=3
GO TO 450
420 JGU=4
4201 CSINT=EX(JAA)*(ADT*SC(JAA)+.5*BDT*CC(JAA))+FORC(1)*BDT*.5
SNINT=EX(JAA)*(-ADT*CC(JAA)+.5*BDT*SC(JAA))+FORC(1)*ADT
421 JAGO=1
DO 425 JA=2,JAAM
GO TO (422,423),JAGO
422 SAVE=GUT*EX(JA)
CSINT=CSINT+CC(JA)*SAVE
SNINT=SNINT+SC(JA)*SAVE
JAGO=2

```

```

GO TO 425
423 SAVE=BDT*EX(JA)
CSINT=CSINT+CC(JA)*SAVE
SNINT=SNINT+SC(JA)*SAVE
JAGO=1
425 CONTINUE
SAVEC=CSINT
SAVES=SNINT
GO TO 450
430 CSINT=DT02*(CC(JAA)*EX(JAA)+CC(JAA-1)*EX(JAA-1))+SAVEC
SNINT=DT02*(SC(JAA)*EX(JAA)+SC(JAA-1)*EX(JAA-1))+SAVES
JGO=3
450 CSI(K,JAA)=EXMT(JAA)*(SC(JAA)*CSINT-CC(JAA)*SNINT)
CSIDT(K,JAA)=EXMT(JAA)*(CC(JAA)*CSINT+SC(JAA)*SNINT)
CSI(K,JAA)=CSI(K,JAA)/OMBR
IF(JAA-NAP1) 457,455,455
455 SKINT=EXMT(JAA)*(SC(JAA)*CSINT-CC(JAA)*SNINT)
CKINT=EXMT(JAA)*(CC(JAA)*CSINT+SC(JAA)*SNINT)
CK=1.-EXMT(JAA)*CC(JAA)
SK=EXMT(JAA)*SC(JAA)
40 S=CK*CK+SK*SK
S1=(SK*CKINT+CK*SKINT)/S
S2=(CK*CKINT-SK*SKINT)/S
457 CONTINUE
500 CONTINUE
C
C COMPUTE QUANTITIES ZETA (CSI) AND ZETA DOT (CSI DOT) FROM
C SUPERPOSITION INTEGRALS
C COMPUTATION OF ZETA,ZETA-DOT, SEE PAGE IV-6
C
DO 520 JAA=1,NAP1
CSI(K,JAA)=CSI(K,JAA)+EXMT(JAA)*(CC(JAA)*S1+SC(JAA)*S2)/OMBR
CSIDT(K,JAA)=-SIGOM*CSI(K,JAA)+EXMT(JAA)*(CC(JAA)*S2-SC(JAA)*S1)
1      +CSIDT(K,JAA)
520 CS2DT(K,JAA)=FORC(JAA)-OMK2*CSI(K,JAA)-2.*SIGOM*CSIDT(K,JAA)
C
DO 540 JAA=1,NAP1
CSI(K,JAA)=(CSI(K,JAA)*FINPT+CSITMP(JAA)*(1.-FINPT))
540 CSIDT(K,JAA)=(CSIDT(K,JAA)*FINPT+CSITXP(JAA)*(1.-FINPT))
C
550 CONTINUE
IF(NPRNT.LT.2) RETURN
C
WRITE(6,551)
WRITE(6,9875) ((CSI(K,JAA),K=1,MAXMO),JAA=1,NAP1)
WRITE(6,552)
WRITE(6,9875) ((CSIDT(K,JAA),K=1,MAXMO),JAA=1,NAP1)
WRITE(6,553)
WRITE(6,9875) ((CS2DT(K,JAA),K=1,MAXMO),JAA=1,NAP1)
C

```

```
RETURN
9875 FORMAT (      (1H ,09G13.5))
301 FORMAT (3H0CH//)
6001 FORMAT(1H0,4HK = ,I3,5X,8HSIG = ,610.3,2X,8HOMEKA = ,G10.3,2X,
           1                           8HDOT = ,G10.3)
361 FORMAT (5H0FORC//)
551 FORMAT (4H0CSI//)
552 FORMAT (6H0CSIDT//)
553 FORMAT (6H0CS2DT//)
END
```

SUBROUTINE RSPNS

```
C
DIMENSION VDTDT(18,37),VX(18,37),WX(18,37)
DIMENSION SIGKJ(20,20)
DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
2 YINR(18),CMEGA(20),SIG(20),BD(15)
DIMENSION AV(18,20),Aw(18,20),APHI(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
2 AMY(18,20),AVZ(18,20),HDOT(10,36),PHI(10,36),
3 THET(10,36),FX(10,36),FZ(10,36),EMO(10,36)
DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
DIMENSION FV(18,37),FW(18,37),EMOME(18,37),CSI(20,37),CS2DT(20,37)
1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMA(18),H(18),X(19)
2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
DIMENSION CSPH(18),CAPI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
2 FORC(37)
DIMENSION JM(10),JMP1(10),HDT(10),APH(10),ATH(10)
```

```
C
C
COMMON /BLD4X1/ ELNTH, EMAS, EIX, RBL, XINR, DPHI, EIY, EPS,
1 DLZ, ZA, YINR, OMEGA, PSIR, SIG, AV, AW, APhi, ASI, ATHET,
2 AT, AMZ, AVY, AMY, AVZ, BD, RWK, CSAL, NM, XCSIDT,
3 SIGKJ, DAMPC
COMMON /GCORD1/ THETO,CPSQ,DT,AC,BC,AKL,DT02,R,ONOCP,CSALT
COMMON /CONL1/ ENR,PIO2,XROOT,RAB,NMP1,RP1,NAP1
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPDMG,IT3
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EMO,NMAS,NMODE,NAPSCN,NR11
COMMON /BLD4X3/ AMU,NA,NR1
COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
1 CCP,SSP,CCPS,SCPS,SUMA,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPI,CC,SC,EX
2 ,EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMP1,HDT,APH,
3 ATH
COMMON /SVSNR/ SNR
COMMON /GARY/ NGOTO
COMMON /SAD6/ VX,WX
COMMON /SAU2/ VDOT,WDOT,PHIDT,SIDT,CSIDT
COMMON/PRNT/NPRNT
```

C
C COMPUTE RESPONSES FROM MODE SHAPES AND ZETAS

```
C
DO 575 JA=1,NAP1
DO 575 I=1,NM
VX(I,JA)=0.
```

```

WX(I,JA)=0.
VDOT(I,JA)=0.
WDOT(I,JA)=0.
PHIV(I,JA)=0.
PHIDT(I,JA)=0.
SI(I,JA)=0.
SIDT(I,JA)=0.
VDTDT(I,JA)=0.
575 THETA(I,JA)=0.

C      RESPONSE VARIABLES OF INTEREST, PAGE IV-7
C
DO 580 JA=1,NM
DO 580 J=1,NM
DO 580 K=1,MAXMO
VX(I,JA)=VX(I,JA)+AV(I,K)*CSI(K,JA)
WX(I,JA)=WX(I,JA)+AW(I,K)*CSI(K,JA)
VDOT(I,JA)=VDOT(I,JA)+AV(I,K)*CSIDT(K,JA)
WDOT(I,JA)=WDOT(I,JA)+AW(I,K)*CSIDT(K,JA)
PHIV(I,JA)=PHIV(I,JA)+APHI(I,K)*CSI(K,JA)
PHIDT(I,JA)=PHIDT(I,JA)+APHI(I,K)*CSIDT(K,JA)
SI(I,JA)=SI(I,JA)+ASI(I,K)*CSI(K,JA)
SIDT(I,JA)=SIDT(I,JA)+ASI(I,K)*CSIDT(K,JA)
THETA(I,JA)=THETA(I,JA)+ATHET(I,K)*CSI(K,JA)
580 CONTINUE
C
IF(IT3.EQ.1000) GO TO 9
IF(NPRNT.LT.2) GO TO 3
9 NAP1=NA
WRITE(6,9988)((VX(I,JA),JA=1,NAP1),I=1,NM)
IF(NPRNT.LT.1) GO TO 12
WRITE(6,9989)((WX(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9990)((VDOT(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9991)((WDOT(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9992)((PHIV(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9993)((PHIDT(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9994)((SI(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9995)((SIDT(I,JA),JA=1,NAP1),I=1,NM)
WRITE(6,9996)((THETA(I,JA),JA=1,NAP1),I=1,NM)
12 CONTINUE
GO TO (3,4),NGOTO
C
C      CONVERT RESPONSE TO FORM FOR LOADS COMPUTATIONS
C
3 DO 610 I=1,NM
610 X(I)=RADIS(I)
MJ=1
DO 625 I=1,NR
RRBL=R*RBL(I)

```

```

M=MJ
DO 620 J=M,NM
MJ=J
IF (X(J).LT.RRBL) GO TO 620
K=J
IF (K.EQ.1) K=K+1
JM(I)=K-1
JMP1(I)=K
GO TO 625
620 CONTINUE
JM(I)=NM-1
JMP1(I)=NM
625 CONTINUE
DO 700 JA=1,NA
THETC=AC*SSP(JA)+BC*CCP(JA)
THC1=CPUMG*(AC*CCP(JA)-BC*SSP(JA))
DO 650 M=1,NR
RRBL=R*RBL(M)
IF(JM(M)) 630,650,630
630 I=JM(M)
IP1=JMP1(M)
FCTR=(RRBL-X(I))/(X(IP1)-X(I))
DO 640 II=1,2
THT=THETC+PHIV(I,JA)
PH=-THETA(I,JA)*CCPS(I)-SI(I,JA)*SCPS(I)
HD=UNOCP*(VDDOT(I,JA)*CCPS(I)-WDOT(I,JA)*SCPS(I)+ZA(I)*PHIDT(I,JA)*
1CCPS(I)+(ZA(I)-H(I))*(THC1+CPUMG*PH))-AMU*CSALT*CCP(JA)*PH
GO TO (637,645),II
637 HDT(M)=HD*(1.-FCTR)
ATH(M)=THT*(1.-FCTR)
APH(M)=PH*(1.-FCTR)
I=IP1
640 CONTINUE
645 HDT(M)=HDT(M)+FCTR*HD
APH(M)=APH(M)+FCTR*PH
ATH(M)=ATH(M)+FCTR*THT
650 CONTINUE
DO 660 M=1,NR
HDDOT(M,JA)=HDT(M)
PHI(M,JA)=APH(M)
660 THET(M,JA)=ATH(M)
700 CONTINUE
4 CONTINUE
IF(IT3.EQ.1000) GO TO 10
IF(NPRNT.LT.2)GO TO 6
10 WRITE(6,24)
WRITE(6,29)((HDDOT(I,J),J=1,NA),I=1,NR)
WRITE(6,22)
WRITE(6,29)((PHI(I,J),J=1,NA),I=1,NR)
WRITE(6,23)

```

```

        WRITE(6,29)((THETA(I,J),J=1,NA),I=1,NR)
        WRITE(6,28)
        WRITE(6,29)((THET(I,J),J=1,NA),I=1,NR)
6      WRITE(NOUT,2935)
        WRITE(NOUT,939)(II,II=1,MAXMO)
939    FORMAT(1X,14HAZIMUTH (DOWN)/6H MODE ,2X,II, 13(7X,I2))
        DO 5 JJ=1,NA
5      WRITE(NOUT,938) JJ,(CSI(II,JJ),II=1,MAXMO)
        IF(IT3-1000)890,750,750
750    CONTINUE
C
        NAUVTO=18
        NRNRRA=37
        WRITE(6,8995)
        CALL HARMN(NM,NAP1,DSI,PHIV ,6,NMAS,NAUVTO,NRNRRA)
        WRITE(6,8991)
        CALL HARMN(NM,NAP1,DSI,VX ,6,NMAS,NAUVTO,NRNRRA)
        WRITE(6,8992)
        CALL HARMN(NM,NAP1,DSI,WX ,6,NMAS,NAUVTO,NRNRRA)
        NAP1=NA+1
890    NR=SNR
        RETURN
9988  FORMAT(1HO,3HVX // (9G13.5))
9989  FORMAT(1HO,3HWX // (9G13.5))
9990  FORMAT(1HO,5HVDOT // (9G13.5))
9991  FORMAT(1HO,5HWDOT // (9G13.5))
9992  FORMAT(1HO,5HPHIV // (9G13.5))
9993  FORMAT(1HO,5HPHIDT// (9G13.5))
9994  FORMAT(1HO,5HSI // (9G13.5))
9995  FORMAT(1HO,5HSIDT// (9G13.5))
9996  FORMAT(1HO,5HTHETA//(9G13.5))
9997  FORMAT(6HOVDTDT// (9G13.5))
24    FORMAT(5HOHDOT//)
29    FORMAT(10(1X,E12.5),/)
22    FORMAT(4HOPHI//)
23    FORMAT(6HOTHETA//)
28    FORMAT(5HOTHET//)
2935  FORMAT(2(/),55X,10HCSI VALUES)
938   FORMAT(1X,I2,14(F9.4))
900   FORMAT(1X,5E20.7)
8991  FORMAT( /57X,21HFLATWISE DISPLACEMENT)
8992  FORMAT( /57X,22HCHORDWISE DISPLACEMENT)
8993  FORMAT( /57X,17HFLATWISE VELOCITY)
8994  FORMAT( /57X,18HCHORDWISE VELOCITY)
8995  FORMAT( /57X,26HTORSIONAL DEFLECTION ANGLE)
8996  FORMAT( /57X,33HTORSIONAL DEFLECTION ANGULAR RATE)
8997  FORMAT( /57X,23HCHORDWISE BENDING-SLOPE)
8998  FORMAT( /57X,36HCHORDWISE BENDING-SLOPE ANGULAR RATE)
8999  FORMAT( /57X,35HFLATWISE BENDING-SLOPE ANGULAR RATE)
        END

```

SUBROUTINE SHEAR

```

C
DIMENSION CT(18,37),CMZ(18,37),CMY(18,37),CVZ(18,37),CVY(18,37)
DIMENSION SIGKJ(20,20)
DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
2 YINR(18),OMEGA(20),SIG(20),BD(15)
DIMENSION AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
2 AMY(18,20),AVZ(18,20),HDT(10,36),PHI(10,36),
3 THET(10,36),FX(10,36),FZ(10,36),EMO(10,36)
DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
DIMENSION FV(18,37),FW(18,37),EMCME(18,37),CSI(20,37),CS2DT(20,37)
1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMA(18),H(18),X(19)
2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
DIMENSION CSPH(18),CAPI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
2 FORC(37)
DIMENSION JM(10),JMPI(10),HDT(10),APH(10),ATH(10)
C
C

```

```

COMMON /BED4X1/ ELNTH, EMAS, EIX , RBL , XINR, DPHI, EIY , EPS,
1 DLZ, ZA , YINR, OMEGA, PSIR, SIG , AV , AW , APHE , ASI , ATHET,
2 AT , AMZ , AVY , AMY , AVZ , BD , RWK , CSAL , NM , XCSIDT,
3 SIGKJ, DAMPC
COMMON /GCORD1/ THETO,CPSQ,DT,AC,BC,AKL,DT02,R,ONOCP,CSALT
COMMON /CONL1/ ENR,P102,XROOT,RAB,NMP1,NRPI,NAP1
COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAER,
1 RA1,RB1,ERRSV
COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EMO,NMAS,NMODE,NAPSON,NRI1
COMMON /BLD4X3/ AMU,NA,NR1
COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
1 CCP,SSP,CCPS,SCPS,SUMA,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPI,CC,SC,EX
2 ,EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMPI,HDT,APH,
3 ATH
COMMON /SVSNR/ SNR
COMMON /GARY/ NGOTO
COMMON /SAD2/ VDOT,WDOT,PHIDT,SIDT,CSIDT
COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMD,NIT1,NIT2,NIT3
1 ,CPOMG,IT3
COMMON /IO/IN,NOUT,IT7,IT8
COMMON /SHEAR1/ NAQVTO

```

```

NRNRNA=NR*NA
DO 200 JA=1,NAP1
DO 200 I=1,NM
DT=0.
DMY=0.
DMZ=0.

```

```

DVY=0.
DVZ=0.
DO 100 K=1,MAXMO
CSIX=CSI(K,JA)
DT=DT+AT(I,K)*CSIX
DMZ=DMZ+AMZ(I,K)*CSIX
DMY=DMY+AMY(I,K)*CSIX
DVZ=DVZ+AVZ(I,K)*CSIX
100 DVY=DVY+AVY(I,K)*CSIX
CT(I,JA)=DT
CMZ(I,JA)=DMZ
CMY(I,JA)=DMY
CVZ(I,JA)=DVZ
CVY(I,JA)=DVY
200 CONTINUE
C
NSAVE=NA
NAOVTO=18
NRNRNA=37
CALL HARMN (NM,NA,DSI,CT,1,NMAS,NAOVTO,NRNRNA)
WRITE (6,900)
WRITE (6,901) ((CT(I,J),J=1,NA),I=1,NM)
CALL HARMN (NM,NA,DSI,CMZ,2,NMAS,NAUVTO,NRNRNA)
WRITE (6,900)
WRITE(6,901)((CMZ(I,J),J=1,NA),I=1,NM)
CALL HARMN (NM,NA,DSI,CMY,4,NMAS,NAOVTO,NRNRNA)
WRITE (6,900)
WRITE(6,901)((CMY(I,J),J=1,NA),I=1,NM)
CALL HARMN (NM,NA,DSI,CVZ,5,NMAS,NAOVTO,NRNRNA)
WRITE (6,900)
WRITE(6,901)((CVZ(I,J),J=1,NA),I=1,NM)
CALL HARMN (NM,NA,DSI,CVY,3,NMAS,NAOVTO,NRNRNA)
WRITE (6,900)
WRITE (6,901) ((CVY(I,J),J=1,NA),I=1,NM)
NA=NSAVE
RETURN
900 FORMAT (///,56X,19HRADIAL VS AZIMUTHAL)
901 FORMAT(///(9G14.6))
END

```

SUBROUTINE RSPZZ

```

C
      DIMENSION RCAP(11),ZWK(11,36),VX(18,37),WX(18,37)
      DIMENSION KM(11),KMP1(11)
      DIMENSION SIGKJ(20,20)
      DIMENSION ELNTH(18),EMAS(18),EIX(18),EIZ(18),RBL(10),
1 XINR(18),DPHI(18),EIY(18),EPS(18),DLZ(18),ZA(18),
2 YINR(18),OMEGA(20),SIG(20),BD(15)
      DIMENSION AV(18,20),AW(18,20),APHI(18,20),ASI(18,20),
1 ATHET(18,20),AT(18,20),AMZ(18,20),AVY(18,20),
2 AMY(18,20),AVZ(18,20),HDOT(10,36),PHI(10,36),
3 THET(10,36),FX(10,36),FZ(10,36),EMO(10,36)
      DIMENSION VDOT(18,37),WDOT(18,37),PHIDT(18,37),SIDT(18,37),
1 CSIDT(20,37)
      DIMENSION FV(18,37),FW(18,37),EMOME(18,37),CSI(20,37),CS2DT(20,37)
1 ,CH(12,18),CCP(37),SSP(37),CCPS(18),SCPS(18),SUMA(18),H(18),X(19)
2 ,RADIS(18),PHIV(18,37),SI(18,37),XCSIDT(1,36),THETA(18,37)
      DIMENSION CSPH(18),CAPI(18),CC(37),SC(37),EX(37),EXMT(37),SN(11),
1 SMLAZ(18),SMLAX(18),SMLAM(18),ALAM(37),SFZ(37),SFX(37),SFM(37),
2 FORC(37)
      DIMENSION JM(10),JMP1(10),HDT(10),APH(10),ATH(10)

```

```

C
      COMMON /BLD4X1/ ELNTH, EMAS, EIX, RBL, XINR, DPHI, EIY, EPS,
1 DLZ, ZA, YINR, OMEGA, PSIR, SIG, AV, AW, APHI, ASI, ATHET,
2 AT, AMZ, AVY, AMY, AVZ, BD, RWK, CSAL, NM, XCSIDT,
3 SIGKJ, DAMPC
      COMMON /GCURD1/ THETO,CPSW,DT,AC,BC,AKL,DT02,R,ONOCP,CSALT
      COMMON /CONL1/ ENR,PIO2,XROOT,RAB,NMPI,NRP1,NAP1
      COMMON /A1/ NBL,NB,NR,NW,NCV,NR2,MAXMO,NIT1,NIT2,NIT3
1 ,CPCMGS,IT3
      COMMON /IO/IN,NOUT,IT7,IT8
      COMMON /B3/ DSI,IJ,KTEST,AMSNA,AMSNB,EMTA1,EMTB1,ALL1,ALL2,ROAIR,
1 RA1,RB1,ERRSV
      COMMON /BLD4X2/ HDOT,PHI,THET,FX,FZ,EMO,NMAS,NMODE,NAPSON,NR11
      COMMON /BLD4X3/ AMU,NA,NR1
      COMMON /SAD1/ FV,FW,EMOME,CSI,CS2DT,CH,
1 CCP,SSP,CCPS,SCPS,SUMA,H,X,RADIS,PHIV,SI,THETA,CSPH,CAPI,CC,SC,EX
2 ,EXMT,SN,SMLAZ,SMLAX,SMLAM,ALAM,SFZ,SFX,SFM,FORC,JM,JMP1,HDT,APH,
3 ATH
      COMMON /SVSNR/ SNR
      COMMON /GARY/ NGUTD
      COMMON /SAD2/ VDOT,WDOT,PHIDT,SIDT,CSIDT
      COMMON /SAD6/ VX,WX

```

C COMPUTE Z S FOR CASE 12 WAKE AND LOADS RUNS

C 4 READ(5,9990)(RCAP(I),I=1,NRP1)

C

```
DO 610 I=1,NM
X(I)=XROOT
DO 610 J=1,I
610 X(I)=X(I)+ELNTH(J)
MJ=1
DO 625 I=1,NRP1
RRBL=RCAP(I)
M=MJ
DO 620 J=M,NM
MJ=J
IF (X(J).LT.RRBL) GO TO 620
K=J
IF (K.EQ.1) K=K+1
KM(I)=K-1
KMP1(I)=K
GO TO 625
620 CONTINUE
KM(I)=NM-1
KMP1(I)=NM
625 CONTINUE
DO 700 JA=1,NA
DO 650 M=1,NRP1
RRBL=RCAP(M)
IF(KM(M)) 630,650,630
630 I=KM(M)
IP1=KMP1(M)
FCTR=(RRBL-X(I))/(X(IP1)-X(I))
DO 640 II=1,2
HD=-VX(I,JA)
GO TO 637,645),II
637 HDT(M)=HD*(1.-FCTR)
I=IP1
640 CONTINUE
645 HDT(M)=HDT(M)+FCTR*HD
650 CONTINUE
DO 660 M=1,NRP1
660 ZWK(M,JA)=HDT(M)/R
700 CONTINUE
C
      WRITE(6,24)
      WRITE(3,29)(( ZWK (I,J),I=1,NRP1),J=1,NA)
      WRITE(6,30)(( ZWK (I,J),I=1,NRP1),J=1,NA)
      3 CONTINUE
9990 FORMAT (8F10.9)
24 FORMAT( 5H0ZWK ,//)
29 FORMAT( 29X,F10.7)
30 FORMAT (1X,8E16.7)
END
```

## Machine Compatibility:

The Blade Loads Program has been run on the University of Rochester's IBM 360/65 under MVT Release 18, General Computer Corporation's CDC 6600 under Scope 3.2, and NASA-Langley CDC 6600 under Scope 3.0. The program is standard FORTRAN IV and is also WATFIV compatible.

## Recommended CDC 6600 Overlay Statements

### Mainline:

```
OVERLAY(BLADES,0,0)
PROGRAM BLD34(INPUT, OUTPUT, BDSTRT, BDGAM, BDSIG, PUNCH,
    TAPE2=BDSTRT, TAPE5=INPUT, TAPE6=OUTPUT, TAPE7=BDGAM,
    TAPE8=BDSIG, TAPE3=PUNCH)
2004 CALL OVERLAY(6LBLADES,1,0,6HRECALL) replaces
    2004 CALL BLD3
CALL OVERLAY(6LBLADES,2,0,6HRECALL) replaces the two calls
    to CALL BLD4
```

### Subroutine BLD3:

```
OVERLAY(BLADES,1,0); PROGRAM BLD3
```

### Subroutine BLD4:

```
OVERLAY(BLADES,2,0); PROGRAM BLD4
CALL OVERLAY(6LBLADES,2,1,6HRECALL) replaces CALL CONVL
CALL OVERLAY(6LBLADES,2,2,6HRECALL) replaces CALL GCOORD
CALL OVERLAY(6LBLADES,2,3,6HRECALL) replaces two CALL RSPNS
CALL OVERLAY(6LBLADES,2,4,6HRECALL) replaces CALL SHEAR
IF(NPCH.EQ.1) CALL OVERLAY(6LBLADES,2,5,6HRECALL)
    replaces IF(NPCH.EQ.1) CALL RSPZZ
```

### Subroutine CONVL:

```
OVERLAY(BLADES,2,1); PROGRAM CONVL
```

### Subroutine GCOORD:

```
OVERLAY(BLADES,2,2); PROGRAM GCOORD
```

### Subroutine RSPNS:

```
OVERLAY(BLADES,2,3); PROGRAM RSPNS
```

### Subroutine SHEAR:

```
OVERLAY(BLADES,2,4); PROGRAM SHEAR
```

### Subroutine RSPZZ:

```
OVERLAY(BLADES,2,5); PROGRAM RSPZZ
```

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
WASHINGTON, D.C. 20546

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

FIRST CLASS MAIL

POSTAGE AND FEES PAID  
NATIONAL AERONAUTICS AND  
SPACE ADMINISTRATION  
451



POSTMASTER : If Undeliverable (Section 158  
Postal Manual) Do Not Return

*"The aeronautical and space activities of the United States shall be conducted so as to contribute . . . to the expansion of human knowledge of phenomena in the atmosphere and space. The Administration shall provide for the widest practicable and appropriate dissemination of information concerning its activities and the results thereof."*

—NATIONAL AERONAUTICS AND SPACE ACT OF 1958

## NASA SCIENTIFIC AND TECHNICAL PUBLICATIONS

**TECHNICAL REPORTS:** Scientific and technical information considered important, complete, and a lasting contribution to existing knowledge.

**TECHNICAL NOTES:** Information less broad in scope but nevertheless of importance as a contribution to existing knowledge.

**TECHNICAL MEMORANDUMS:** Information receiving limited distribution because of preliminary data, security classification, or other reasons. Also includes conference proceedings with either limited or unlimited distribution.

**CONTRACTOR REPORTS:** Scientific and technical information generated under a NASA contract or grant and considered an important contribution to existing knowledge.

**TECHNICAL TRANSLATIONS:** Information published in a foreign language considered to merit NASA distribution in English.

**SPECIAL PUBLICATIONS:** Information derived from or of value to NASA activities. Publications include final reports of major projects, monographs, data compilations, handbooks, sourcebooks, and special bibliographies.

**TECHNOLOGY UTILIZATION PUBLICATIONS:** Information on technology used by NASA that may be of particular interest in commercial and other non-aerospace applications. Publications include Tech Briefs, Technology Utilization Reports and Technology Surveys.

*Details on the availability of these publications may be obtained from:*

**SCIENTIFIC AND TECHNICAL INFORMATION OFFICE**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION**

**Washington, D.C. 20546**